

CSCComPatientInterview

Field	Question	Answer
[Identification]		
date (required)	Please confirm the date:	
time (required)	Please confirm the time:	
[Screening]		
confirmation (required)	Please confirm: The patient...	<div>1 Is present</div> <div>2 Is at the CSCOM for an acute illness (neither preventive care nor follow-up visit for earlier treatment)</div>
symptomsscreening	Please confirm: the patient has one of the following symptoms <i>Question relevant when: selected(\${confirmation} , '1')</i>	<div>1 Fever</div> <div>2 Chills and/or excessive sweating</div> <div>3 Nausea, vomiting or diarrhea</div> <div>4 Poor appetite, unwilling to eat or to breastfeed</div> <div>5 Headache</div> <div>6 Cough</div> <div>7 Weakness, fatigue, or reduced consciousness</div>
[Screening]		
<i>Group relevant when: selected(\${confirmation} , '1') and (not(selected(\${confirmation} , '2')) or count-selected(\${symptomsscreening})=0)</i>		
notacutelyill (required)	What is the reason for the CSCCom visit? <i>Question relevant when: selected(\${confirmation} , '1') and not(selected(\${confirmation} , '2'))</i>	<div>1 Follow-up for previous visit</div> <div>2 Preventive care or pre-natal care</div> <div>-97 Other</div>
desc_othenotacutelyill (required)	Specify other reason <i>Question relevant when: selected(\${confirmation} , '1') and not(selected(\${confirmation} , '2')) and selected(\${notacutelyill} , '-97')</i>	
desc_otherpatientsymptoms (required)	What symptoms does the patient have? <i>Question relevant when: selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})=0</i>	
patientrespondent (required)	Is the patient the same as the respondent? <i>Question relevant when: selected(\${confirmation} , '1')</i>	<div>1 The patient is the respondent</div> <div>2 Respondent is different from the patient</div>
appearsableconsent (required)	Does the patient appear able to give informed consent? <i>Question relevant when: selected(\${confirmation} , '1') and selected(\${patientrespondent} , '1')</i>	<div>1 Yes</div> <div>2 No</div>
[Consent]		
<i>Group relevant when: selected(\${confirmation} , '1') and ((selected(\${patientrespondent} , '1') and selected(\${appearsableconsent} , '1')) or selected(\${patientrespondent} , '2'))</i>		
consent	[Surveyor: Please confirm that you carried out the consent procedure.]	
confirmage (required)	Please confirm the age of the respondent for consent purposes. <i>Probe if they don't know their age, e.g. can they vote? Do they need permission from their parents in government interactions?</i>	<div>1 Respondent is an adult (18 years or older)</div> <div>2 Respondent is an emancipated minor (15-17 years)</div> <div>3 Respondent is underage (14 years or younger)</div>
confirmconsent (required)	Please confirm: the respondent consented to the interview.	<div>1 Yes</div> <div>2 No</div>
consentrespondent (required)	Please confirm: a parent or guardian of the respondent consented to the interview. <i>Question relevant when: (selected(\${confirmimage} , '3') and selected(\${confirmconsent} , '1'))</i>	<div>1 Yes</div> <div>2 No</div> <div>3 Not present</div>
questionsrespondent	I'd like to start with a few questions about yourself. <i>Note: these questions are about the respondent (who may be different from the patient).</i> <i>Question relevant when: (selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))</i>	
[Demographic information of the respondent]		
<i>Group relevant when: (selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))</i>		
lastname (required)	What is your last name? <i>Question relevant when: (selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))</i> <i>Response constrained to: (string-length(.)<=80 and not(regex(., ".*")d(.*\$))) or (.= or .=)</i>	
name (required)	What is your first name? <i>Question relevant when: (selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))</i> <i>Response constrained to: (string-length(.)<=80 and not(regex(., ".*")d(.*\$))) or (.= or .=)</i>	

CSCComPatientInterview

Field	Question	Answer																																						
gender <i>(required)</i>	What is the respondent's gender? <i>Verify respondent's gender with or without asking.</i> Question relevant when: (selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))	<table border="1"> <tr> <td>Male</td><td>Male</td></tr> <tr> <td>Female</td><td>Female</td></tr> </table>	Male	Male	Female	Female																																		
Male	Male																																							
Female	Female																																							
age <i>(required)</i>	How old are you? <i>Enter in years. If the respondent cannot tell their age exactly, use approximate age.</i> Question relevant when: (selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3'))) Response constrained to: ((.>=10 and .<=100) and not((selected(\${confirmimage} , '1') and .<18) or (selected(\${confirmimage} , '2') and .>17) or (selected(\${confirmimage} , '2') and .<15) or (selected(\${confirmimage} , '3') and .>14)))																																							
relationship <i>(required)</i>	What is your relationship with the patient? <i>Enter as "The patient is the respondent's _____."</i> Question relevant when: selected(\${patientrespondent} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3'))))	<table border="1"> <tr><td>1</td><td>Spouse</td></tr> <tr><td>2</td><td>Parent or legal guardian (other than spouse)</td></tr> <tr><td>3</td><td>Parent in law</td></tr> <tr><td>4</td><td>Child</td></tr> <tr><td>5</td><td>Foster/adopted child</td></tr> <tr><td>6</td><td>Son/Daughter-in-Law</td></tr> <tr><td>7</td><td>Sibling</td></tr> <tr><td>8</td><td>Cousin</td></tr> <tr><td>9</td><td>Uncle/Aunt</td></tr> <tr><td>10</td><td>Nephew/Niece</td></tr> <tr><td>11</td><td>Grandparent</td></tr> <tr><td>12</td><td>Grandchild</td></tr> <tr><td>13</td><td>Brother/Sister-in-Law</td></tr> <tr><td>14</td><td>Other family member</td></tr> <tr><td>15</td><td>Friend or acquaintance</td></tr> <tr><td>16</td><td>Business relation or employee</td></tr> <tr><td>17</td><td>Charge (respondent is patient's relais communautaire, nurse, doctor, or similar)</td></tr> <tr><td>-97</td><td>Other</td></tr> <tr><td>-98</td><td>Refused</td></tr> </table>	1	Spouse	2	Parent or legal guardian (other than spouse)	3	Parent in law	4	Child	5	Foster/adopted child	6	Son/Daughter-in-Law	7	Sibling	8	Cousin	9	Uncle/Aunt	10	Nephew/Niece	11	Grandparent	12	Grandchild	13	Brother/Sister-in-Law	14	Other family member	15	Friend or acquaintance	16	Business relation or employee	17	Charge (respondent is patient's relais communautaire, nurse, doctor, or similar)	-97	Other	-98	Refused
1	Spouse																																							
2	Parent or legal guardian (other than spouse)																																							
3	Parent in law																																							
4	Child																																							
5	Foster/adopted child																																							
6	Son/Daughter-in-Law																																							
7	Sibling																																							
8	Cousin																																							
9	Uncle/Aunt																																							
10	Nephew/Niece																																							
11	Grandparent																																							
12	Grandchild																																							
13	Brother/Sister-in-Law																																							
14	Other family member																																							
15	Friend or acquaintance																																							
16	Business relation or employee																																							
17	Charge (respondent is patient's relais communautaire, nurse, doctor, or similar)																																							
-97	Other																																							
-98	Refused																																							
desc_relationship <i>(required)</i>	Other relationship: <i>"The patient is the respondent's _____"</i> Question relevant when: selected(\${patientrespondent} , '2') and selected(\${relationship} , '-97') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) Response constrained to: string-length(.)<=80																																							
[Information about the patient] Group relevant when: (selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))																																								
lastnamepatient <i>(required)</i>	What is the last name of the patient? Question relevant when: selected(\${patientrespondent} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) Response constrained to: (string-length(.)<=80 and not(regex(., "^(.*)d(.*\$)))																																							
namepatient <i>(required)</i>	What is the name of the patient? Question relevant when: selected(\${patientrespondent} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) Response constrained to: (string-length(.)<=80 and not(regex(., "^(.*)d(.*\$)))																																							
genderpatient <i>(required)</i>	What is the gender of the patient? <i>Verify patient's gender, with or without asking.</i> Question relevant when: selected(\${patientrespondent} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3'))))	<table border="1"> <tr> <td>Male</td><td>Male</td></tr> <tr> <td>Female</td><td>Female</td></tr> </table>	Male	Male	Female	Female																																		
Male	Male																																							
Female	Female																																							
agepatient <i>(required)</i>	What is the age of the patient? <i>If the person cannot say exactly, use approximate age. Enter 0 for a child less than 1 year old.</i> Question relevant when: selected(\${patientrespondent} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) Response constrained to: .>=0 and .<=105																																							

CSCoPatientInterview

Field	Question	Answer
monthschild <i>(required)</i>	How many months old is the child? <i>If the respondent cannot say exactly, use approximate age. Enter 0 if the child is less than 1 month old.</i> <i>Question relevant when: selected(\${patientrespondent} , '2') and \${agepatient} = 0 and (selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3'))))</i> <i>Response constrained to: . >=0 and . <=11</i>	
estimateagechild6 <i>(required)</i>	[Surveyor: How certain is the child's age?] <i>Question relevant when: selected(\${patientrespondent} , '2') and \${agepatient} < 7 and (selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3'))))</i>	<div>1 Exact birthdate known, documented by birth certificate or other paperwork</div> <div>2 Exact birthdate known but not documented</div> <div>3 Respondent estimate</div> <div>4 Surveyor estimate</div>
[Additional information about the respondent] <i>Group relevant when: (selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))</i>		
ethnic <i>(required)</i>	What ethnic group do you identify with? <i>Question relevant when: (selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))</i>	<div>1 Bambara</div> <div>2 Sarakolé</div> <div>3 Sonhrai</div> <div>4 Dogon</div> <div>5 Malinké</div> <div>6 Fulani (Peulh)</div> <div>7 Arabic</div> <div>8 Bobo</div> <div>9 Bozo</div> <div>10 Kassonka</div> <div>11 Miyanka</div> <div>12 Mossi</div> <div>13 Samoko</div> <div>14 Senoufo</div> <div>15 Tamachek</div> <div>16 Dafin</div> <div>17 Siamou</div> <div>18 Gana</div> <div>19 Hausa</div> <div>-97 Other</div> <div>-98 Refused to say</div>
primarylanguage <i>(required)</i>	What is your primary language? <i>Question relevant when: (selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))</i>	<div>1 Bambara</div> <div>2 Sarakolé</div> <div>3 Sonhrai</div> <div>4 Dogon</div> <div>5 Malinké</div> <div>6 Fulani (Peulh)</div> <div>-97 Other</div> <div>-98 Refused to say</div>
french <i>(required)</i>	Can you speak French? <i>Question relevant when: (selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))</i>	<div>1 Yes</div> <div>2 No</div>
fluency <i>(required)</i>	What is your level of fluency? <i>Question relevant when: selected(\${french} , '1') and (selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3'))))</i>	<div>1 Cannot read or write</div> <div>2 Can read but not write</div> <div>3 Can read and write a little (e.g. can write own name and read simple texts)</div> <div>4 Can read and write fluently</div>

CSCComPatientInterview

Field	Question	Answer
niveduc <i>(required)</i>	What is your highest level of education? <i>Enter highest completed level.</i> Question relevant when: (selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))	1 No school
		2 Medersa
		3 Islamic school
		4 Preschool or kindergarten
		5 Elementary school
		6 Middle school
		7 High school
		8 Professional school
		9 University degree/higher studies
		-98 Refused to say
reasonvisit	I am now going to ask you a few questions about the reason for your visit here. Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))	
reasonforvisit1	I'm going to read you a list of symptoms. Can you say for each if you have had this symptom during the current illness? Question relevant when: selected(\${patientrespondent} , '1') and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3'))))	
reasonforvisit2	I'm going to read you a list of symptoms. Can you say for each if [namepatient] has had this symptom during the current illness? Question relevant when: selected(\${patientrespondent} , '2') and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3'))))	
Have you/the patient had any... Group relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))		
labels1	Please read symptom aloud and record patient's answer. Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))	1 Yes
		2 No
feverintake <i>(required)</i>	Fever Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))	1 Yes
		2 No
chillsintake <i>(required)</i>	Chills and/or excessive sweating Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))	1 Yes
		2 No

CSCComPatientInterview

Field	Question	Answer
nauseaintake <i>(required)</i>	Nausea or vomiting Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))	1 Yes
		2 No
diarrheaintake <i>(required)</i>	Diarrhea Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))	1 Yes
		2 No
digestiveproblemsintake <i>(required)</i>	Digestive problems (swelling of the belly, abdominal pain) Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))	1 Yes
		2 No
poorappetiteintake <i>(required)</i>	Poor appetite, unwilling to eat or to breastfeed Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))	1 Yes
		2 No
headacheintake <i>(required)</i>	Headache Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))	1 Yes
		2 No
stiffnessneckintake <i>(required)</i>	Stiffness of the neck Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))	1 Yes
		2 No
earpainintake <i>(required)</i>	Ear pain or swelling behind the ear Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))	1 Yes
		2 No
swellingcheeksintake <i>(required)</i>	Swelling of the cheeks Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))	1 Yes
		2 No
nosebleedintake <i>(required)</i>	Nose bleed Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))	1 Yes
		2 No

CSCComPatientInterview

Field	Question	Answer
<p>Have you/the patient had any...</p> <p>Group relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))</p>		
labels2	<p>Please read symptom aloud and record patient's answer.</p> <p>Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))</p>	1 Yes
		2 No
coughintake <i>(required)</i>	<p>Dry cough</p> <p>Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))</p>	1 Yes
		2 No
productivecoughintake <i>(required)</i>	<p>Wet/productive cough</p> <p>Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))</p>	1 Yes
		2 No
breathingintake <i>(required)</i>	<p>Difficulty breathing, rapid or deep breathing</p> <p>Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))</p>	1 Yes
		2 No
skinintake <i>(required)</i>	<p>Skin outbreak, blisters, rash</p> <p>Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))</p>	1 Yes
		2 No
eyesintake <i>(required)</i>	<p>Red or infected eyes</p> <p>Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))</p>	1 Yes
		2 No
mouthulcersintake <i>(required)</i>	<p>Mouth ulcers</p> <p>Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))</p>	1 Yes
		2 No
jaundiceintake <i>(required)</i>	<p>Jaundice (ictère, jaunisse; yellow eyes or skin)</p> <p>Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))</p>	1 Yes
		2 No

CSCComPatientInterview

Field	Question	Answer
weaknessintake <i>(required)</i>	Weakness, fatigue, malaise <i>Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))</i>	1 Yes
		2 No
prostrationintake <i>(required)</i>	Prostration: inability to sit up / inability to breastfeed (small children) <i>Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))</i>	1 Yes
		2 No
musclestiffnessintake <i>(required)</i>	Muscle stiffness, hypertonia <i>Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))</i>	1 Yes
		2 No
convulsionsintake <i>(required)</i>	Convulsions <i>Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))</i>	1 Yes
		2 No
consciousnessintake <i>(required)</i>	Reduced consciousness, confusion, coma (irresponsive to sound or touch) <i>Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))</i>	1 Yes
		2 No
fevertypeintake <i>(required)</i>	You mentioned fever. Is the fever permanent or recurrent? <i>A recurrent fever is a strong fever that occurs for a few hours, then suddenly stops, often followed by excessive sweating.</i> <i>Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${feverintake} , '1')</i>	1 Permanent
		2 Recurrent
headachetypeintake <i>(required)</i>	You mentioned headache. Is the headache only in front or whole head? <i>Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${headacheintake} , '1')</i>	1 Only in front
		2 Whole head
daysillness <i>(required)</i>	For how many days have you / has the patient had the illness? <i>Probe for exact number of days. Include today, e.g. if the patient says "it started yesterday" the answer is "2 days". If this number is larger than 5, probe for exact number of days (e.g. people will often say "a week" but it really is 6 or 8 days).</i> <i>Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))</i>	

CSCComPatientInterview

Field	Question	Answer
thinkillness <i>(required)</i>	<p>What illness do you think you/the patient suffer(s) from?</p> <p><i>Tick all illnesses that the respondent mentions. If "Other" is selected, let the respondent specify.</i></p> <p><i>Question relevant when: (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))</i></p> <p><i>Response constrained to: not((selected(\${thinkillness} , '1') or selected(\${thinkillness} , '2') or selected(\${thinkillness} , '3') or selected(\${thinkillness} , '4') or selected(\${thinkillness} , '5') or selected(\${thinkillness} , '6') or selected(\${thinkillness} , '7') or selected(\${thinkillness} , '8') or selected(\${thinkillness} , '9') or selected(\${thinkillness} , '10') or selected(\${thinkillness} , '11') or selected(\${thinkillness} , '12') or selected(\${thinkillness} , '13') or selected(\${thinkillness} , '14') or selected(\${thinkillness} , '15') or selected(\${thinkillness} , '16') or selected(\${thinkillness} , '17') or selected(\${thinkillness} , '-97')) and selected(\${thinkillness} , '18')) and not((selected(\${thinkillness} , '1') or selected(\${thinkillness} , '2') or selected(\${thinkillness} , '3') or selected(\${thinkillness} , '4') or selected(\${thinkillness} , '5') or selected(\${thinkillness} , '6') or selected(\${thinkillness} , '7') or selected(\${thinkillness} , '8') or selected(\${thinkillness} , '9') or selected(\${thinkillness} , '10') or selected(\${thinkillness} , '11') or selected(\${thinkillness} , '12') or selected(\${thinkillness} , '13') or selected(\${thinkillness} , '14') or selected(\${thinkillness} , '15') or selected(\${thinkillness} , '16') or selected(\${thinkillness} , '17') or selected(\${thinkillness} , '-97')) and selected(\${thinkillness} , '-99')) and not(selected(\${thinkillness} , '1') and selected(\${thinkillness} , '2') and selected(\${thinkillness} , '3')) and not(selected(\${thinkillness} , '1') and selected(\${thinkillness} , '2')) and not(selected(\${thinkillness} , '1') and selected(\${thinkillness} , '3')) and not(selected(\${thinkillness} , '2') and selected(\${thinkillness} , '3')) and not(selected(\${thinkillness} , '18') and selected(\${thinkillness} , '-99'))</i></p>	<div>1</div> <div>Simple malaria</div>
		<div>2</div> <div>Severe malaria</div>
		<div>3</div> <div>Malaria (simple or severe not specified)</div>
		<div>4</div> <div>Typhoid Fever</div>
		<div>5</div> <div>Bronchitis</div>
		<div>6</div> <div>Influenza/flu</div>
		<div>7</div> <div>(Acute) respiratory infection (IRA)</div>
		<div>8</div> <div>Pneumonia</div>
		<div>9</div> <div>Dysentery</div>
		<div>10</div> <div>Gastrointestinal infection, stomach infection</div>
		<div>11</div> <div>Cardiovascular disease</div>
		<div>12</div> <div>High blood pressure</div>
		<div>13</div> <div>Diabetes</div>
		<div>14</div> <div>Measles</div>
		<div>15</div> <div>Ear infection</div>
		<div>-97</div> <div>Other</div>
		<div>-99</div> <div>Don't know</div>
desc_illness <i>(required)</i>	<p>Specify illness:</p> <p><i>Question relevant when: selected(\${thinkillness} , '-97') and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3'))))</i></p> <p><i>Response constrained to: (string-length(.)<=200)</i></p>	
beforeillness1 <i>(required)</i>	<p>Have you had an illness with the same or similar symptoms before?</p> <p><i>Question relevant when: selected(\${patientrespondent} , '1') and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3'))))</i></p>	<div>1</div> <div>Yes</div>
		<div>2</div> <div>No</div>
beforeillness2 <i>(required)</i>	<p>Has [namepatient] had an illness with the same or similar symptoms before?</p> <p><i>Question relevant when: selected(\${patientrespondent} , '2') and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3'))))</i></p>	<div>1</div> <div>Yes</div>
		<div>2</div> <div>No</div>
		<div>-99</div> <div>Don't know</div>

CSCComPatientInterview

Field	Question	Answer
whatillnesswas <i>(required)</i>	<p>Do you know what the illness was last time?</p> <p>Question relevant when: (selected(\${beforeillness1} , '1') or selected(\${beforeillness2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3'))))</p> <p>Response constrained to: not((selected(\${whatillnesswas} , '1') or selected(\${whatillnesswas} , '2') or selected(\${whatillnesswas} , '3') or selected(\${whatillnesswas} , '4') or selected(\${whatillnesswas} , '5') or selected(\${whatillnesswas} , '6') or selected(\${whatillnesswas} , '7') or selected(\${whatillnesswas} , '8') or selected(\${whatillnesswas} , '9') or selected(\${whatillnesswas} , '10') or selected(\${whatillnesswas} , '11') or selected(\${whatillnesswas} , '12') or selected(\${whatillnesswas} , '13') or selected(\${whatillnesswas} , '14') or selected(\${whatillnesswas} , '15') or selected(\${whatillnesswas} , '16') or selected(\${whatillnesswas} , '17') or selected(\${whatillnesswas} , '-97')) and selected(\${whatillnesswas} , '18')) and not((selected(\${whatillnesswas} , '1') or selected(\${whatillnesswas} , '2') or selected(\${whatillnesswas} , '3') or selected(\${whatillnesswas} , '4') or selected(\${whatillnesswas} , '5') or selected(\${whatillnesswas} , '6') or selected(\${whatillnesswas} , '7') or selected(\${whatillnesswas} , '8') or selected(\${whatillnesswas} , '9') or selected(\${whatillnesswas} , '10') or selected(\${whatillnesswas} , '11') or selected(\${whatillnesswas} , '12') or selected(\${whatillnesswas} , '13') or selected(\${whatillnesswas} , '14') or selected(\${whatillnesswas} , '15') or selected(\${whatillnesswas} , '16') or selected(\${whatillnesswas} , '17') or selected(\${whatillnesswas} , '-97')) and selected(\${whatillnesswas} , '-99')) and not(selected(\${whatillnesswas} , '1') and selected(\${whatillnesswas} , '2') and selected(\${whatillnesswas} , '3')) and not(selected(\${whatillnesswas} , '1') and selected(\${whatillnesswas} , '2')) and not(selected(\${whatillnesswas} , '1') and selected(\${whatillnesswas} , '3')) and not(selected(\${whatillnesswas} , '2') and selected(\${whatillnesswas} , '3')) and not(selected(\${whatillnesswas} , '18') and selected(\${whatillnesswas} , '-99'))</p>	1 Simple malaria
		2 Severe malaria
		3 Malaria (simple or severe not specified)
		4 Typhoid Fever
		5 Bronchitis
		6 Influenza/flu
		7 (Acute) respiratory infection (IRA)
		8 Pneumonia
		9 Dysentery
		10 Gastrointestinal infection, stomach infection
		11 Cardiovascular disease
		12 High blood pressure
		13 Diabetes
		14 Measles
		15 Ear infection
		-97 Other
		-99 Don't know
desc_whatillnesswas <i>(required)</i>	<p>Specify what illness:</p> <p>Question relevant when: selected(\${whatillnesswas} , '-97') and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3'))))</p> <p>Response constrained to: (string-length(.)<=200)</p>	
diagnosebefore1 <i>(required)</i>	<p>For the current illness, have you been diagnosed by a doctor or other health professional before coming here?</p> <p>Health professionals are doctors, nurses, midwives, pharmacists, or anyone with some formal training in medicine.</p> <p>Question relevant when: selected(\${patientrespondent} , '1') and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3'))))</p>	1 Yes
		2 No
diagnosebefore2 <i>(required)</i>	<p>For the current illness, has [namepatient] been diagnosed by a doctor or other health professional before coming here?</p> <p>Health professionals are doctors, nurses, midwives, pharmacists, or anyone with some formal training in medicine.</p> <p>Question relevant when: selected(\${patientrespondent} , '2') and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3'))))</p>	1 Yes
		2 No

CSCComPatientInterview

Field	Question	Answer	
previousdiagnosis <i>(required)</i>	<p>What was the previous diagnosis for the illness?</p> <p><i>Tick all diagnosed illnesses that the respondent mentions. If "Other" is selected, let the respondent specify.</i></p> <p><i>Question relevant when: selected(\${diagnosebefore1} , '1') or selected(\${diagnosebefore2} , '1') and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3'))))</i></p> <p><i>Response constrained to: not((selected(\${previousdiagnosis} , '1') or selected(\${previousdiagnosis} , '2') or selected(\${previousdiagnosis} , '3') or selected(\${previousdiagnosis} , '4') or selected(\${previousdiagnosis} , '5') or selected(\${previousdiagnosis} , '6') or selected(\${previousdiagnosis} , '7') or selected(\${previousdiagnosis} , '8') or selected(\${previousdiagnosis} , '9') or selected(\${previousdiagnosis} , '10') or selected(\${previousdiagnosis} , '11') or selected(\${previousdiagnosis} , '12') or selected(\${previousdiagnosis} , '13') or selected(\${previousdiagnosis} , '14') or selected(\${previousdiagnosis} , '15') or selected(\${previousdiagnosis} , '-97') and selected(\${previousdiagnosis} , '-99') and not((selected(\${previousdiagnosis} , '1') or selected(\${previousdiagnosis} , '2') or selected(\${previousdiagnosis} , '3') or selected(\${previousdiagnosis} , '4') or selected(\${previousdiagnosis} , '5') or selected(\${previousdiagnosis} , '6') or selected(\${previousdiagnosis} , '7') or selected(\${previousdiagnosis} , '8') or selected(\${previousdiagnosis} , '9') or selected(\${previousdiagnosis} , '10') or selected(\${previousdiagnosis} , '11') or selected(\${previousdiagnosis} , '12') or selected(\${previousdiagnosis} , '13') or selected(\${previousdiagnosis} , '14') or selected(\${previousdiagnosis} , '15') or selected(\${previousdiagnosis} , '-97') and selected(\${previousdiagnosis} , '-100') and not(selected(\${previousdiagnosis} , '1') and selected(\${previousdiagnosis} , '2') and selected(\${previousdiagnosis} , '3') and not(selected(\${previousdiagnosis} , '1') and selected(\${previousdiagnosis} , '2') and not(selected(\${previousdiagnosis} , '1') and selected(\${previousdiagnosis} , '3') and not(selected(\${previousdiagnosis} , '2') and selected(\${previousdiagnosis} , '3') and not(selected(\${previousdiagnosis} , '-99') and selected(\${previousdiagnosis} , '-100'))</i></p>	1	Simple malaria
		2	Severe malaria
		3	Malaria (simple or severe not specified)
		4	Typhoid Fever
		5	Bronchitis
		6	Influenza/flu
		7	(Acute) respiratory infection (IRA)
		8	Pneumonia
		9	Dysentery
		10	Gastrointestinal infection, stomach infection
		11	Cardiovascular disease
		12	High blood pressure
		13	Diabetes
		14	Measles
		15	Ear infection
		-97	Other
		-99	Was told but cannot remember or did not understand
		-100	Was not told
		-88	Patient has no acute illness
desc_previousdiagnosis <i>(required)</i>	<p>Specify previous diagnosis:</p> <p><i>Question relevant when: selected(\${previousdiagnosis} , '-97') and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3'))))</i></p> <p><i>Response constrained to: (string-length(.)<=200)</i></p>		
itembefore1_1 <i>(required)</i>	<p>For the current illness, have you taken any medicine before coming here?</p> <p><i>Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${patientrespondent} , '1')</i></p>	1	Yes
		2	No
itembefore1_2 <i>(required)</i>	<p>For the current illness, has [namepatient] taken any medicine before coming here?</p> <p><i>Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${patientrespondent} , '2')</i></p>	1	Yes
		2	No
typeitembefore1 <i>(required)</i>	<p>Which type of item? (1)</p> <p><i>Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${itembefore1_1} , '1') or selected(\${itembefore1_2} , '1'))</i></p>	1	Drug/medication with known name
		2	Drug/medication; type known but name unknown
		3	Drug/medication; both type and name unknown (e.g. unmarked packaging)
		4	Equipment/materials
namedmedbefore1 <i>(required)</i>	Which is the name of the drug/medication?	acefylline_piperazine	Acéfylline pipérazine
		acefylline_piperazine-	Acéfylline Piperazine+

CSComPatientInterview

Field	Question relevant when: ((((selected(\${confirmation}),'1') and selected(\${confirmation}),'2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} ,'1')) and (selected(\${confirmimage} ,'1') or selected(\${confirmimage} ,'2')) or (((selected(\${confirmation}),'1') and selected(\${confirmation}),'2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} ,'1')) and (selected(\${confirmimage} ,'3')))) and (selected(\${itembefore1_1} ,'1') or selected(\${itembefore1_2} ,'1')) and selected(\${typeitembefore1} ,'1')	Answer	
		diphenhydramine-hcl	Diphenhydramine Hcl
		acetaminophene	Acétaminophène
		acetaminophene_(para)-dextromethorphan-pseud.	Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine
		acetylcysteine	Acetylcysteine
		acetylsalicylic_acid	Acetylsalicylic acid
		acid_benzoique	Acide benzoïque
		acid_valproique	Acide valproïque
		actapulgit	Actapulgit
		actifed	Actifed
		albendazole	Albendazole
		alimemazine	Alimemazine
		allergosone	Allergosone
		almex	Almex
		ammonium_chloride	Ammonium Chloride
		amodiaquine	Amodiaquine
		amodix	Amodix
		amoquin	Amoquin
		amoxicillin	Amoxicillin
		amoxicilline-cla	Amoxicilline + Cla
		amoxitem	Amoxitem
		ampicilline	Ampicilline
		analgin	Analgin
		antipy_benzo_otc_sol	Antipy Benzo Otic Sol
		antropine	Antropine
		arcet	Arcet
		artefan	Artefan
		artemether	Artemether
		artemether_injectable	Artemether (injectable)
		artemether_tablet	Artemether (tablet)
		artemether-lumefantrine	Artemether + Lumefantrine
		artemether-lumefantrine_injectable	Artemether + Lumefantrine (injectable)
		artemether-lumefantrine_tablet	Artemether + Lumefantrine (tablet)
		artesanate	Artesunate
		artesanate_injectable	Artesunate (injectable)
		artesanate_tablet	Artesunate (tablet)
		asa	ASA
		aspegic	Aspegic
		aspirin	Aspirin
		atropine	Atropine
		attapulgit	Attapulgit
		augmentine	Augmentine
		aureomycine	Aureomycine
		azithromycin	Azithromycin
		bactopoumon	Bactopoumon
		bactox	Bactox
		benadryl	Benadryl
		benzaote	Benzaote
		benzocaine	Benzocaine
		benzododecinium	Benzododecinium
		benzoic_acid	Benzoic Acid
		betadine	Betadine
		biafine	Biafine
		biakof	Biakof
		binozyt	Binozyt
		broncoxil	Broncoxil
		bronquidiazina	Bronquidiazina
		brufen	Brufen
		brumed	Brumed

Field	Question	Answer
		cac_1000 CAC 1000 sandoz
		caflam Caflam
		camoquin Camoquin
		carbetux Carbetux
		carbocisteine Carbocisteine
		cataflam Cataflam
		cedrox Cedrox
		cefadroxil Cefadroxil
		cefixime Cefixime
		ceftriaxone Ceftriaxone
		celestene Celestene
		chloropyramine Chloropyramine
		chloroquine Chloroquine
		chlorphenamine Chlorphenamine
		chlortetracycline Chlortetracycline
		ciprofloxacin Ciprofloxacin
		cipronat Cipronat
		clamoxyl Clamoxyl
		cloperastine Cloperastine
		clotrimazole Clotrimazole
		coartem Coartem
		codeine Codeine
		collu-hextril Collu-Hextril
		combiart Combiart
		combiart_adult Combiart adult
		cotrimoxazol_(trimoprim) Cotrimoxazol (Trimoprim)
		cta_adolescent CTA Adolescent
		cta_adulte CTA Adulte
		cta_enfant CTA Enfant
		cypheptadine Cypheptadine
		debridat Debridat
		depakine Depakine
		dexamethasone Dexamethasone
		dextromethorphan Dextromethorphan
		diazole Diazole
		diclofenac Diclofenac
		diclopara Diclopara
		diosmectite Diosmectite
		diphenhydramine Diphénhydramine
		diphenoxylate Diphénoxylate
		doliprane Doliprane
		dolotab Dolotab
		domperidone Domperidone
		dysenteral Dysentéral
		effergal Efferalgan
		ercofuryl Ercofuryl
		erycin Erycin
		erythromycin Erythromycin
		febrilex Febrilex
		fer_acidefolique Fer + acide folique
		fercefol Fercefol
		flagyl Flagyl
		flucazol Flucazol
		fluconazole Fluconazole
		fluditec Fluditec
		fluoxine Fluoxine
		gastrosedal Gastrosédal
		gentamycin Gentamycin
		grippex Grippex
		hepatisane Hépatisane
		hexachlorophene Hexachlorophène
		hexetidine Hexétidine
		huile_gomenolee_adulte Huile goménolée adulte (H-

Field	Question	Answer	goménolée adulte)
		ibugesic	Ibugesic
		ibuprofen	Ibuprofen
		ibusix	Ibusix
		iron_and_folic_acid	Iron and Folic Acid
		keneyaji	Keneyaji
		kva_sulf	Kva Sulf
		laxa_cassia	Laxa Cassia
		letaln_expectorant	Letalin Expectorant
		letap_paracetamol	Letap Paracetamol
		letaplex	Letaplex
		lidocaine	Lidocaine
		litacold	Litacold
		lymphshamei	Ly Mphshamei
		madar	Madar
		malacur	Malacur
		mebendazole	Mebendazole
		medvite	Medvite
		mequitazine	Mequitazine
		metamizole	Métamizole
		methylprednisolone	Methylprednisolone
		metopimazine	Metopimazine
		metronidazole	Metronidazole
		midazolam	Midazolam
		mixagrip	Mixagrip
		motilium	Motilium
		mucomyst	Mucomyst
		multivitamine	Multivitamin
		multivitamine_syrup	Multivitamin Syrup
		neo-codion	Neo-Codion
		neomycin	Neomycin
		nifuroxazide	Nifuroxazide
		nivaquine	Nivaquine
		novalgin	Novalgin
		nurupquin	Nurupquin
		nystatine	Nystatine
		oleandomycine	Oléandomycine
		onguent_antibiotique	Onguent antibiotique
		oracefal	Oracefal
		orasef_zinc	Orasef Zinc
		osmogel	Osmogel
		otipax	Otipax
		otrivine	Otrivine
		oxacilline	Oxacilline
		paidofebrile	Paidofebrile
		paidoterin	Paidoterin
		panadol	Panadol
		panalgic	Panalgic
		paracetamol	Paracetamol
		paracetamol_cetal	Paracetamol Cetal
		passedyl	Passedyl
		penicillin	Penicillin
		penicilline_onguent	Pénicilline onguent
		perfalgan	Perfalgan
		peridys	Peridys
		phenazone	Phénazone
		phenylpropanolamine	Phénylpropanolamine
		polydexa	Polydexa
		polymyxine	Polymyxine
		pommade_a_la_tetracycline	pommade à la tétracycline
		prednisone	Prednisone
		primalan	Primalan
		promethazine	Promethazine

CSCComPatientInterview

Field	Question	Answer
		<div> <div>prorhinel_(benzododecinium)</div> <div>Prorhinel (Benzododécinium)</div> </div> <div> <div>pseudoephedrine</div> <div>Pseudoephedrine</div> </div> <div> <div>quinimax</div> <div>Quinimax</div> </div> <div> <div>quinine</div> <div>Quinine</div> </div> <div> <div>quinine_injectable</div> <div>Quinine (injectable)</div> </div> <div> <div>quinine_tablet</div> <div>Quinine (tablet)</div> </div> <div> <div>radioselectan</div> <div>Radioselectan</div> </div> <div> <div>rhinathiol</div> <div>Rhinathiol</div> </div> <div> <div>royal_(chest-lung)</div> <div>Royal (Chest & Lung)</div> </div> <div> <div>salbutamol</div> <div>Salbutamol</div> </div> <div> <div>smecta</div> <div>Smecta</div> </div> <div> <div>smectites</div> <div>Smectites</div> </div> <div> <div>solu-medrol</div> <div>Solu-Medrol</div> </div> <div> <div>sro</div> <div>SRO</div> </div> <div> <div>sterimar</div> <div>Stérimar</div> </div> <div> <div>sudrex</div> <div>Sudrex</div> </div> <div> <div>sulfamethoxazol</div> <div>Sulfamethoxazol</div> </div> <div> <div>sulfur</div> <div>Sulfur</div> </div> <div> <div>synozole</div> <div>Synozole</div> </div> <div> <div>tao_(troleandomycin)</div> <div>TAO (troleandomycin)</div> </div> <div> <div>terpin_hydrate</div> <div>Terpin Hydrate</div> </div> <div> <div>terpine_codeine</div> <div>Terpine Codeine</div> </div> <div> <div>terpone_expectorant</div> <div>Terpone expectorant</div> </div> <div> <div>tetracycline_oointment</div> <div>Tetracycline Ointment</div> </div> <div> <div>theralene</div> <div>Theralene</div> </div> <div> <div>tres_orix</div> <div>Tres Orix</div> </div> <div> <div>trimebutine</div> <div>Trimébutine</div> </div> <div> <div>trimetabol</div> <div>Trimetabol</div> </div> <div> <div>uclaprim</div> <div>Uclaprim</div> </div> <div> <div>unasyn</div> <div>Unasyn</div> </div> <div> <div>valproate</div> <div>Valproate</div> </div> <div> <div>valproic_acid</div> <div>Valproic Acid</div> </div> <div> <div>vermin-dazol</div> <div>Vermin-Dazol</div> </div> <div> <div>verzol</div> <div>Verzol</div> </div> <div> <div>vinciseptil</div> <div>Vinciseptil</div> </div> <div> <div>vita_bebe</div> <div>Vita BeBe</div> </div> <div> <div>vitafer</div> <div>Vitafer</div> </div> <div> <div>vitamine_b</div> <div>Vitamine B</div> </div> <div> <div>vogalene</div> <div>Vogalene</div> </div> <div> <div>xylometazoline</div> <div>Xylométazoline</div> </div> <div> <div>zinc</div> <div>Zinc</div> </div> <div> <div>other</div> <div>Other</div> </div>
desc_othernamedbefore1 (required)	Specify other drug/medication: <i>Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and (selected(\${itembefore1_1} , '1') or selected(\${itembefore1_2} , '1')) and selected(\${typeitembefore1} , '1') and selected(\${namedbefore1} , 'other')</i>	

CSComPatientInterview

Field	Question	Answer	
typemedbefore1 <i>(required)</i>	Which is the type of the drug/medication? Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and (selected(\${itembefore1_1} , '1') or selected(\${itembefore1_2} , '1')) and selected(\${typeitembefore1} , '2'))		anesthetic
			Antesthetic
			antalgic
			Antalgic
			anti_inflammatory
			Anti inflammatory
			antibiotic
			Antibiotic not specified
			antidepressant
			Antidepressant
			antihistamine
			Antihistamine
			antihypertensive
			Antihypertensive
			antimalarial
			Antimalarial
desc_othertypemedbefore1 <i>(required)</i>	Specify other type of drug/medication: Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and (selected(\${itembefore1_1} , '1') or selected(\${itembefore1_2} , '1')) and selected(\${typeitembefore1} , '2') and selected(\${typemedbefore1} , 'other'))		
equipbefore1 <i>(required)</i>	Which is the equipment/material? Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and (selected(\${itembefore1_1} , '1') or selected(\${itembefore1_2} , '1')) and selected(\${typeitembefore1} , '4'))		alcohol
			Alcohol
			bandage
			Bandage
			bande_de_pansement
			Dressing
			catheter_intraveineuse
			Intravenous catheter
			cotton
			Cotton
			compress
			Compress
			desinfectant
			Disinfectant
			epicranni
			Winged infusion set (scalp vein set, butterfly set)
desc_otherequipbefore1 <i>(required)</i>	Specify other equipment/material: Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and (selected(\${itembefore1_1} , '1') or selected(\${itembefore1_2} , '1')) and selected(\${typeitembefore1} , '4') and selected(\${equipbefore1} , 'other'))		
itembefore2 <i>(required)</i>	Was another item bought/taken? Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and (selected(\${itembefore1_1} , '1') or selected(\${itembefore1_2} , '1')))	1	Yes
		2	No

CSCoPatientInterview

Field	Question	Answer
typeitembefore2 <i>(required)</i>	Which type of item? (2) Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore2} , '1')	1 Drug/medication with known name
		2 Drug/medication; type known but name unknown
		3 Drug/medication; both type and name unknown (e.g. unmarked packaging)
		4 Equipment/materials
namemedbefore2 <i>(required)</i>	Which is the name of the drug/medication? Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore2} , '1') and selected(\${typeitembefore2} , '1')	acefylline_piperazine Acéfylline pipérazine
		acefylline_piperazine-diphenhydramine-hcl Acéfylline Piperazine+ Diphenhydramine Hcl
		acetaminophene Acétaminophène
		acetaminophene_(para)-dextromethorphan-pseud. Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine
		acetylcysteine Acétylcysteine
		acetylsalicylic_acid Acetylsalicylic acid
		acid_benzoïque Acide benzoïque
		acid_valproïque Acide valproïque
		actapulgit Actapulgit
		actifed Actifed
		albendazole Albendazole
		alimemazine Alimemazine
		allergosone Allergosone
		almex Almex
		ammonium_chloride Ammonium Chloride
		amodiaquine Amodiaquine
		amodix Amodix
		amoquin Amoquin
		amoxicillin Amoxicillin
		amoxicilline-cla Amoxicilline + Cla
		amoxitem Amoxitem
		ampicilline Ampicilline
		analgin Analgin
		antipy_benzo_otic_sol Antipy Benzo Otic Sol
		antropine Antropine
		arcet Arcet
		artefan Artefan
		artemether Artemether
		artemether_injectable Artemether (injectable)
		artemether_tablet Artemether (tablet)
		artemether-lumefantrine Artemether + Lumefantrine
		artemether-lumefantrine_injectable Artemether + Lumefantrine (injectable)
		artemether-lumefantrine_tablet Artemether + Lumefantrine (tablet)
		artesonate Artesunate
		artesonate_injectable Artesunate (injectable)
		artesonate_tablet Artesunate (tablet)
		asa ASA
		aspegic Aspegic
		aspirin Aspirin
		atropine Atropine
		attapulgit Attapulgit
		augmentine Augmentine
		aureomycine Aureomycine
		azithromycin Azithromycin
		bactopoumon Bactopoumon
		bactox Bactox
		benadryl Benadryl
		benzaote Benzaote

Field	Question	Answer
		benzocaine
		Benzocaine
		benzododecinium
		Benzododecinium
		benzoic_acid
		Benzoic Acid
		betadine
		Betadine
		biafine
		Biafine
		biakof
		Biakof
		binozyt
		Binozyt
		broncoxil
		Broncoxil
		bronquidiazina
		Bronquidiazina
		brufen
		Brufen
		brumed
		Brumed
		cac_1000
		CAC 1000 sandoz
		caflam
		Caflam
		camoquin
		Camoquin
		carbetux
		Carbetux
		carbocisteine
		Carbocisteine
		cataflam
		Cataflam
		cedrox
		Cedrox
		cefadroxil
		Cefadroxil
		cefixime
		Cefixime
		ceftriaxone
		Ceftriaxone
		celestene
		Celestene
		chloropyramine
		Chloropyramine
		chloroquine
		Chloroquine
		chlorphenamine
		Chlorphenamine
		chlortetracycline
		Chlortetracycline
		ciprofloxacin
		Ciprofloxacin
		cipronat
		Cipronat
		clamoxy
		Clamoxy
		cloperastine
		Cloperastine
		clotrimazole
		Clotrimazole
		coartem
		Coartem
		codeine
		Codeine
		collu-hextril
		Collu-Hextril
		combiart
		Combiart
		combiart_adult
		Combiart adult
		cotrimoxazol_(trimoprim)
		Cotrimoxazol (Trimoprim)
		cta_adolescent
		CTA Adolescent
		cta_adulte
		CTA Adulte
		cta_enfant
		CTA Enfant
		cyproheptadine
		Cyproheptadine
		debridat
		Debridat
		depakine
		Depakine
		dexamethasone
		Dexamethasone
		dextromethorphan
		Dextromethorphan
		diazole
		Diazole
		diclofenac
		Diclofenac
		diclopara
		Diclopara
		diosmectite
		Diosmectite
		diphenhydramine
		Diphénhydramine
		diphenoxylate
		Diphénoxylate
		doliprane
		Doliprane
		dolotab
		Dolotab
		domperidone
		Domperidone
		dysenteral
		Dysentéral
		efferalgan
		Efferalgan
		ercefuryl
		Ercefuryl
		erycin
		Erycin
		erythromycin
		Erythromycin
		febrilex
		Febrilex
		fer_acidefolique
		Fer + acide folique
		fercefol
		Fercefol
		flagyl
		Flagyl

Field	Question	Answer
		flucazol
		Flucazol
		fluconazole
		Fluconazole
		fluditec
		Fluditec
		fluoxine
		Fluoxine
		gastrosedal
		Gastrosédal
		gentamycin
		Gentamycin
		grippex
		Grippex
		hepatisane
		Hépatisane
		hexachlorophene
		Hexachlorophène
		hexetidine
		Hexétidine
		huile_gomenolee_adulte
		Huile goménolée adulte (H-goménolée adulte)
		ibugesic
		Ibugesic
		ibuprofen
		Ibuprofen
		ibusix
		Ibusix
		iron_and_folic_acid
		Iron and Folic Acid
		keneyaji
		Keneyaji
		kva_sulf
		Kva Sulf
		laxa_cassia
		Laxa Cassia
		letaline_expectorant
		Letalin Expectorant
		letap_paracetamol
		Letap Paracetamol
		letaplex
		Letaplex
		lidocaine
		Lidocaine
		litacold
		Litacold
		lymphshamei
		Ly Mphshamei
		madar
		Madar
		malacur
		Malacur
		mebendazole
		Mebendazole
		medvite
		Medvite
		mequitazine
		Mequitazine
		metamizole
		Métamizole
		methylprednisolone
		Methylprednisolone
		metopimazine
		Metopimazine
		metronidazole
		Metronidazole
		midazolam
		Midazolam
		mixagrip
		Mixagrip
		motilium
		Motilium
		mucomyst
		Mucomyst
		multivitamine
		Multivitamin
		multivitamine_syrup
		Multivitamin Syrup
		neo-codion
		Neo-Codion
		neomycin
		Neomycin
		nifuroxazide
		Nifuroxazide
		nivaquine
		Nivaquine
		novalgin
		Novalgin
		nurupquin
		Nurupquin
		nystatine
		Nystatine
		oleandomycine
		Oléandomycine
		onguent_antibiotique
		Onguent antibiotique
		oracefal
		Oracefal
		orasef_zinc
		Orasef Zinc
		osmogel
		Osmogel
		otipax
		Otipax
		otrivine
		Otrivine
		oxacilline
		Oxacilline
		paidofebrile
		Paidofebrile
		paidoterin
		Paidoterin
		panadol
		Panadol
		panalgic
		Panalgic
		paracetamol
		Paracetamol
		paracetamol_cetal
		Paracetamol Cetal
		passedyl
		Passedyl
		penicillin
		Penicillin

CSCComPatientInterview

Field	Question	Answer
		penicilline_onguent Pénicilline onguent
		perfalgan Perfalgan
		peridys Peridys
		phenazone Phénazone
		phenylpropanolamine Phénylpropanolamine
		polydexa Polydexa
		polymyxine Polymyxine
		pommade_a_la_tetracycline pommade à la tétracycline
		prednisone Prednisone
		primalan Primalan
		promethazine Promethazine
		prorhinel_(benzododecinium) Prorhinel (Benzododécinium)
		pseudoephedrine Pseudoephedrine
		quinimax Quinimax
		quinine Quinine
		quinine_injectable Quinine (injectable)
		quinine_tablet Quinine (tablet)
		radioselectan Radioselectan
		rhinathiol Rhinathiol
		royal_(chest-lung) Royal (Chest & Lung)
		salbutamol Salbutamol
		smecta Smecta
		smectites Smectites
		solu-medrol Solu-Medrol
		sro SRO
		sterimar Stérimar
		sudrex Sudrex
		sulfamethoxazol Sulfamethoxazol
		sulfur Sulfur
		synozole Synozole
		tao_(troleandomycin) TAO (troleandomycin)
		terpin_hydrate Terpin Hydrate
		terpine_codeine Terpene Codeine
		terpone_expectorant Terpone expectorant
		tetracycline_ointment Tetracycline Ointment
		theralene Theralene
		tres_orix Tres Orix
		trimebutine Trimébutine
		trimetabol Trimetabol
		uclaprim Uclaprim
		unasyn Unasyn
		valproate Valproate
		valproic_acid Valproic Acid
		vermin-dazol Vermin-Dazol
		verzol Verzol
		vinciseptil Vinciseptil
		vita_bebe Vita BeBe
		vitafer Vitafer
		vitamine_b Vitamine B
		vogalene Vogalene
		xylometazoline Xylométazoline
		zinc Zinc
		other Other
desc_othersnamedbefore2 (required)	Specify other drug/medication: Question relevant when: ((((selected(\${confirmation}), '1') and selected(\${confirmation}), '2') and count-selected(\${symptomsscreening}) >= 1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (((selected(\${confirmation}), '1') and selected(\${confirmation}), '2') and count-selected(\${symptomsscreening}) >= 1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore2} , '1') and selected(\${typeitembefore2} , '1') and selected(\${namedbefore2} , 'other')	

CSCComPatientInterview

Field	Question	Answer	
typemedbefore2 <i>(required)</i>	Which is the type of the drug/medication? Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore2} , '1') and selected(\${typeitembefore2} , '2')		anesthetic
			Antesthetic
			antalgic
			Antalgic
			anti_inflammatory
			Anti inflammatory
			antibiotic
			Antibiotic not specified
			antidepressant
			Antidepressant
			antihistamine
			Antihistamine
			antihypertensive
			Antihypertensive
			antimalarial
			Antimalarial
desc_othertypemedbefore2 <i>(required)</i>	Specify other type of drug/medication: Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore2} , '1') and selected(\${typeitembefore2} , '2') and selected(\${typemedbefore2} , 'other')		
equipbefore2 <i>(required)</i>	Which is the equipment/material? Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore2} , '1') and selected(\${typeitembefore2} , '4')		alcohol
			Alcohol
			bandage
			Bandage
			bande_de_pansement
			Dressing
			catheter_intraveineuse
			Intravenous catheter
			cotton
			Cotton
			compress
			Compress
			desinfectant
			Disinfectant
			epicranni
			Winged infusion set (scalp vein set, butterfly set)
desc_otherequipbefore2 <i>(required)</i>	Specify other equipment/material: Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore2} , '1') and selected(\${typeitembefore2} , '4') and selected(\${equipbefore2} , 'other')		
itembefore3 <i>(required)</i>	Was another item bought/taken? Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore2} , '1')	1	Yes
		2	No

CSCComPatientInterview

Field	Question	Answer
typeitembefore3 <i>(required)</i>	Which type of item? (3) Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore3} , '1')	1 Drug/medication with known name
		2 Drug/medication; type known but name unknown
		3 Drug/medication; both type and name unknown (e.g. unmarked packaging)
		4 Equipment/materials
namedmedbefore3 <i>(required)</i>	Which is the name of the drug/medication? Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore3} , '1') and selected(\${typeitembefore3} , '1')	acefylline_piperazine Acéfylline pipérazine
		acefylline_piperazine-diphenhydramine-hcl Acéfylline Piperazine+ Diphenhydramine Hcl
		acetaminophene Acétaminophène
		acetaminophene_(para)-dextromethorphan-pseud. Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine
		acetylcysteine Acetylcysteine
		acetylsalicylic_acid Acetylsalicylic acid
		acid_benzoïque Acide benzoïque
		acid_valproïque Acide valproïque
		actapulgate Actapulgate
		actifed Actifed
		albendazole Albendazole
		alimemazine Alimemazine
		allergosone Allergosone
		almex Almex
		ammonium_chloride Ammonium Chloride
		amodiaquine Amodiaquine
		amodix Amodix
		amoquin Amoquin
		amoxicillin Amoxicillin
		amoxicilline-cla Amoxicilline + Cla
		amoxitem Amoxitem
		ampicilline Ampicilline
		analgin Analgin
		antipy_benzo_otc_sol Antipy Benzo Otic Sol
		antropine Antropine
		arcet Arcet
		artefan Artefan
		artemether Artemether
		artemether_injectable Artemether (injectable)
		artemether_tablet Artemether (tablet)
		artemether-lumefantrine Artemether + Lumefantrine
		artemether-lumefantrine_injectable Artemether + Lumefantrine (injectable)
		artemether-lumefantrine_tablet Artemether + Lumefantrine (tablet)
		artesunate Artesunate
		artesunate_injectable Artesunate (injectable)
		artesunate_tablet Artesunate (tablet)
		asa ASA
		aspegic Aspegic
		aspirin Aspirin
		atropine Atropine
		attapulgate Attapulgate
		augmentine Augmentine
		aureomycine Aureomycine
		azithromycin Azithromycin
		bactopoumon Bactopoumon
		bactox Bactox
		benadryl Benadryl
		benzaote Benzaote
		benzocaine Benzocaine

Field	Question	Answer
		benzododecinium
		Benzododecinium
		benzoic_acid
		Benzoic Acid
		betadine
		Betadine
		biafine
		Biafine
		biakof
		Biakof
		binozyt
		Binozyt
		broncoxil
		Broncoxil
		bronquidiazina
		Bronquidiazina
		brufen
		Brufen
		brumed
		Brumed
		cac_1000
		CAC 1000 sandoz
		caflam
		Caflam
		camoquin
		Camoquin
		carbetux
		Carbetux
		carbocisteine
		Carbocisteine
		cataflam
		Cataflam
		cedrox
		Cedrox
		cefadroxil
		Cefadroxil
		cefixime
		Cefixime
		ceftriaxone
		Ceftriaxone
		celestene
		Celestene
		chloropyramine
		Chloropyramine
		chloroquine
		Chloroquine
		chlorphenamine
		Chlorphenamine
		chlortetracycline
		Chlortetracycline
		ciprofloxacin
		Ciprofloxacin
		cipronat
		Cipronat
		clamoxy
		Clamoxy
		cloperastine
		Cloperastine
		clotrimazole
		Clotrimazole
		coartem
		Coartem
		codeine
		Codeine
		collu-hextril
		Collu-Hextril
		combiart
		Combiart
		combiart_adult
		Combiart adult
		cotrimoxazol_(trimoprim)
		Cotrimoxazol (Trimoprim)
		cta_adolescent
		CTA Adolescent
		cta_adulte
		CTA Adulte
		cta_enfant
		CTA Enfant
		cyproheptadine
		Cyproheptadine
		debridat
		Debridat
		depakine
		Depakine
		dexamethasone
		Dexamethasone
		dextromethorphan
		Dextromethorphan
		diazole
		Diazole
		diclofenac
		Diclofenac
		diclopara
		Diclopara
		diosmectite
		Diosmectite
		diphenhydramine
		Diphénhydramine
		diphenoxylate
		Diphénoxylate
		doliprane
		Doliprane
		dolotab
		Dolotab
		domperidone
		Domperidone
		dysenteral
		Dysentéral
		effergal
		Effergal
		ercefuryl
		Ercefuryl
		erycin
		Erycin
		erythromycin
		Erythromycin
		febrilex
		Febrilex
		fer_acidefolique
		Fer + acide folique
		fercefol
		Fercefol
		flagyl
		Flagyl
		flucazol
		Flucazol

Field	Question	Answer	fluconazole	Fluconazole
			fluditec	Fluditec
			fluoxine	Fluoxine
			gastrosedal	Gastrosédal
			gentamycin	Gentamycin
			grippex	Grippex
			hepatisane	Hépatisane
			hexachlorophene	Hexachlorophène
			hexetidine	Hexétidine
			huile_gomenolee_adulte	Huile goménolée adulte (H-goménolée adulte)
			ibugesic	Ibugesic
			ibuprofen	Ibuprofen
			ibusix	Ibusix
			iron_and_folic_acid	Iron and Folic Acid
			keneyaji	Keneyaji
			kva_sulf	Kva Sulf
			laxa_cassia	Laxa Cassia
			letaline_expectorant	Letalin Expectorant
			letap_paracetamol	Letap Paracetamol
			letaplex	Letaplex
			lidocaine	Lidocaine
			litacold	Litacold
			lymphshamei	Ly Mphshamei
			madar	Madar
			malacur	Malacur
			mebendazole	Mebendazole
			medvite	Medvite
			mequitazine	Mequitazine
			metamizole	Métamizole
			methylprednisolone	Methylprednisolone
			metopimazine	Metopimazine
			metronidazole	Metronidazole
			midazolam	Midazolam
			mixagrip	Mixagrip
			motilium	Motilium
			mucomyst	Mucomyst
			multivitamine	Multivitamin
			multivitamine_syrup	Multivitamin Syrup
			neo-codion	Neo-Codion
			neomycin	Neomycin
			nifuroxazide	Nifuroxazide
			nivaquine	Nivaquine
			novalgin	Novalgin
			nurupquin	Nurupquin
			nystatine	Nystatine
			oleandomycine	Oléandomycine
			onguent_antibiotique	Onguent antibiotique
			oracefal	Oracefal
			oraseal_zinc	Oraseal Zinc
			osmogel	Osmogel
			otipax	Otipax
			otrivine	Otrivine
			oxacilline	Oxacilline
			paidofebrile	Paidofebrile
			paidoterin	Paidoterin
			panadol	Panadol
			panalgic	Panalgic
			paracetamol	Paracetamol
			paracetamol_cetal	Paracetamol Cetal
			passedyl	Passedyl
			penicillin	Penicillin
			penicilline_onguent	Pénicilline onguent

CSCComPatientInterview

Field	Question	Answer
		perfalgan
		Perfalgan
		peridys
		Peridys
		phenazone
		Phénazone
		phenylpropanolamine
		Phénylpropanolamine
		polydexa
		Polydexa
		polymyxine
		Polymyxine
		pommade_a_la_tetracycline
		pommade à la tétracycline
		prednisone
		Prednisone
		primalan
		Primalan
		promethazine
		Promethazine
		prorhinel_(benzododecinium)
		Prorhinel (Benzododécinium)
		pseudoephedrine
		Pseudoephedrine
		quinimax
		Quinimax
		quinine
		Quinine
		quinine_injectable
		Quinine (injectable)
		quinine_tablet
		Quinine (tablet)
		radioselectan
		Radioselectan
		rhinathiol
		Rhinathiol
		royal_(chest-lung)
		Royal (Chest & Lung)
		salbutamol
		Salbutamol
		smecta
		Smecta
		smectites
		Smectites
		solu-medrol
		Solu-Medrol
		sro
		SRO
		sterimar
		Stérimar
		sudrex
		Sudrex
		sulfamethoxazol
		Sulfamethoxazol
		sulfur
		Sulfur
		synozole
		Synozole
		tao_(troleandomycin)
		TAO (troleandomycin)
		terpin_hydrate
		Terpin Hydrate
		terpine_codeine
		Terpine Codeine
		terpone_expectorant
		Terpone expectorant
		tetracycline_ointment
		Tetracycline Ointment
		theralene
		Theralene
		tres_orix
		Tres Orix
		trimebutine
		Trimébutine
		trimetabol
		Trimetabol
		uclaprim
		Uclaprim
		unasyn
		Unasyn
		valproate
		Valproate
		valproic_acid
		Valproic Acid
		vermin-dazol
		Vermin-Dazol
		verzol
		Verzol
		vinciseptil
		Vinciseptil
		vita_bebe
		Vita BeBe
		vitafer
		Vitafer
		vitamine_b
		Vitamine B
		vogalene
		Vogalene
		xylometazoline
		Xylométazoline
		zinc
		Zinc
		other
		Other
desc_othersmedbefore3 (required)	Specify other drug/medication: Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${itembefore3} , '1') and selected(\${typeitembefore3} , '1') and selected(\${namedbefore3} , 'other')	

CSCComPatientInterview

Field	Question	Answer	
typemedbefore3 <i>(required)</i>	Which is the type of the drug/medication? Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore3} , '1') and selected(\${typeitembefore3} , '2'))		anesthetic
			Anesthetic
			antalgic
			Antalgic
			anti_inflammatory
			Anti inflammatory
			antibiotic
			Antibiotic not specified
			antidepressant
			Antidepressant
			antihistamine
			Antihistamine
			antihypertensive
			Antihypertensive
			antimalarial
			Antimalarial
desc_othertypemedbefore3 <i>(required)</i>	Specify other type of drug/medication: Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore3} , '1') and selected(\${typeitembefore3} , '2') and selected(\${typemedbefore3} , 'other'))		antipyretic
			Antipyretic
			antitussif
			Cough medication
			antiviral
			Antiviral
			anxiolytic
			Anxiolytic
			bronchodilator
			Bronchodilator
			sedative
			Sedative
			vitamines
			Vitamins
			other
			Other
equipbefore3 <i>(required)</i>	Which is the equipment/material? Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore3} , '1') and selected(\${typeitembefore3} , '4'))		alcohol
			Alcohol
			bandage
			Bandage
			bande_de_pansement
			Dressing
			catheter_intraveineuse
			Intravenous catheter
			cotton
			Cotton
			compress
			Compress
			desinfectant
			Disinfectant
			epicranni
			Winged infusion set (scalp vein set, butterfly set)
desc_otherequipbefore3 <i>(required)</i>	Specify other equipment/material: Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore3} , '1') and selected(\${typeitembefore3} , '4') and selected(\${equipbefore3} , 'other'))		fluide_intraveineuse
			Intravenous fluid
			iodine
			Iodine
			infusion_IV_fluids
			Infusion
			perfuseur
			Perfuseur
			polyodoniodex
			Polyodon Iodex
			povidine-iodine
			Povidine iodine
			syringe
			Syringe
			serum_glucose
			Glucose serum
itembefore4 <i>(required)</i>	Was another item bought/taken? Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore3} , '1'))	1	Yes
		2	No

CSCComPatientInterview

Field	Question	Answer
typeitembefore4 <i>(required)</i>	Which type of item? (4) Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore4} , '1')	1 Drug/medication with known name
		2 Drug/medication; type known but name unknown
		3 Drug/medication; both type and name unknown (e.g. unmarked packaging)
		4 Equipment/materials
namemedbefore4 <i>(required)</i>	Which is the name of the drug/medication? Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore4} , '1') and selected(\${typeitembefore4} , '1')	acefylline_piperazine Acéfylline pipérazine
		acefylline_piperazine-diphenhydramine-hcl Acefylline Piperazine+ Diphenhydramine Hcl
		acetaminophene Acétaminophène
		acetaminophene_(para)-dextromethorphan-pseud. Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine
		acetylcysteine Acetylcysteine
		acetylsalicylic_acid Acetylsalicylic acid
		acid_benzoïque Acide benzoïque
		acid_valproïque Acide valproïque
		actapulgit Actapulgit
		actifed Actifed
		albendazole Albendazole
		alimemazine Alimemazine
		allergosone Allergosone
		almex Almex
		ammonium_chloride Ammonium Chloride
		amodiaquine Amodiaquine
		amodix Amodix
		amoquin Amoquin
		amoxicillin Amoxicillin
		amoxicilline-cla Amoxicilline + Cla
		amoxitem Amoxitem
		ampicilline Ampicilline
		analgin Analgin
		antipy_benzo_otc_sol Antipy Benzo Otic Sol
		antropine Antropine
		arcet Arcet
		artefan Artefan
		artemether Artemether
		artemether_injectable Artemether (injectable)
		artemether_tablet Artemether (tablet)
		artemether-lumefantrine Artemether + Lumefantrine
		artemether-lumefantrine_injectable Artemether + Lumefantrine (injectable)
		artemether-lumefantrine_tablet Artemether + Lumefantrine (tablet)
		artesunate Artesunate
		artesunate_injectable Artesunate (injectable)
		artesunate_tablet Artesunate (tablet)
		asa ASA
		aspegic Aspegic
		aspirin Aspirin
		atropine Atropine
		attapulgit Attapulgit
		augmentine Augmentine
		aureomycine Aureomycine
		azithromycin Azithromycin
		bactopoumon Bactopoumon
		bactox Bactox
		benadryl Benadryl
		benzaote Benzaote
		benzocaine Benzocaine

Field	Question	Answer
		benzododecinium Benzododecinium
		benzoic_acid Benzoic Acid
		betadine Betadine
		biafine Biafine
		biakof Biakof
		binozyt Binozyt
		broncoxil Broncoxil
		bronquidiazina Bronquidiazina
		brufen Brufen
		brumed Brumed
		cac_1000 CAC 1000 sandoz
		caflam Caflam
		camoquin Camoquin
		carbetux Carbetux
		carbocisteine Carbocisteine
		cataflam Cataflam
		cedrox Cedrox
		cefadroxil Cefadroxil
		cefixime Cefixime
		ceftriaxone Ceftriaxone
		celestene Celestene
		chloropyramine Chloropyramine
		chloroquine Chloroquine
		chlorphenamine Chlorphenamine
		chlortetracycline Chlortetracycline
		ciprofloxacin Ciprofloxacin
		cipronat Cipronat
		clamoxy Clamoxy
		cloperastine Cloperastine
		clotrimazole Clotrimazole
		coartem Coartem
		codeine Codeine
		collu-hextril Collu-Hextril
		combiart Combiart
		combiart_adult Combiart adult
		cotrimoxazol_(trimoprim) Cotrimoxazol (Trimoprim)
		cta_adolescent CTA Adolescent
		cta_adulte CTA Adulte
		cta_enfant CTA Enfant
		cyproheptadine Cyproheptadine
		debridat Debridat
		depakine Depakine
		dexamethasone Dexamethasone
		dextromethorphan Dextromethorphan
		diazole Diazole
		diclofenac Diclofenac
		diclopara Diclopara
		diosmectite Diosmectite
		diphenhydramine Diphénhydramine
		diphenoxylate Diphénoxylate
		doliprane Doliprane
		dolotab Dolotab
		domperidone Domperidone
		dysenteral Dysentéral
		effergal Efferalgan
		ercefuryl Ercefuryl
		erycin Erycin
		erythromycin Erythromycin
		febrilex Febrilex
		fer_acidefolique Fer + acide folique
		fercefol Fercefol
		flagyl Flagyl
		flucazol Flucazol

Field	Question	Answer	
		fluconazole	Fluconazole
		fluditec	Fluditec
		fluoxetine	Fluoxetine
		gastrosedal	Gastrosédal
		gentamycin	Gentamycin
		grippex	Grippex
		hepatisane	Hépatisane
		hexachlorophene	Hexachlorophène
		hexetidine	Hexétidine
		huile_gomenolee_adulte	Huile goménolée adulte (H-goménolée adulte)
		ibugesic	Ibugesic
		ibuprofen	Ibuprofen
		ibusix	Ibusix
		iron_and_folic_acid	Iron and Folic Acid
		keneyaji	Keneyaji
		kva_sulf	Kva Sulf
		laxa_cassia	Laxa Cassia
		letaline_expectorant	Letalin Expectorant
		letap_paracetamol	Letap Paracetamol
		letaplex	Letaplex
		lidocaine	Lidocaine
		litacold	Litacold
		lymphshamei	Ly Mphshamei
		madar	Madar
		malacur	Malacur
		mebendazole	Mebendazole
		medvite	Medvite
		mequitazine	Mequitazine
		metamizole	Métamizole
		methylprednisolone	Methylprednisolone
		metopimazine	Metopimazine
		metronidazole	Metronidazole
		midazolam	Midazolam
		mixagrip	Mixagrip
		motilium	Motilium
		mucomyst	Mucomyst
		multivitamine	Multivitamin
		multivitamine_syrup	Multivitamin Syrup
		neo-codion	Neo-Codion
		neomycin	Neomycin
		nifuroxazide	Nifuroxazide
		nivaquine	Nivaquine
		novalgin	Novalgin
		nurupquin	Nurupquin
		nystatine	Nystatine
		oleandomycine	Oléandomycine
		onguent_antibiotique	Onguent antibiotique
		oracefal	Oracefal
		oraseal_zinc	Oraseal Zinc
		osmogel	Osmogel
		otipax	Otipax
		otrivine	Otrivine
		oxacilline	Oxacilline
		paidofebrile	Paidofebrile
		paidoterin	Paidoterin
		panadol	Panadol
		panalgic	Panalgic
		paracetamol	Paracetamol
		paracetamol_cetal	Paracetamol Cetal
		passedyl	Passedyl
		penicillin	Penicillin
		penicilline_onguent	Pénicilline onguent

CSCComPatientInterview

Field	Question	Answer
		perfalgan
		Perfalgan
		peridys
		Peridys
		phenazone
		Phénazone
		phenylpropanolamine
		Phénylpropanolamine
		polydexa
		Polydexa
		polymyxine
		Polymyxine
		pommade_a_la_tetracycline
		pommade à la tétracycline
		prednisone
		Prednisone
		primalan
		Primalan
		promethazine
		Promethazine
		prorhinel_(benzododecinium)
		Prorhinel (Benzododécinium)
		pseudoephedrine
		Pseudoephedrine
		quinimax
		Quinimax
		quinine
		Quinine
		quinine_injectable
		Quinine (injectable)
		quinine_tablet
		Quinine (tablet)
		radioselectan
		Radioselectan
		rhinathiol
		Rhinathiol
		royal_(chest-lung)
		Royal (Chest & Lung)
		salbutamol
		Salbutamol
		smecta
		Smecta
		smectites
		Smectites
		solu-medrol
		Solu-Medrol
		sro
		SRO
		sterimar
		Stérimar
		sudrex
		Sudrex
		sulfamethoxazol
		Sulfamethoxazol
		sulfur
		Sulfur
		synozole
		Synozole
		tao_(troleandomycin)
		TAO (troleandomycin)
		terpin_hydrate
		Terpin Hydrate
		terpine_codeine
		Terpine Codeine
		terpone_expectorant
		Terpone expectorant
		tetracycline_ointment
		Tetracycline Ointment
		theralene
		Theralene
		tres_orix
		Tres Orix
		trimebutine
		Trimébutine
		trimetabol
		Trimetabol
		uclaprim
		Uclaprim
		unasyn
		Unasyn
		valproate
		Valproate
		valproic_acid
		Valproic Acid
		vermin-dazol
		Vermin-Dazol
		verzol
		Verzol
		vinciseptil
		Vinciseptil
		vita_bebe
		Vita BeBe
		vitafer
		Vitafer
		vitamine_b
		Vitamine B
		vogalene
		Vogalene
		xylometazoline
		Xylométazoline
		zinc
		Zinc
		other
		Other
desc_othemamedbefore4 (required)	Specify other drug/medication: Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${itembefore4} , '1') and selected(\${typeitembefore4} , '1') and selected(\${namedbefore4} , 'other')	

CSCComPatientInterview

Field	Question	Answer	
typemedbefore4 <i>(required)</i>	Which is the type of the drug/medication? Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore4} , '1') and selected(\${typeitembefore4} , '2'))		anesthetic
			Anesthetic
			antalgic
			Antalgic
			anti_inflammatory
			Anti inflammatory
			antibiotic
			Antibiotic not specified
			antidepressant
			Antidepressant
			antihistamine
			Antihistamine
			antihypertensive
			Antihypertensive
			antimalarial
			Antimalarial
desc_othertypemedbefore4 <i>(required)</i>	Specify other type of drug/medication: Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore4} , '1') and selected(\${typeitembefore4} , '2') and selected(\${typemedbefore4} , 'other'))		antipyretic
			Antipyretic
			antitussif
			Cough medication
			antiviral
			Antiviral
			anxiolytic
			Anxiolytic
			bronchodilator
			Bronchodilator
			sedative
			Sedative
			vitamines
			Vitamins
			other
			Other
equipbefore4 <i>(required)</i>	Which is the equipment/material? Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore4} , '1') and selected(\${typeitembefore4} , '4'))		alcohol
			Alcohol
			bandage
			Bandage
			bande_de_pansement
			Dressing
			catheter_intraveineuse
			Intravenous catheter
			cotton
			Cotton
			compress
			Compress
			desinfectant
			Disinfectant
			epicranni
			Winged infusion set (scalp vein set, butterfly set)
desc_otherequipbefore4 <i>(required)</i>	Specify other equipment/material: Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore4} , '1') and selected(\${typeitembefore4} , '4') and selected(\${equipbefore4} , 'other'))		fluide_intraveineuse
			Intravenous fluid
			iodine
			Iodine
			infusion_IV_fluids
			Infusion
			perfuseur
			Perfuseur
			polyodoniodex
			Polyodon Iodex
			povidine-iodine
			Povidine iodine
			syringe
			Syringe
			serum_glucose
			Glucose serum
itembefore5 <i>(required)</i>	Was another item bought/taken? Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore4} , '1'))	1	Yes
		2	No

CSCComPatientInterview

Field	Question	Answer
typeitembefore5 <i>(required)</i>	Which type of item? (5) Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore5} , '1')	1 Drug/medication with known name
		2 Drug/medication; type known but name unknown
		3 Drug/medication; both type and name unknown (e.g. unmarked packaging)
		4 Equipment/materials
namedbefore5 <i>(required)</i>	Which is the name of the drug/medication? Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore5} , '1') and selected(\${typeitembefore5} , '1')	acefylline_piperazine Acéfylline pipérazine
		acefylline_piperazine-diphenhydramine-hcl Acéfylline Piperazine+ Diphenhydramine Hcl
		acetaminophene Acétaminophène
		acetaminophene_(para)-dextromethorphan-pseud. Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine
		acetylcysteine Acetylcysteine
		acetylsalicylic_acid Acetylsalicylic acid
		acid_benzoïque Acide benzoïque
		acid_valproïque Acide valproïque
		actapulgit Actapulgit
		actifed Actifed
		albendazole Albendazole
		alimemazine Alimemazine
		allergosone Allergosone
		almex Almex
		ammonium_chloride Ammonium Chloride
		amodiaquine Amodiaquine
		amodix Amodix
		amoquin Amoquin
		amoxicillin Amoxicillin
		amoxicilline-cla Amoxicilline + Cla
		amoxitem Amoxitem
		ampicilline Ampicilline
		analgin Analgin
		antipy_benzo_otc_sol Antipy Benzo Otic Sol
		antropine Antropine
		arcet Arcet
		artefan Artefan
		artemether Artemether
		artemether_injectable Artemether (injectable)
		artemether_tablet Artemether (tablet)
		artemether-lumefantrine Artemether + Lumefantrine
		artemether-lumefantrine_injectable Artemether + Lumefantrine (injectable)
		artemether-lumefantrine_tablet Artemether + Lumefantrine (tablet)
		artesunate Artesunate
		artesunate_injectable Artesunate (injectable)
		artesunate_tablet Artesunate (tablet)
		asa ASA
		aspegic Aspegic
		aspirin Aspirin
		atropine Atropine
		attapulgit Attapulgit
		augmentine Augmentine
		aureomycine Aureomycine
		azithromycin Azithromycin
		bactopoumon Bactopoumon
		bactox Bactox
		benadryl Benadryl
		benzaote Benzaote
		benzocaine Benzocaine

Field	Question	Answer
		benzododecinium Benzododecinium
		benzoic_acid Benzoic Acid
		betadine Betadine
		biafine Biafine
		biakof Biakof
		binozyt Binozyt
		broncoxil Broncoxil
		bronquidiazina Bronquidiazina
		brufen Brufen
		brumed Brumed
		cac_1000 CAC 1000 sandoz
		caflam Caflam
		camoquin Camoquin
		carbetux Carbetux
		carbocisteine Carbocisteine
		cataflam Cataflam
		cedrox Cedrox
		cefadroxil Cefadroxil
		cefixime Cefixime
		ceftriaxone Ceftriaxone
		celestene Celestene
		chloropyramine Chloropyramine
		chloroquine Chloroquine
		chlorphenamine Chlorphenamine
		chlortetracycline Chlortetracycline
		ciprofloxacin Ciprofloxacin
		cipronat Cipronat
		clamoxy Clamoxy
		cloperastine Cloperastine
		clotrimazole Clotrimazole
		coartem Coartem
		codeine Codeine
		collu-hextril Collu-Hextril
		combiart Combiart
		combiart_adult Combiart adult
		cotrimoxazol_(trimoprim) Cotrimoxazol (Trimoprim)
		cta_adolescent CTA Adolescent
		cta_adulte CTA Adulte
		cta_enfant CTA Enfant
		cyproheptadine Cyproheptadine
		debridat Debridat
		depakine Depakine
		dexamethasone Dexamethasone
		dextromethorphan Dextromethorphan
		diazole Diazole
		diclofenac Diclofenac
		diclopara Diclopara
		diosmectite Diosmectite
		diphenhydramine Diphénhydramine
		diphenoxylate Diphénoxylate
		doliprane Doliprane
		dolotab Dolotab
		domperidone Domperidone
		dysenteral Dysentéral
		effergal Efferalgan
		ercefuryl Ercefuryl
		erycin Erycin
		erythromycin Erythromycin
		febrilex Febrilex
		fer_acidefolique Fer + acide folique
		fercefol Fercefol
		flagyl Flagyl
		flucazol Flucazol

Field	Question	Answer	
		fluconazole	Fluconazole
		fluditec	Fluditec
		fluoxetine	Fluoxetine
		gastrosedal	Gastrosédal
		gentamycin	Gentamycin
		grippex	Grippex
		hepatisane	Hépatisane
		hexachlorophene	Hexachlorophène
		hexetidine	Hexétidine
		huile_gomenolee_adulte	Huile goménolée adulte (H-goménolée adulte)
		ibugesic	Ibugesic
		ibuprofen	Ibuprofen
		ibusix	Ibusix
		iron_and_folic_acid	Iron and Folic Acid
		keneyaji	Keneyaji
		kva_sulf	Kva Sulf
		laxa_cassia	Laxa Cassia
		letaline_expectorant	Letalin Expectorant
		letap_paracetamol	Letap Paracetamol
		letaplex	Letaplex
		lidocaine	Lidocaine
		litacold	Litacold
		lymphshamei	Ly Mphshamei
		madar	Madar
		malacur	Malacur
		mebendazole	Mebendazole
		medvite	Medvite
		mequitazine	Mequitazine
		metamizole	Métamizole
		methylprednisolone	Methylprednisolone
		metopimazine	Metopimazine
		metronidazole	Metronidazole
		midazolam	Midazolam
		mixagrip	Mixagrip
		motilium	Motilium
		mucomyst	Mucomyst
		multivitamine	Multivitamin
		multivitamine_syrup	Multivitamin Syrup
		neo-codion	Neo-Codion
		neomycin	Neomycin
		nifuroxazide	Nifuroxazide
		nivaquine	Nivaquine
		novalgin	Novalgin
		nurupquin	Nurupquin
		nystatine	Nystatine
		oleandomycine	Oléandomycine
		onguent_antibiotique	Onguent antibiotique
		oracefal	Oracefal
		oraseal_zinc	Oraseal Zinc
		osmogel	Osmogel
		otipax	Otipax
		otrivine	Otrivine
		oxacilline	Oxacilline
		paidofebrile	Paidofebrile
		paidoterin	Paidoterin
		panadol	Panadol
		panalgic	Panalgic
		paracetamol	Paracetamol
		paracetamol_cetal	Paracetamol Cetal
		passedyl	Passedyl
		penicillin	Penicillin
		penicilline_onguent	Pénicilline onguent

CSCComPatientInterview

Field	Question	Answer
		perfalgan
		Perfalgan
		peridys
		Peridys
		phenazone
		Phénazone
		phenylpropanolamine
		Phénylpropanolamine
		polydexa
		Polydexa
		polymyxine
		Polymyxine
		pommade_a_la_tetracycline
		pommade à la tétracycline
		prednisone
		Prednisone
		primalan
		Primalan
		promethazine
		Promethazine
		prorhinel_(benzododecinium)
		Prorhinel (Benzododécinium)
		pseudoephedrine
		Pseudoephedrine
		quinimax
		Quinimax
		quinine
		Quinine
		quinine_injectable
		Quinine (injectable)
		quinine_tablet
		Quinine (tablet)
		radioselectan
		Radioselectan
		rhinathiol
		Rhinathiol
		royal_(chest-lung)
		Royal (Chest & Lung)
		salbutamol
		Salbutamol
		smecta
		Smecta
		smectites
		Smectites
		solu-medrol
		Solu-Medrol
		sro
		SRO
		sterimar
		Stérimar
		sudrex
		Sudrex
		sulfamethoxazol
		Sulfamethoxazol
		sulfur
		Sulfur
		synozole
		Synozole
		tao_(troleandomycin)
		TAO (troleandomycin)
		terpin_hydrate
		Terpin Hydrate
		terpine_codeine
		Terpine Codeine
		terpone_expectorant
		Terpone expectorant
		tetracycline_ointment
		Tetracycline Ointment
		theralene
		Theralene
		tres_orix
		Tres Orix
		trimebutine
		Trimébutine
		trimetabol
		Trimetabol
		uclaprim
		Uclaprim
		unasyn
		Unasyn
		valproate
		Valproate
		valproic_acid
		Valproic Acid
		vermin-dazol
		Vermin-Dazol
		verzol
		Verzol
		vinciseptil
		Vinciseptil
		vita_bebe
		Vita BeBe
		vitafer
		Vitafer
		vitamine_b
		Vitamine B
		vogalene
		Vogalene
		xylometazoline
		Xylométazoline
		zinc
		Zinc
		other
		Other
desc_othersmedbefore5 (required)	Specify other drug/medication: Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${itembefore5} , '1') and selected(\${typeitembefore5} , '1') and selected(\${namedbefore5} , 'other')	

CSCComPatientInterview

Field	Question	Answer	
typemedbefore5 <i>(required)</i>	Which is the type of the drug/medication? Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore5} , '1') and selected(\${typeitembefore5} , '2'))		anesthetic
			Antesthetic
			antalgic
			Antalgic
			anti_inflammatory
			Anti inflammatory
			antibiotic
			Antibiotic not specified
			antidepressant
			Antidepressant
			antihistamine
			Antihistamine
			antihypertensive
			Antihypertensive
			antimalarial
			Antimalarial
desc_othertypemedbefore5 <i>(required)</i>	Specify other type of drug/medication: Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore5} , '1') and selected(\${typeitembefore5} , '2') and selected(\${typemedbefore5} , 'other'))		
equipbefore5 <i>(required)</i>	Which is the equipment/material? Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore5} , '1') and selected(\${typeitembefore5} , '4'))		alcohol
			Alcohol
			bandage
			Bandage
			bande_de_pansement
			Dressing
			catheter_intraveineuse
			Intravenous catheter
			cotton
			Cotton
			compress
			Compress
			desinfectant
			Disinfectant
			epicranni
			Winged infusion set (scalp vein set, butterfly set)
desc_otherequipbefore5 <i>(required)</i>	Specify other equipment/material: Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore5} , '1') and selected(\${typeitembefore5} , '4') and selected(\${equipbefore5} , 'other'))		
itembefore6 <i>(required)</i>	Was another item bought/taken? Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore5} , '1'))	1	Yes
		2	No

CSCComPatientInterview

Field	Question	Answer
typeitembefore6 <i>(required)</i>	Which type of item? (6) Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore6} , '1')	1 Drug/medication with known name
		2 Drug/medication; type known but name unknown
		3 Drug/medication; both type and name unknown (e.g. unmarked packaging)
		4 Equipment/materials
namedbefore6 <i>(required)</i>	Which is the name of the drug/medication? Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore6} , '1') and selected(\${typeitembefore6} , '1')	acefylline_piperazine Acéfylline pipérazine
		acefylline_piperazine-diphenhydramine-hcl Acéfylline Piperazine+ Diphenhydramine Hcl
		acetaminophene Acétaminophène
		acetaminophene_(para)-dextromethorphan-pseud. Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine
		acetylcysteine Acetylcysteine
		acetylsalicylic_acid Acetylsalicylic acid
		acid_benzoïque Acide benzoïque
		acid_valproïque Acide valproïque
		actapulgit Actapulgit
		actifed Actifed
		albendazole Albendazole
		alimemazine Alimemazine
		allergosone Allergosone
		almex Almex
		ammonium_chloride Ammonium Chloride
		amodiaquine Amodiaquine
		amodix Amodix
		amoquin Amokin
		amoxicillin Amoxicillin
		amoxicilline-cla Amoxicilline + Cla
		amoxitem Amoxitem
		ampicilline Ampicilline
		analgin Analgin
		antipy_benzo_otc_sol Antipy Benzo Otic Sol
		antropine Antropine
		arcet Arcet
		artefan Artefan
		artemether Artemether
		artemether_injectable Artemether (injectable)
		artemether_tablet Artemether (tablet)
		artemether-lumefantrine Artemether + Lumefantrine
		artemether-lumefantrine_injectable Artemether + Lumefantrine (injectable)
		artemether-lumefantrine_tablet Artemether + Lumefantrine (tablet)
		artesunate Artesunate
		artesunate_injectable Artesunate (injectable)
		artesunate_tablet Artesunate (tablet)
		asa ASA
		aspegic Aspegic
		aspirin Aspirin
		atropine Atropine
		attapulgit Attapulgit
		augmentine Augmentine
		aureomycine Aureomycine
		azithromycin Azithromycin
		bactopoumon Bactopoumon
		bactox Bactox
		benadryl Benadryl
		benzaote Benzaote
		benzocaine Benzocaine

Field	Question	Answer
		benzododecinium
		Benzododecinium
		benzoic_acid
		Benzoic Acid
		betadine
		Betadine
		biafine
		Biafine
		biakof
		Biakof
		binozyt
		Binozyt
		broncoxil
		Broncoxil
		bronquidiazina
		Bronquidiazina
		brufen
		Brufen
		brumed
		Brumed
		cac_1000
		CAC 1000 sandoz
		caflam
		Caflam
		camoquin
		Camoquin
		carbetux
		Carbetux
		carbocisteine
		Carbocisteine
		cataflam
		Cataflam
		cedrox
		Cedrox
		cefadroxil
		Cefadroxil
		cefixime
		Cefixime
		ceftriaxone
		Ceftriaxone
		celestene
		Celestene
		chloropyramine
		Chloropyramine
		chloroquine
		Chloroquine
		chlorphenamine
		Chlorphenamine
		chlortetracycline
		Chlortetracycline
		ciprofloxacin
		Ciprofloxacin
		cipronat
		Cipronat
		clamoxy
		Clamoxy
		cloperastine
		Cloperastine
		clotrimazole
		Clotrimazole
		coartem
		Coartem
		codeine
		Codeine
		collu-hextril
		Collu-Hextril
		combiart
		Combiart
		combiart_adult
		Combiart adult
		cotrimoxazol_(trimoprim)
		Cotrimoxazol (Trimoprim)
		cta_adolescent
		CTA Adolescent
		cta_adulte
		CTA Adulte
		cta_enfant
		CTA Enfant
		cyproheptadine
		Cyproheptadine
		debridat
		Debridat
		depakine
		Depakine
		dexamethasone
		Dexamethasone
		dextromethorphan
		Dextromethorphan
		diazole
		Diazole
		diclofenac
		Diclofenac
		diclopara
		Diclopara
		diosmectite
		Diosmectite
		diphenhydramine
		Diphénhydramine
		diphenoxylate
		Diphénoxylate
		doliprane
		Doliprane
		dolotab
		Dolotab
		domperidone
		Domperidone
		dysenteral
		Dysentéral
		effergal
		Effergal
		ercefuryl
		Ercefuryl
		erycin
		Erycin
		erythromycin
		Erythromycin
		febrilex
		Febrilex
		fer_acidefolique
		Fer + acide folique
		fercefol
		Fercefol
		flagyl
		Flagyl
		flucazol
		Flucazol

Field	Question	Answer	fluconazole	Fluconazole
			fluditec	Fluditec
			fluoxine	Fluoxine
			gastrosedal	Gastrosédal
			gentamycin	Gentamycin
			grippex	Grippex
			hepatisane	Hépatisane
			hexachlorophene	Hexachlorophène
			hexetidine	Hexétidine
			huile_gomenolee_adulte	Huile goménolée adulte (H-goménolée adulte)
			ibugesic	Ibugesic
			ibuprofen	Ibuprofen
			ibusix	Ibusix
			iron_and_folic_acid	Iron and Folic Acid
			keneyaji	Keneyaji
			kva_sulf	Kva Sulf
			laxa_cassia	Laxa Cassia
			letaline_expectorant	Letalin Expectorant
			letap_paracetamol	Letap Paracetamol
			letaplex	Letaplex
			lidocaine	Lidocaine
			litacold	Litacold
			lymphshamei	Ly Mphshamei
			madar	Madar
			malacur	Malacur
			mebendazole	Mebendazole
			medvite	Medvite
			mequitazine	Mequitazine
			metamizole	Métamizole
			methylprednisolone	Methylprednisolone
			metopimazine	Metopimazine
			metronidazole	Metronidazole
			midazolam	Midazolam
			mixagrip	Mixagrip
			motilium	Motilium
			mucomyst	Mucomyst
			multivitamine	Multivitamin
			multivitamine_syrup	Multivitamin Syrup
			neo-codion	Neo-Codion
			neomycin	Neomycin
			nifuroxazide	Nifuroxazide
			nivaquine	Nivaquine
			novalgin	Novalgin
			nurupquin	Nurupquin
			nystatine	Nystatine
			oleandomycine	Oléandomycine
			onguent_antibiotique	Onguent antibiotique
			oracefal	Oracefal
			oraseal_zinc	Oraseal Zinc
			osmogel	Osmogel
			otipax	Otipax
			otrivine	Otrivine
			oxacilline	Oxacilline
			paidofebrile	Paidofebrile
			paidoterin	Paidoterin
			panadol	Panadol
			panalgic	Panalgic
			paracetamol	Paracetamol
			paracetamol_cetal	Paracetamol Cetal
			passedyl	Passedyl
			penicillin	Penicillin
			penicilline_onguent	Pénicilline onguent

CSCComPatientInterview

Field	Question	Answer
		perfalgan
		Perfalgan
		peridys
		Peridys
		phenazone
		Phénazone
		phenylpropanolamine
		Phénylpropanolamine
		polydexa
		Polydexa
		polymyxine
		Polymyxine
		pommade_a_la_tetracycline
		pommade à la tétracycline
		prednisone
		Prednisone
		primalan
		Primalan
		promethazine
		Promethazine
		prorhinel_(benzododecinium)
		Prorhinel (Benzododécinium)
		pseudoephedrine
		Pseudoephedrine
		quinimax
		Quinimax
		quinine
		Quinine
		quinine_injectable
		Quinine (injectable)
		quinine_tablet
		Quinine (tablet)
		radioselectan
		Radioselectan
		rhinathiol
		Rhinathiol
		royal_(chest-lung)
		Royal (Chest & Lung)
		salbutamol
		Salbutamol
		smecta
		Smecta
		smectites
		Smectites
		solu-medrol
		Solu-Medrol
		sro
		SRO
		sterimar
		Stérimar
		sudrex
		Sudrex
		sulfamethoxazol
		Sulfamethoxazol
		sulfur
		Sulfur
		synozole
		Synozole
		tao_(troleandomycin)
		TAO (troleandomycin)
		terpin_hydrate
		Terpin Hydrate
		terpine_codeine
		Terpine Codeine
		terpone_expectorant
		Terpone expectorant
		tetracycline_ointment
		Tetracycline Ointment
		theralene
		Theralene
		tres_orix
		Tres Orix
		trimebutine
		Trimébutine
		trimetabol
		Trimetabol
		uclaprim
		Uclaprim
		unasyn
		Unasyn
		valproate
		Valproate
		valproic_acid
		Valproic Acid
		vermin-dazol
		Vermin-Dazol
		verzol
		Verzol
		vinciseptil
		Vinciseptil
		vita_bebe
		Vita BeBe
		vitafer
		Vitafer
		vitamine_b
		Vitamine B
		vogalene
		Vogalene
		xylometazoline
		Xylométazoline
		zinc
		Zinc
		other
		Other
desc_othersmedbefore6 (required)	Specify other drug/medication: Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${itembefore6} , '1') and selected(\${typeitembefore6} , '1') and selected(\${namedbefore6} , 'other')	

CSCComPatientInterview

Field	Question	Answer	
typemedbefore6 <i>(required)</i>	Which is the type of the drug/medication? Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore6} , '1') and selected(\${typeitembefore6} , '2'))		anesthetic
			Antesthetic
			antalgic
			Antalgic
			anti_inflammatory
			Anti inflammatory
			antibiotic
			Antibiotic not specified
			antidepressant
			Antidepressant
			antihistamine
			Antihistamine
			antihypertensive
			Antihypertensive
			antimalarial
			Antimalarial
desc_othertypemedbefore6 <i>(required)</i>	Specify other type of drug/medication: Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore6} , '1') and selected(\${typeitembefore6} , '2') and selected(\${typemedbefore6} , 'other'))		
equipbefore6 <i>(required)</i>	Which is the equipment/material? Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore6} , '1') and selected(\${typeitembefore6} , '4'))		alcohol
			Alcohol
			bandage
			Bandage
			bande_de_pansement
			Dressing
			catheter_intraveineuse
			Intravenous catheter
			cotton
			Cotton
			compress
			Compress
			desinfectant
			Disinfectant
			epicranni
			Winged infusion set (scalp vein set, butterfly set)
desc_otherequipbefore6 <i>(required)</i>	Specify other equipment/material: Question relevant when: ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${itembefore6} , '1') and selected(\${typeitembefore6} , '4') and selected(\${equipbefore6} , 'other'))		
testsbefor1 <i>(required)</i>	For the current illness, have you had any blood tests done before coming here? Question relevant when: selected(\${patientrespondent} , '1') and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3'))))	1	Yes
		2	No

CSCComPatientInterview

Field	Question	Answer	
testsbefore2 <i>(required)</i>	For the current illness, has [namepatient] had any blood tests done before coming here? Question relevant when: selected(\${patientrespondent} , '2') and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3'))))	1	Yes
		2	No
testtypebefore1 <i>(required)</i>	What type of test was done? (Test 1) Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3'))))	Malaria_(test_type_not_specified)	Malaria (test type not specified)
		RDT	RDT
		Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin
		Widal	Widal
		Typhoid_test	Typhoid test
		Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
		Syphilis	Syphilis
		Hepatitis	Hepatitis
		Sickle_cell_disease	Sickle cell disease
		Other	Other
		Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)
desc_othertestbefore1 <i>(required)</i>	Specify other test: Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${testtypebefore1} , 'Other')		
bloodputinbefore1 <i>(required)</i>	What did they do with the blood after it was collected? Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and (selected(\${testtypebefore1} , 'Malaria_(test_type_not_specified)') or selected(\${testtypebefore1} , 'Unspecified_blood_test_(purpose_not_known)'))	1	The blood was put in a cassette
		2	The blood was placed onto a slide (small glass rectangle)
		3	The blood was put into another device (vial, test tube etc.)
		-99	Don't know/not sure
testreportedresult1before1 <i>(required)</i>	Do you know what the test result was? Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and not(selected(\${testtypebefore1} , 'Blood_panel') or selected(\${testtypebefore1} , 'Unspecified_blood_test_(purpose_not_known)') or selected(\${testtypebefore1} , 'Other'))	1	Positive (the illness was detected)
		2	Negative (the illness was not detected/ the patient does not have the illness)
		3	Inconclusive or invalid test, or the test had to be repeated
		4	The test was not completed before I left
		-99	Was told but don't know/don't remember
		-100	I wasn't told/informed

CSCComPatientInterview

Field	Question	Answer	
testreportedresult2before1 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and (selected(\${testtypebefore1} , 'Blood_panel') or selected(\${testtypebefore1} , 'Other'))</i>	1	Positive (the illness was detected)
		2	Negative (the illness was not detected/ the patient does not have the illness)
		3	Inconclusive or invalid test, or the test had to be repeated
		4	The test was not completed before I left
		5	Not applicable
		-99	Was told but don't know/don't remember
		-100	I wasn't told/informed
otherbloodtestbefore2 <i>(required)</i>	Were any other blood tests done/ordered? <i>Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3'))))</i>	1	Yes
		2	No
testtypebefore2 <i>(required)</i>	What type of test was done? (Test 2) <i>Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and (selected(\${otherbloodtestbefore2} , '1'))</i>	Malaria_(test_type_not_specified)	Malaria (test type not specified)
		RDT	RDT
		Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin
		Widal	Widal
		Typhoid_test	Typhoid test
		Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
		Syphilis	Syphilis
		Hepatitis	Hepatitis
		Sickle_cell_disease	Sickle cell disease
		Other	Other
		Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)
desc_othertestbefore2 <i>(required)</i>	Specify other test: <i>Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and (selected(\${testtypebefore2} , 'Other') and selected(\${otherbloodtestbefore2} , '1'))</i>		

CSCComPatientInterview

Field	Question	Answer
bloodputinbefore2 <i>(required)</i>	What did they do with the blood after it was collected? <i>Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and (selected(\${testtypebefore2} , 'Malaria_(test_type_not_specified)' or selected(\${testtypebefore2} , 'Unspecified_blood_test_(purpose_not_known)'))</i>	1 The blood was put in a cassette
		2 The blood was placed onto a slide (small glass rectangle)
		3 The blood was put into another device (vial, test tube etc.)
		-99 Don't know/not sure
testreportedresult1before2 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${otherbloodtestbefore2} , '1') and not(selected(\${testtypebefore2} , 'Blood_panel') or selected(\${testtypebefore2} , 'Unspecified_blood_test_(purpose_not_known)' or selected(\${testtypebefore2} , 'Other'))</i>	1 Positive (the illness was detected)
		2 Negative (the illness was not detected/ the patient does not have the illness)
		3 Inconclusive or invalid test, or the test had to be repeated
		4 The test was not completed before I left
		-99 Was told but don't know/don't remember
		-100 I wasn't told/informed
testreportedresult2before2 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${otherbloodtestbefore2} , '1') and (selected(\${testtypebefore2} , 'Blood_panel') or selected(\${testtypebefore2} , 'Other'))</i>	1 Positive (the illness was detected)
		2 Negative (the illness was not detected/ the patient does not have the illness)
		3 Inconclusive or invalid test, or the test had to be repeated
		4 The test was not completed before I left
		5 Not applicable
		-99 Was told but don't know/don't remember
		-100 I wasn't told/informed
otherbloodtestbefore3 <i>(required)</i>	Were any other blood tests done/ordered? <i>Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${otherbloodtestbefore2} , '1') and (selected(\${testtypebefore2} , 'Blood_panel') or selected(\${testtypebefore2} , 'Other'))</i>	1 Yes
		2 No

CSComPatientInterview

Field	Question	Answer	
testtypebefore3 <i>(required)</i>	What type of test was done? (Test 3) Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${otherbloodtestbefore3} , '1')	Malaria_(test_type_not_specified)	Malaria (test type not specified)
		RDT	RDT
		Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin
		Widal	Widal
		Typhoid_test	Typhoid test
		Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
		Syphilis	Syphilis
		Hepatitis	Hepatitis
		Sickle_cell_disease	Sickle cell disease
		Other	Other
Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)		
desc_othertestbefore3 <i>(required)</i>	Specify other test: Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${testtypebefore3} , 'Other') and selected(\${otherbloodtestbefore3} , '1')		
bloodputinbefore3 <i>(required)</i>	What did they do with the blood after it was collected? Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and (selected(\${testtypebefore3} , 'Malaria_(test_type_not_specified)') or selected(\${testtypebefore3} , 'Unspecified_blood_test_(purpose_not_known)'))	1	The blood was put in a cassette
		2	The blood was placed onto a slide (small glass rectangle)
		3	The blood was put into another device (vial, test tube etc.)
		-99	Don't know/not sure
testreportedresult1before3 <i>(required)</i>	Do you know what the test result was? Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${otherbloodtestbefore3} , '1') and not(selected(\${testtypebefore3} , 'Blood_panel') or selected(\${testtypebefore3} , 'Unspecified_blood_test_(purpose_not_known)') or selected(\${testtypebefore3} , 'Other'))	1	Positive (the illness was detected)
		2	Negative (the illness was not detected/ the patient does not have the illness)
		3	Inconclusive or invalid test, or the test had to be repeated
		4	The test was not completed before I left
		-99	Was told but don't know/don't remember
		-100	I wasn't told/informed

CSCComPatientInterview

Field	Question	Answer	
testreportedresult2before3 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${otherbloodtestbefore3} , '1') and (selected(\${testtypebefore3} , 'Blood_panel') or selected(\${testtypebefore3} , 'Other'))</i>	1	Positive (the illness was detected)
		2	Negative (the illness was not detected/ the patient does not have the illness)
		3	Inconclusive or invalid test, or the test had to be repeated
		4	The test was not completed before I left
		5	Not applicable
		-99	Was told but don't know/don't remember
		-100	I wasn't told/informed
otherbloodtestbefore4 <i>(required)</i>	Were any other blood tests done/ordered? <i>Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${otherbloodtestbefore3} , '1')</i>	1	Yes
		2	No
testtypebefore4 <i>(required)</i>	What type of test was done? (Test 4) <i>Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${otherbloodtestbefore4} , '1')</i>	Malaria_(test_type_not_specified)	Malaria (test type not specified)
		RDT	RDT
		Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin
		Widal	Widal
		Typhoid_test	Typhoid test
		Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
		Syphilis	Syphilis
		Hepatitis	Hepatitis
		Sickle_cell_disease	Sickle cell disease
		Other	Other
		Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)
desc_othertestbefore4 <i>(required)</i>	Specify other test: <i>Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${testtypebefore4} , 'Other') and selected(\${otherbloodtestbefore4} , '1')</i>		

CSCComPatientInterview

Field	Question	Answer
bloodputinbefore4 <i>(required)</i>	What did they do with the blood after it was collected? <i>Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and (selected(\${testtypebefore4} , 'Malaria_(test_type_not_specified)' or selected(\${testtypebefore4} , 'Unspecified_blood_test_(purpose_not_known)'))</i>	1 The blood was put in a cassette
		2 The blood was placed onto a slide (small glass rectangle)
		3 The blood was put into another device (vial, test tube etc.)
		-99 Don't know/not sure
testreportedresult1before4 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${otherbloodtestbefore4} , '1') and not(selected(\${testtypebefore4} , 'Blood_panel') or selected(\${testtypebefore4} , 'Unspecified_blood_test_(purpose_not_known)' or selected(\${testtypebefore4} , 'Other'))</i>	1 Positive (the illness was detected)
		2 Negative (the illness was not detected/ the patient does not have the illness)
		3 Inconclusive or invalid test, or the test had to be repeated
		4 The test was not completed before I left
		-99 Was told but don't know/don't remember
		-100 I wasn't told/informed
testreportedresult2before4 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${otherbloodtestbefore4} , '1') and (selected(\${testtypebefore4} , 'Blood_panel') or selected(\${testtypebefore4} , 'Other'))</i>	1 Positive (the illness was detected)
		2 Negative (the illness was not detected/ the patient does not have the illness)
		3 Inconclusive or invalid test, or the test had to be repeated
		4 The test was not completed before I left
		5 Not applicable
		-99 Was told but don't know/don't remember
		-100 I wasn't told/informed
otherbloodtestbefore5 <i>(required)</i>	Were any other blood tests done/ordered? <i>Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${otherbloodtestbefore4} , '1')</i>	1 Yes
		2 No

CSComPatientInterview

Field	Question	Answer	
testtypebefore5 <i>(required)</i>	What type of test was done? (Test 5) Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${otherbloodtestbefore5} , '1')	Malaria_(test_type_not_specified)	Malaria (test type not specified)
		RDT	RDT
		Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin
		Widal	Widal
		Typhoid_test	Typhoid test
		Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
		Syphilis	Syphilis
		Hepatitis	Hepatitis
		Sickle_cell_disease	Sickle cell disease
		Other	Other
Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)		
desc_othertestbefore5 <i>(required)</i>	Specify other test: Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${testtypebefore5} , 'Other') and selected(\${otherbloodtestbefore5} , '1')		
bloodputinbefore5 <i>(required)</i>	What did they do with the blood after it was collected? Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and (selected(\${testtypebefore5} , 'Malaria_(test_type_not_specified)') or selected(\${testtypebefore5} , 'Unspecified_blood_test_(purpose_not_known)'))	1	The blood was put in a cassette
		2	The blood was placed onto a slide (small glass rectangle)
		3	The blood was put into another device (vial, test tube etc.)
		-99	Don't know/not sure
testreportedresult1before5 <i>(required)</i>	Do you know what the test result was? Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and ((((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening})>=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${otherbloodtestbefore5} , '1') and not(selected(\${testtypebefore5} , 'Blood_panel') or selected(\${testtypebefore5} , 'Unspecified_blood_test_(purpose_not_known)') or selected(\${testtypebefore5} , 'Other'))	1	Positive (the illness was detected)
		2	Negative (the illness was not detected/ the patient does not have the illness)
		3	Inconclusive or invalid test, or the test had to be repeated
		4	The test was not completed before I left
		-99	Was told but don't know/don't remember
		-100	I wasn't told/informed

CSComPatientInterview

Field	Question	Answer
testreportedresult2before5 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: (selected(\${testsbefore1} , '1') or selected(\${testsbefore2} , '1')) and (((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${confirmconsent} , '1')) and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or ((selected(\${confirmation} , '1') and selected(\${confirmation} , '2') and count-selected(\${symptomsscreening}) >=1) and selected(\${consentrespondent} , '1')) and (selected(\${confirmimage} , '3')))) and selected(\${otherbloodtestbefore5} , '1') and (selected(\${testtypebefore5} , 'Blood_panel') or selected(\${testtypebefore5} , 'Other'))</i>	<div>1 Positive (the illness was detected)</div> <div>2 Negative (the illness was not detected/ the patient does not have the illness)</div> <div>3 Inconclusive or invalid test, or the test had to be repeated</div> <div>4 The test was not completed before I left</div> <div>5 Not applicable</div> <div>-99 Was told but don't know/don't remember</div> <div>-100 I wasn't told/informed</div>
contact	We are selecting some of the people we are interviewing here at the clinic for a follow-up interview. With your permission, we would like to record the best time to visit you and how to find you. <i>Assure the respondent that all personal information is confidential and only for survey use.</i> <i>Question relevant when: (selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))</i>	
phonenum_yesno <i>(required)</i>	Is there a phone number we can call to reach you? <i>Question relevant when: (selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))</i>	<div>1 Yes</div> <div>2 No</div>
Contact Information <i>Group relevant when: selected(\${phonenum_yesno} , '1') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3'))))</i>		
phonenumresp1	Option 1 <i>Please check format: _ _ _ _ _ _ _ _ _ _ </i> <i>Question relevant when: selected(\${phonenum_yesno} , '1') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3'))))</i> <i>Response constrained to: regex(.,'^\d{8,8}(\?:\d{8,8}){0,}\$')</i>	
phonenumresp2	Option 2 <i>Please check format: _ _ _ _ _ _ _ _ _ _ </i> <i>Question relevant when: selected(\${phonenum_yesno} , '1') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3'))))</i> <i>Response constrained to: regex(.,'^\d{8,8}(\?:\d{8,8}){0,}\$')</i>	
phonenumresp3	Option 3 <i>Please check format: _ _ _ _ _ _ _ _ _ _ </i> <i>Question relevant when: selected(\${phonenum_yesno} , '1') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3'))))</i> <i>Response constrained to: regex(.,'^\d{8,8}(\?:\d{8,8}){0,}\$')</i>	
addressresp <i>(required)</i>	What is your current address? <i>Please enter description to locate respondent. Enter -98 if refused to say.</i> <i>Question relevant when: (selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))</i> <i>Response constrained to: string-length(.)<=200</i>	
livesameplace <i>(required)</i>	Do you and the patient stay or live in the same place? <i>Question relevant when: selected(\${patientrespondent} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3'))))</i>	<div>1 Yes</div> <div>2 No</div>
addresspat <i>(required)</i>	What is the patient's current address? <i>Please enter description to locate patient. Enter -98 if refused to say.</i> <i>Question relevant when: selected(\${patientrespondent} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${livesameplace} , '2')</i> <i>Response constrained to: string-length(.)<=200</i>	
What is the best time (within 36 hours) to visit you at home if we decide to ask you additional questions? <i>Group relevant when: ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3'))) and \${addressresp} !=-98</i>		
datevisit <i>(required)</i>	Date <i>Question relevant when: ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2')) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3'))) and \${addressresp} !=-98</i>	

CSCComPatientInterview

Field	Question	Answer
preferedmoment <i>(required)</i>	What time of day do you prefer? <i>Question relevant when: ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and \${addressresp} !=98</i>	1 Morning
		2 Noon
		3 Afternoon
		4 Evening
		5 Anytime
		6 Specific appointment
preferedtime <i>(required)</i>	Time <i>Question relevant when: ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${preferedmoment} , '6')</i>	
desc_time	Comments <i>Question relevant when: (selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))</i> <i>Response constrained to: string-length(.)<=80</i>	
finalcomment	[Surveyor: Please let the respondent know that we would like to ask him/her some additional questions after the doctor consultation.] <i>Question relevant when: (selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))</i>	
intake <i>(required)</i>	[Surveyor: Please confirm that the intake interview is complete.] <i>Question relevant when: (selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))</i>	1 Yes
		2 Continue with the exit interview
newcomment	[Surveyor: Welcome to the exit interview.] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3'))))</i>	
indiv <i>(required)</i>	[Surveyor: Please confirm the name of the respondent from the first part of this interview: [lastname], [name]] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3'))))</i>	1 Yes
		2 No
respondentavailable <i>(required)</i>	[Surveyor: Is the respondent available to continue with the (exit) interview at the CSCCom?] <i>To continue after this part, remember that you need the continued informed consent of the respondent.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1')</i>	1 Yes – interviewed at CSCCom after visit
		2 No – referred to urgent further care (hospital, CSRef)
		5 No – refused
		6 No - could not be found
records <i>(required)</i>	Could I please see the paper records of your CSCCom visit? <i>Ask patient/respondent to see the records of test results, bill, and diagnosis.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1')</i>	1 Patient allowed access to paper records
		2 Patient does not have any paper records
		-98 Patient refused access to paper records
whichrecords <i>(required)</i>	[Surveyor: Which records are available? Check all that apply.] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${records} , '1') and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1')</i>	1 Medical test(s)
		2 Diagnosis
		3 Prescription/Bill
interventionreceived <i>(required)</i>	[Surveyor: if the intervention is currently taking place at this CSCOM, please record intervention received by this patient. Make sure the patient does not learn about the interventions from you. Fill with help from intervention officer if necessary.] <i>Tick all that apply.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1')</i> <i>Response constrained to: not((selected(\${interventionreceived} , '1') or selected(\${interventionreceived} , '2') or selected(\${interventionreceived} , '3')) and selected(\${interventionreceived} , '4')) and not(selected(\${interventionreceived} , '1') and selected(\${interventionreceived} , '2'))</i>	1 Voucher received but not used
		2 Voucher received and used
		3 Patient video seen
		4 No intervention received (incl. no intervention day)

CSCComPatientInterview

Field	Question	Answer	
reported_tests	[Surveyor: Ask respondent the following section, do not use paper records.] Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1')		
reportedtests_1 (required)	During this CSCCom visit, was any blood taken from you for testing? It might have been taken with a finger prick or with an injection needle from your arm. Include blood tests that were ordered at this CSCCom, but carried out elsewhere (e.g. at CSRef) and the patient was asked to bring back. Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${patientrespondent} , '1')	1	Yes
		2	No
reportedtests_2 (required)	During the CSCCom visit, was any blood from [namepatient] for testing? It might have been taken with a finger prick or with an injection needle from [namepatient]'s arm. Include blood tests that were ordered at this CSCCom, but carried out elsewhere (e.g. at CSRef) and the patient was asked to bring back. Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${patientrespondent} , '2')	1	Yes
		2	No
comment_reported_tests	[Surveyor: If the respondent reports that one blood draw that was used for two or more different tests, please fill out this section repeatedly, once for each tested disease or for each test.] Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and (selected(\${reportedtests_1} , '1') or selected(\${reportedtests_2} , '1'))		
testtypereported1 (required)	What type of test was done? (Test 1) Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and (selected(\${reportedtests_1} , '1') or selected(\${reportedtests_2} , '1'))	Malaria_(test_type_not_specified)	Malaria (test type not specified)
		RDT	RDT
		Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin
		Widal	Widal
		Typhoid_test	Typhoid test
		Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
		Syphilis	Syphilis
		Hepatitis	Hepatitis
		Sickle_cell_disease	Sickle cell disease
		Other	Other
		Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)
desc_testtypereported1 (required)	Specify other test: Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and (selected(\${reportedtests_1} , '1') or selected(\${reportedtests_2} , '1')) and selected(\${testtypereported1} , 'Other')		

CSComPatientInterview

Field	Question	Answer
testreportedbloodafter1 <i>(required)</i>	What was done with the blood after it was collected? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and (selected(\${reportedtests_1} , '1') or selected(\${reportedtests_2} , '1')) and (selected(\${testtypereported1} , 'Malaria_ (test_type_not_specified)' or selected(\${testtypereported1} , 'Unspecified_blood_test_ (purpose_not_known)'))</i>	1 The blood was put in a cassette
		2 The blood was placed onto a slide (small glass rectangle)
		3 The blood was put into another device (vial, test tube etc.)
		-99 Don't know/not sure
testreportedduration1 <i>(required)</i>	How much time did the test approximately take, from taking blood until getting the result? <i>Probe. Time in minutes. Enter -98 if refusal and -99 if don't know/don't remember.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and (selected(\${reportedtests_1} , '1') or selected(\${reportedtests_2} , '1'))</i> <i>Response constrained to: (.>=0 and .<=999) or .=-98 or .=-99</i>	
testreported1result1 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and (selected(\${reportedtests_1} , '1') or selected(\${reportedtests_2} , '1')) and not(selected(\${testtypereported1} , 'Blood_panel') or selected(\${testtypereported1} , 'Unspecified_blood_test_ (purpose_not_known)' or selected(\${testtypereported1} , 'Other'))</i>	1 Positive (the illness was detected)
		2 Negative (the illness was not detected/ the patient does not have the illness)
		3 Inconclusive or invalid test, or the test had to be repeated
		4 The test was not completed before I left
		-99 Was told but don't know/don't remember
		-100 I wasn't told/informed
testreported2result1 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and (selected(\${reportedtests_1} , '1') or selected(\${reportedtests_2} , '1')) and (selected(\${testtypereported1} , 'Blood_panel') or selected(\${testtypereported1} , 'Other'))</i>	1 Positive (the illness was detected)
		2 Negative (the illness was not detected/ the patient does not have the illness)
		3 Inconclusive or invalid test, or the test had to be repeated
		4 The test was not completed before I left
		5 Not applicable
		-99 Was told but don't know/don't remember
		-100 I wasn't told/informed
testreportedprice1 <i>(required)</i>	How much money did you pay for this test? <i>In CFA. Enter -98 if Refusal. Enter -99 if the patient cannot remember the price. Enter -100 if the patient WAS NOT TOLD THE PRICE.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and (selected(\${reportedtests_1} , '1') or selected(\${reportedtests_2} , '1'))</i> <i>Response constrained to: (.>=0 and .<=20000) or .=-98 or .=-99 or .=-100</i>	
otherreportedtest2 <i>(required)</i>	Were any other blood tests done/ordered? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and (selected(\${reportedtests_1} , '1') or selected(\${reportedtests_2} , '1'))</i>	1 Yes
		2 No

CSCComPatientInterview

Field	Question	Answer	
testtypereported2 <i>(required)</i>	What type of test was done? (Test 2) <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest2} , '1')</i>	Malaria_(test_type_not_specified)	Malaria (test type not specified)
		RDT	RDT
		Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin
		Widal	Widal
		Typhoid_test	Typhoid test
		Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
		Syphilis	Syphilis
		Hepatitis	Hepatitis
		Sickle_cell_disease	Sickle cell disease
		Other	Other
		Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)
desc_testtypereported2 <i>(required)</i>	Specify other test: <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest2} , '1') and selected(\${testtypereported2} , 'Other')</i>		
testreportedbloodafter2 <i>(required)</i>	What was done with the blood after it was collected? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest2} , '1') and (selected(\${testtypereported2} , 'Malaria_(test_type_not_specified)') or selected(\${testtypereported2} , 'Unspecified_blood_test_(purpose_not_known)'))</i>	1	The blood was put in a cassette
		2	The blood was placed onto a slide (small glass rectangle)
		3	The blood was put into another device (vial, test tube etc.)
		-99	Don't know/not sure
testreportedduration2 <i>(required)</i>	How much time did the test approximately take, from taking blood until getting the result? <i>Probe. Time in minutes. Enter -98 if refusal and -99 if don't know/don't remember.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest2} , '1')</i> <i>Response constrained to: (.>=0 and .<=999) or .=-98 or .=-99</i>		
testreported1result2 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest2} , '1') and not(selected(\${testtypereported2} , 'Blood_panel') or selected(\${testtypereported2} , 'Unspecified_blood_test_(purpose_not_known)') or selected(\${testtypereported2} , 'Other'))</i>	1	Positive (the illness was detected)
		2	Negative (the illness was not detected/ the patient does not have the illness)
		3	Inconclusive or invalid test, or the test had to be repeated
		4	The test was not completed before I left
		-99	Was told but don't know/don't remember
		-100	I wasn't told/informed

CSCComPatientInterview

Field	Question	Answer	
testreported2result2 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest2} , '1') and (selected(\${testtypereported2} , 'Blood_panel') or selected(\${testtypereported2} , 'Other'))</i>	1	Positive (the illness was detected)
		2	Negative (the illness was not detected/ the patient does not have the illness)
		3	Inconclusive or invalid test, or the test had to be repeated
		4	The test was not completed before I left
		5	Not applicable
		-99	Was told but don't know/don't remember
		-100	I wasn't told/informed
testreportedprice2 <i>(required)</i>	How much money did you pay for this test? <i>In CFA. Enter -98 if Refusal. Enter -99 if the patient cannot remember the price. Enter -100 if the patient WAS NOT TOLD THE PRICE.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest2} , '1')</i> <i>Response constrained to: (.>=0 and .<=20000) or .=-98 or .=-99 or .=-100</i>		
otherreportedtest3 <i>(required)</i>	Were any other blood tests done/ordered? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest2} , '1')</i>	1	Yes
		2	No
testtypereported3 <i>(required)</i>	What type of test was done? (Test 3) <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest3} , '1')</i>	Malaria_(test_type_not_specified)	Malaria (test type not specified)
		RDT	RDT
		Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin
		Widal	Widal
		Typhoid_test	Typhoid test
		Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
		Syphilis	Syphilis
		Hepatitis	Hepatitis
		Sickle_cell_disease	Sickle cell disease
		Other	Other
		Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)
desc_testtypereported3 <i>(required)</i>	Specify other test: <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest3} , '1') and selected(\${testtypereported3} , 'Other')</i>		
testreportedbloodafter3 <i>(required)</i>	What was done with the blood after it was collected? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest3} , '1') and (selected(\${testtypereported3} , 'Malaria_(test_type_not_specified)') or selected(\${testtypereported3} , 'Unspecified_blood_test_(purpose_not_known)'))</i>	1	The blood was put in a cassette
		2	The blood was placed onto a slide (small glass rectangle)
		3	The blood was put into another device (vial, test tube etc.)
		-99	Don't know/not sure

CSCComPatientInterview

Field	Question	Answer
testreportedduration3 <i>(required)</i>	How much time did the test approximately take, from taking blood until getting the result? <i>Probe. Time in minutes. Enter -98 if refusal and -99 if don't know/don't remember.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest3} , '1')</i> <i>Response constrained to: (.>=0 and .<=999) or .=-98 or .=-99</i>	
testreported1result3 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest3} , '1') and not(selected(\${testtypereported3} , 'Blood_panel') or selected(\${testtypereported3} , 'Unspecified_blood_test_(purpose_not_known)') or selected(\${testtypereported3} , 'Other'))</i>	<div>1 Positive (the illness was detected)</div> <div>2 Negative (the illness was not detected/ the patient does not have the illness)</div> <div>3 Inconclusive or invalid test, or the test had to be repeated</div> <div>4 The test was not completed before I left</div> <div>-99 Was told but don't know/don't remember</div> <div>-100 I wasn't told/informed</div>
testreported2result3 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest3} , '1') and (selected(\${testtypereported3} , 'Blood_panel') or selected(\${testtypereported3} , 'Other'))</i>	<div>1 Positive (the illness was detected)</div> <div>2 Negative (the illness was not detected/ the patient does not have the illness)</div> <div>3 Inconclusive or invalid test, or the test had to be repeated</div> <div>4 The test was not completed before I left</div> <div>5 Not applicable</div> <div>-99 Was told but don't know/don't remember</div> <div>-100 I wasn't told/informed</div>
testreportedprice3 <i>(required)</i>	How much money did you pay for this test? <i>In CFA. Enter -98 if Refusal. Enter -99 if the patient cannot remember the price. Enter -100 if the patient WAS NOT TOLD THE PRICE.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest3} , '1')</i> <i>Response constrained to: (.>=0 and .<=20000) or .=-98 or .=-99 or .=-100</i>	
otherreportedtest4 <i>(required)</i>	Were any other blood tests done/ordered? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest3} , '1')</i>	<div>1 Yes</div> <div>2 No</div>

CSCComPatientInterview

Field	Question	Answer	
testtypereported4 <i>(required)</i>	What type of test was done? (Test 4) <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest4} , '1')</i>	Malaria_(test_type_not_specified)	Malaria (test type not specified)
		RDT	RDT
		Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin
		Widal	Widal
		Typhoid_test	Typhoid test
		Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
		Syphilis	Syphilis
		Hepatitis	Hepatitis
		Sickle_cell_disease	Sickle cell disease
		Other	Other
		Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)
desc_testtypereported4 <i>(required)</i>	Specify other test: <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest4} , '1') and selected(\${testtypereported4} , 'Other')</i>		
testreportedbloodafter4 <i>(required)</i>	What was done with the blood after it was collected? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest4} , '1') and (selected(\${testtypereported4} , 'Malaria_(test_type_not_specified)') or selected(\${testtypereported4} , 'Unspecified_blood_test_(purpose_not_known)'))</i>	1	The blood was put in a cassette
		2	The blood was placed onto a slide (small glass rectangle)
		3	The blood was put into another device (vial, test tube etc.)
		-99	Don't know/not sure
testreportedduration4 <i>(required)</i>	How much time did the test approximately take, from taking blood until getting the result? <i>Probe. Time in minutes. Enter -98 if refusal and -99 if don't know/don't remember.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest4} , '1')</i> <i>Response constrained to: (.>=0 and .<=999) or .=-98 or .=-99</i>		
testreported1result4 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest4} , '1') and not(selected(\${testtypereported4} , 'Blood_panel') or selected(\${testtypereported4} , 'Unspecified_blood_test_(purpose_not_known)') or selected(\${testtypereported4} , 'Other'))</i>	1	Positive (the illness was detected)
		2	Negative (the illness was not detected/ the patient does not have the illness)
		3	Inconclusive or invalid test, or the test had to be repeated
		4	The test was not completed before I left
		-99	Was told but don't know/don't remember
		-100	I wasn't told/informed

Field	Question	Answer																						
testreported2result4 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest4} , '1') and (selected(\${testtypereported4} , 'Blood_panel') or selected(\${testtypereported4} , 'Other'))</i>	<table border="1"> <tr><td>1</td><td>Positive (the illness was detected)</td></tr> <tr><td>2</td><td>Negative (the illness was not detected/ the patient does not have the illness)</td></tr> <tr><td>3</td><td>Inconclusive or invalid test, or the test had to be repeated</td></tr> <tr><td>4</td><td>The test was not completed before I left</td></tr> <tr><td>5</td><td>Not applicable</td></tr> <tr><td>-99</td><td>Was told but don't know/don't remember</td></tr> <tr><td>-100</td><td>I wasn't told/informed</td></tr> </table>	1	Positive (the illness was detected)	2	Negative (the illness was not detected/ the patient does not have the illness)	3	Inconclusive or invalid test, or the test had to be repeated	4	The test was not completed before I left	5	Not applicable	-99	Was told but don't know/don't remember	-100	I wasn't told/informed								
1	Positive (the illness was detected)																							
2	Negative (the illness was not detected/ the patient does not have the illness)																							
3	Inconclusive or invalid test, or the test had to be repeated																							
4	The test was not completed before I left																							
5	Not applicable																							
-99	Was told but don't know/don't remember																							
-100	I wasn't told/informed																							
testreportedprice4 <i>(required)</i>	How much money did you pay for this test? <i>In CFA. Enter -98 if Refusal. Enter -99 if the patient cannot remember the price. Enter -100 if the patient WAS NOT TOLD THE PRICE.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest4} , '1')</i> <i>Response constrained to: (.>=0 and .<=20000) or .=-98 or .=-99 or .=-100</i>																							
otherreportedtest5 <i>(required)</i>	Were any other blood tests done/ordered? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest4} , '1')</i>	<table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No																		
1	Yes																							
2	No																							
testtypereported5 <i>(required)</i>	What type of test was done? (Test 5) <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest5} , '1')</i>	<table border="1"> <tr><td>Malaria_(test_type_not_specified)</td><td>Malaria (test type not specified)</td></tr> <tr><td>RDT</td><td>RDT</td></tr> <tr><td>Goutte_epaisse_or_Frottis_Sanguin</td><td>Goutte epaisse or Frottis Sanguin</td></tr> <tr><td>Widal</td><td>Widal</td></tr> <tr><td>Typhoid_test</td><td>Typhoid test</td></tr> <tr><td>Blood_panel</td><td>Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.</td></tr> <tr><td>Syphilis</td><td>Syphilis</td></tr> <tr><td>Hepatitis</td><td>Hepatitis</td></tr> <tr><td>Sickle_cell_disease</td><td>Sickle cell disease</td></tr> <tr><td>Other</td><td>Other</td></tr> <tr><td>Unspecified_blood_test_(purpose_not_known)</td><td>Unspecified blood test (purpose of test not known)</td></tr> </table>	Malaria_(test_type_not_specified)	Malaria (test type not specified)	RDT	RDT	Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin	Widal	Widal	Typhoid_test	Typhoid test	Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.	Syphilis	Syphilis	Hepatitis	Hepatitis	Sickle_cell_disease	Sickle cell disease	Other	Other	Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)
Malaria_(test_type_not_specified)	Malaria (test type not specified)																							
RDT	RDT																							
Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin																							
Widal	Widal																							
Typhoid_test	Typhoid test																							
Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.																							
Syphilis	Syphilis																							
Hepatitis	Hepatitis																							
Sickle_cell_disease	Sickle cell disease																							
Other	Other																							
Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)																							
desc_testtypereported5 <i>(required)</i>	Specify other test: <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest5} , '1') and selected(\${testtypereported5} , 'Other')</i>																							
testreportedbloodafter5 <i>(required)</i>	What was done with the blood after it was collected? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest5} , '1') and (selected(\${testtypereported5} , 'Malaria_(test_type_not_specified)') or selected(\${testtypereported5} , 'Unspecified_blood_test_(purpose_not_known)'))</i>	<table border="1"> <tr><td>1</td><td>The blood was put in a cassette</td></tr> <tr><td>2</td><td>The blood was placed onto a slide (small glass rectangle)</td></tr> <tr><td>3</td><td>The blood was put into another device (vial, test tube etc.)</td></tr> <tr><td>-99</td><td>Don't know/not sure</td></tr> </table>	1	The blood was put in a cassette	2	The blood was placed onto a slide (small glass rectangle)	3	The blood was put into another device (vial, test tube etc.)	-99	Don't know/not sure														
1	The blood was put in a cassette																							
2	The blood was placed onto a slide (small glass rectangle)																							
3	The blood was put into another device (vial, test tube etc.)																							
-99	Don't know/not sure																							

Field	Question	Answer														
testreportedduration5 <i>(required)</i>	How much time did the test approximately take, from taking blood until getting the result? <i>Probe. Time in minutes. Enter -98 if refusal and -99 if don't know/don't remember.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest5} , '1')</i> <i>Response constrained to: (.>=0 and .<=999) or .=-98 or .=-99</i>															
testreported1result5 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest5} , '1') and not(selected(\${testtypereported5} , 'Blood_panel') or selected(\${testtypereported5} , 'Unspecified_blood_test_(purpose_not_known)') or selected(\${testtypereported5} , 'Other'))</i>	<table border="1"> <tr><td>1</td><td>Positive (the illness was detected)</td></tr> <tr><td>2</td><td>Negative (the illness was not detected/ the patient does not have the illness)</td></tr> <tr><td>3</td><td>Inconclusive or invalid test, or the test had to be repeated</td></tr> <tr><td>4</td><td>The test was not completed before I left</td></tr> <tr><td>-99</td><td>Was told but don't know/don't remember</td></tr> <tr><td>-100</td><td>I wasn't told/informed</td></tr> </table>	1	Positive (the illness was detected)	2	Negative (the illness was not detected/ the patient does not have the illness)	3	Inconclusive or invalid test, or the test had to be repeated	4	The test was not completed before I left	-99	Was told but don't know/don't remember	-100	I wasn't told/informed		
1	Positive (the illness was detected)															
2	Negative (the illness was not detected/ the patient does not have the illness)															
3	Inconclusive or invalid test, or the test had to be repeated															
4	The test was not completed before I left															
-99	Was told but don't know/don't remember															
-100	I wasn't told/informed															
testreported2result5 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest5} , '1') and (selected(\${testtypereported5} , 'Blood_panel') or selected(\${testtypereported5} , 'Other'))</i>	<table border="1"> <tr><td>1</td><td>Positive (the illness was detected)</td></tr> <tr><td>2</td><td>Negative (the illness was not detected/ the patient does not have the illness)</td></tr> <tr><td>3</td><td>Inconclusive or invalid test, or the test had to be repeated</td></tr> <tr><td>4</td><td>The test was not completed before I left</td></tr> <tr><td>5</td><td>Not applicable</td></tr> <tr><td>-99</td><td>Was told but don't know/don't remember</td></tr> <tr><td>-100</td><td>I wasn't told/informed</td></tr> </table>	1	Positive (the illness was detected)	2	Negative (the illness was not detected/ the patient does not have the illness)	3	Inconclusive or invalid test, or the test had to be repeated	4	The test was not completed before I left	5	Not applicable	-99	Was told but don't know/don't remember	-100	I wasn't told/informed
1	Positive (the illness was detected)															
2	Negative (the illness was not detected/ the patient does not have the illness)															
3	Inconclusive or invalid test, or the test had to be repeated															
4	The test was not completed before I left															
5	Not applicable															
-99	Was told but don't know/don't remember															
-100	I wasn't told/informed															
testreportedprice5 <i>(required)</i>	How much money did you pay for this test? <i>In CFA. Enter -98 if Refusal. Enter -99 if the patient cannot remember the price. Enter -100 if the patient WAS NOT TOLD THE PRICE.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest5} , '1')</i> <i>Response constrained to: (.>=0 and .<=20000) or .=-98 or .=-99 or .=-100</i>															
otherreportedtest6 <i>(required)</i>	Were any other blood tests done/ordered? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest5} , '1')</i>	<table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No										
1	Yes															
2	No															

Field	Question	Answer	
testtypereported6 <i>(required)</i>	What type of test was done? (Test 6) <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest6} , '1')</i>		Malaria_(test_type_not_specified) Malaria (test type not specified)
			RDT RDT
			Goutte_epaisse_or_Frottis_Sanguin Goutte epaisse or Frottis Sanguin
			Widal Widal
			Typhoid_test Typhoid test
			Blood_panel Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
			Syphilis Syphilis
			Hepatitis Hepatitis
			Sickle_cell_disease Sickle cell disease
			Other Other
			Unspecified_blood_test_(purpose_not_known) Unspecified blood test (purpose of test not known)
desc_testtypereported6 <i>(required)</i>	Specify other test: <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest6} , '1') and selected(\${testtypereported6} , 'Other')</i>		
testreportedbloodafter6 <i>(required)</i>	What was done with the blood after it was collected? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest6} , '1') and (selected(\${testtypereported6} , 'Malaria_(test_type_not_specified)') or selected(\${testtypereported6} , 'Unspecified_blood_test_(purpose_not_known)'))</i>	1	The blood was put in a cassette
		2	The blood was placed onto a slide (small glass rectangle)
		3	The blood was put into another device (vial, test tube etc.)
		-99	Don't know/not sure
testreportedduration6 <i>(required)</i>	How much time did the test approximately take, from taking blood until getting the result? <i>Probe. Time in minutes. Enter -98 if refusal and -99 if don't know/don't remember.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest6} , '1')</i> <i>Response constrained to: (.>=0 and .<=999) or .=-98 or .=-99</i>		
testreported1result6 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest6} , '1') and not(selected(\${testtypereported6} , 'Blood_panel') or selected(\${testtypereported6} , 'Unspecified_blood_test_(purpose_not_known)') or selected(\${testtypereported6} , 'Other'))</i>	1	Positive (the illness was detected)
		2	Negative (the illness was not detected/ the patient does not have the illness)
		3	Inconclusive or invalid test, or the test had to be repeated
		4	The test was not completed before I left
		-99	Was told but don't know/don't remember
		-100	I wasn't told/informed

Field	Question	Answer																						
testreported2result6 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest6} , '1') and (selected(\${testtypereported6} , 'Blood_panel') or selected(\${testtypereported6} , 'Other'))</i>	<table border="1"> <tr><td>1</td><td>Positive (the illness was detected)</td></tr> <tr><td>2</td><td>Negative (the illness was not detected/ the patient does not have the illness)</td></tr> <tr><td>3</td><td>Inconclusive or invalid test, or the test had to be repeated</td></tr> <tr><td>4</td><td>The test was not completed before I left</td></tr> <tr><td>5</td><td>Not applicable</td></tr> <tr><td>-99</td><td>Was told but don't know/don't remember</td></tr> <tr><td>-100</td><td>I wasn't told/informed</td></tr> </table>	1	Positive (the illness was detected)	2	Negative (the illness was not detected/ the patient does not have the illness)	3	Inconclusive or invalid test, or the test had to be repeated	4	The test was not completed before I left	5	Not applicable	-99	Was told but don't know/don't remember	-100	I wasn't told/informed								
1	Positive (the illness was detected)																							
2	Negative (the illness was not detected/ the patient does not have the illness)																							
3	Inconclusive or invalid test, or the test had to be repeated																							
4	The test was not completed before I left																							
5	Not applicable																							
-99	Was told but don't know/don't remember																							
-100	I wasn't told/informed																							
testreportedprice6 <i>(required)</i>	How much money did you pay for this test? <i>In CFA. Enter -98 if Refusal. Enter -99 if the patient cannot remember the price. Enter -100 if the patient WAS NOT TOLD THE PRICE.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest6} , '1')</i> <i>Response constrained to: (.>=0 and .<=20000) or .=-98 or .=-99 or .=-100</i>																							
otherreportedtest7 <i>(required)</i>	Were any other blood tests done/ordered? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest6} , '1')</i>	<table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No																		
1	Yes																							
2	No																							
testtypereported7 <i>(required)</i>	What type of test was done? (Test 7) <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest7} , '1')</i>	<table border="1"> <tr><td>Malaria_(test_type_not_specified)</td><td>Malaria (test type not specified)</td></tr> <tr><td>RDT</td><td>RDT</td></tr> <tr><td>Goutte_epaisse_or_Frottis_Sanguin</td><td>Goutte epaisse or Frottis Sanguin</td></tr> <tr><td>Widal</td><td>Widal</td></tr> <tr><td>Typhoid_test</td><td>Typhoid test</td></tr> <tr><td>Blood_panel</td><td>Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.</td></tr> <tr><td>Syphilis</td><td>Syphilis</td></tr> <tr><td>Hepatitis</td><td>Hepatitis</td></tr> <tr><td>Sickle_cell_disease</td><td>Sickle cell disease</td></tr> <tr><td>Other</td><td>Other</td></tr> <tr><td>Unspecified_blood_test_(purpose_not_known)</td><td>Unspecified blood test (purpose of test not known)</td></tr> </table>	Malaria_(test_type_not_specified)	Malaria (test type not specified)	RDT	RDT	Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin	Widal	Widal	Typhoid_test	Typhoid test	Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.	Syphilis	Syphilis	Hepatitis	Hepatitis	Sickle_cell_disease	Sickle cell disease	Other	Other	Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)
Malaria_(test_type_not_specified)	Malaria (test type not specified)																							
RDT	RDT																							
Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin																							
Widal	Widal																							
Typhoid_test	Typhoid test																							
Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.																							
Syphilis	Syphilis																							
Hepatitis	Hepatitis																							
Sickle_cell_disease	Sickle cell disease																							
Other	Other																							
Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)																							
desc_testtypereported7 <i>(required)</i>	Specify other test: <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest7} , '1') and selected(\${testtypereported7} , 'Other')</i>																							
testreportedbloodafter7 <i>(required)</i>	What was done with the blood after it was collected? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest7} , '1') and (selected(\${testtypereported7} , 'Malaria_(test_type_not_specified)') or selected(\${testtypereported7} , 'Unspecified_blood_test_(purpose_not_known)'))</i>	<table border="1"> <tr><td>1</td><td>The blood was put in a cassette</td></tr> <tr><td>2</td><td>The blood was placed onto a slide (small glass rectangle)</td></tr> <tr><td>3</td><td>The blood was put into another device (vial, test tube etc.)</td></tr> <tr><td>-99</td><td>Don't know/not sure</td></tr> </table>	1	The blood was put in a cassette	2	The blood was placed onto a slide (small glass rectangle)	3	The blood was put into another device (vial, test tube etc.)	-99	Don't know/not sure														
1	The blood was put in a cassette																							
2	The blood was placed onto a slide (small glass rectangle)																							
3	The blood was put into another device (vial, test tube etc.)																							
-99	Don't know/not sure																							

Field	Question	Answer														
testreportedduration7 <i>(required)</i>	How much time did the test approximately take, from taking blood until getting the result? <i>Probe. Time in minutes. Enter -98 if refusal and -99 if don't know/don't remember.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest7} , '1')</i> <i>Response constrained to: (.>=0 and .<=999) or .=-98 or .=-99</i>															
testreported1result7 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest7} , '1') and not(selected(\${testtypereported7} , 'Blood_panel') or selected(\${testtypereported7} , 'Unspecified_blood_test_(purpose_not_known)') or selected(\${testtypereported7} , 'Other'))</i>	<table border="1"> <tr><td>1</td><td>Positive (the illness was detected)</td></tr> <tr><td>2</td><td>Negative (the illness was not detected/ the patient does not have the illness)</td></tr> <tr><td>3</td><td>Inconclusive or invalid test, or the test had to be repeated</td></tr> <tr><td>4</td><td>The test was not completed before I left</td></tr> <tr><td>-99</td><td>Was told but don't know/don't remember</td></tr> <tr><td>-100</td><td>I wasn't told/informed</td></tr> </table>	1	Positive (the illness was detected)	2	Negative (the illness was not detected/ the patient does not have the illness)	3	Inconclusive or invalid test, or the test had to be repeated	4	The test was not completed before I left	-99	Was told but don't know/don't remember	-100	I wasn't told/informed		
1	Positive (the illness was detected)															
2	Negative (the illness was not detected/ the patient does not have the illness)															
3	Inconclusive or invalid test, or the test had to be repeated															
4	The test was not completed before I left															
-99	Was told but don't know/don't remember															
-100	I wasn't told/informed															
testreported2result7 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest7} , '1') and (selected(\${testtypereported7} , 'Blood_panel') or selected(\${testtypereported7} , 'Other'))</i>	<table border="1"> <tr><td>1</td><td>Positive (the illness was detected)</td></tr> <tr><td>2</td><td>Negative (the illness was not detected/ the patient does not have the illness)</td></tr> <tr><td>3</td><td>Inconclusive or invalid test, or the test had to be repeated</td></tr> <tr><td>4</td><td>The test was not completed before I left</td></tr> <tr><td>5</td><td>Not applicable</td></tr> <tr><td>-99</td><td>Was told but don't know/don't remember</td></tr> <tr><td>-100</td><td>I wasn't told/informed</td></tr> </table>	1	Positive (the illness was detected)	2	Negative (the illness was not detected/ the patient does not have the illness)	3	Inconclusive or invalid test, or the test had to be repeated	4	The test was not completed before I left	5	Not applicable	-99	Was told but don't know/don't remember	-100	I wasn't told/informed
1	Positive (the illness was detected)															
2	Negative (the illness was not detected/ the patient does not have the illness)															
3	Inconclusive or invalid test, or the test had to be repeated															
4	The test was not completed before I left															
5	Not applicable															
-99	Was told but don't know/don't remember															
-100	I wasn't told/informed															
testreportedprice7 <i>(required)</i>	How much money did you pay for this test? <i>In CFA. Enter -98 if Refusal. Enter -99 if the patient cannot remember the price. Enter -100 if the patient WAS NOT TOLD THE PRICE.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest7} , '1')</i> <i>Response constrained to: (.>=0 and .<=20000) or .=-98 or .=-99 or .=-100</i>															
otherreportedtest8 <i>(required)</i>	Were any other blood tests done/ordered? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest7} , '1')</i>	<table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No										
1	Yes															
2	No															

Field	Question	Answer	
testtypereported8 <i>(required)</i>	What type of test was done? (Test 8) <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest8} , '1')</i>		Malaria_(test_type_not_specified) Malaria (test type not specified)
			RDT RDT
			Goutte_epaisse_or_Frottis_Sanguin Goutte epaisse or Frottis Sanguin
			Widal Widal
			Typhoid_test Typhoid test
			Blood_panel Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
			Syphilis Syphilis
			Hepatitis Hepatitis
			Sickle_cell_disease Sickle cell disease
			Other Other
			Unspecified_blood_test_(purpose_not_known) Unspecified blood test (purpose of test not known)
desc_testtypereported8 <i>(required)</i>	Specify other test: <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest8} , '1') and selected(\${testtypereported8} , 'Other')</i>		
testreportedbloodafter8 <i>(required)</i>	What was done with the blood after it was collected? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest8} , '1') and (selected(\${testtypereported8} , 'Malaria_(test_type_not_specified)') or selected(\${testtypereported8} , 'Unspecified_blood_test_(purpose_not_known)'))</i>	1	The blood was put in a cassette
		2	The blood was placed onto a slide (small glass rectangle)
		3	The blood was put into another device (vial, test tube etc.)
		-99	Don't know/not sure
testreportedduration8 <i>(required)</i>	How much time did the test approximately take, from taking blood until getting the result? <i>Probe. Time in minutes. Enter -98 if refusal and -99 if don't know/don't remember.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest8} , '1')</i> <i>Response constrained to: (>=0 and .<=999) or .=-98 or .=-99</i>		
testreported1result8 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest8} , '1') and not(selected(\${testtypereported8} , 'Blood_panel') or selected(\${testtypereported8} , 'Unspecified_blood_test_(purpose_not_known)') or selected(\${testtypereported8} , 'Other'))</i>	1	Positive (the illness was detected)
		2	Negative (the illness was not detected/ the patient does not have the illness)
		3	Inconclusive or invalid test, or the test had to be repeated
		4	The test was not completed before I left
		-99	Was told but don't know/don't remember
		-100	I wasn't told/informed

Field	Question	Answer																						
testreported2result8 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest8} , '1') and (selected(\${testypereported8} , 'Blood_panel') or selected(\${testypereported8} , 'Other'))</i>	<table border="1"> <tr><td>1</td><td>Positive (the illness was detected)</td></tr> <tr><td>2</td><td>Negative (the illness was not detected/ the patient does not have the illness)</td></tr> <tr><td>3</td><td>Inconclusive or invalid test, or the test had to be repeated</td></tr> <tr><td>4</td><td>The test was not completed before I left</td></tr> <tr><td>5</td><td>Not applicable</td></tr> <tr><td>-99</td><td>Was told but don't know/don't remember</td></tr> <tr><td>-100</td><td>I wasn't told/informed</td></tr> </table>	1	Positive (the illness was detected)	2	Negative (the illness was not detected/ the patient does not have the illness)	3	Inconclusive or invalid test, or the test had to be repeated	4	The test was not completed before I left	5	Not applicable	-99	Was told but don't know/don't remember	-100	I wasn't told/informed								
1	Positive (the illness was detected)																							
2	Negative (the illness was not detected/ the patient does not have the illness)																							
3	Inconclusive or invalid test, or the test had to be repeated																							
4	The test was not completed before I left																							
5	Not applicable																							
-99	Was told but don't know/don't remember																							
-100	I wasn't told/informed																							
testreportedprice8 <i>(required)</i>	How much money did you pay for this test? <i>In CFA. Enter -98 if Refusal. Enter -99 if the patient cannot remember the price. Enter -100 if the patient WAS NOT TOLD THE PRICE.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest8} , '1')</i> <i>Response constrained to: (.>=0 and .<=20000) or .=-98 or .=-99 or .=-100</i>																							
otherreportedtest9 <i>(required)</i>	Were any other blood tests done/ordered? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest8} , '1')</i>	<table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No																		
1	Yes																							
2	No																							
testypereported9 <i>(required)</i>	What type of test was done? (Test 9) <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest9} , '1')</i>	<table border="1"> <tr><td>Malaria_(test_type_not_specified)</td><td>Malaria (test type not specified)</td></tr> <tr><td>RDT</td><td>RDT</td></tr> <tr><td>Goutte_epaisse_or_Frottis_Sanguin</td><td>Goutte epaisse or Frottis Sanguin</td></tr> <tr><td>Widal</td><td>Widal</td></tr> <tr><td>Typhoid_test</td><td>Typhoid test</td></tr> <tr><td>Blood_panel</td><td>Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.</td></tr> <tr><td>Syphilis</td><td>Syphilis</td></tr> <tr><td>Hepatitis</td><td>Hepatitis</td></tr> <tr><td>Sickle_cell_disease</td><td>Sickle cell disease</td></tr> <tr><td>Other</td><td>Other</td></tr> <tr><td>Unspecified_blood_test_(purpose_not_known)</td><td>Unspecified blood test (purpose of test not known)</td></tr> </table>	Malaria_(test_type_not_specified)	Malaria (test type not specified)	RDT	RDT	Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin	Widal	Widal	Typhoid_test	Typhoid test	Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.	Syphilis	Syphilis	Hepatitis	Hepatitis	Sickle_cell_disease	Sickle cell disease	Other	Other	Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)
Malaria_(test_type_not_specified)	Malaria (test type not specified)																							
RDT	RDT																							
Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin																							
Widal	Widal																							
Typhoid_test	Typhoid test																							
Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.																							
Syphilis	Syphilis																							
Hepatitis	Hepatitis																							
Sickle_cell_disease	Sickle cell disease																							
Other	Other																							
Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)																							
desc_testypereported9 <i>(required)</i>	Specify other test: <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest9} , '1') and selected(\${testypereported9} , 'Other')</i>																							
testreportedbloodafter9 <i>(required)</i>	What was done with the blood after it was collected? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest9} , '1') and (selected(\${testypereported9} , 'Malaria_(test_type_not_specified)') or selected(\${testypereported9} , 'Unspecified_blood_test_(purpose_not_known)'))</i>	<table border="1"> <tr><td>1</td><td>The blood was put in a cassette</td></tr> <tr><td>2</td><td>The blood was placed onto a slide (small glass rectangle)</td></tr> <tr><td>3</td><td>The blood was put into another device (vial, test tube etc.)</td></tr> <tr><td>-99</td><td>Don't know/not sure</td></tr> </table>	1	The blood was put in a cassette	2	The blood was placed onto a slide (small glass rectangle)	3	The blood was put into another device (vial, test tube etc.)	-99	Don't know/not sure														
1	The blood was put in a cassette																							
2	The blood was placed onto a slide (small glass rectangle)																							
3	The blood was put into another device (vial, test tube etc.)																							
-99	Don't know/not sure																							

Field	Question	Answer														
testreportedduration9 <i>(required)</i>	How much time did the test approximately take, from taking blood until getting the result? <i>Probe. Time in minutes. Enter -98 if refusal and -99 if don't know/don't remember.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest9} , '1')</i> <i>Response constrained to: (.>=0 and .<=999) or .=-98 or .=-99</i>															
testreported1result9 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest9} , '1') and not(selected(\${testtypereported9} , 'Blood_panel') or selected(\${testtypereported9} , 'Unspecified_blood_test_(purpose_not_known)') or selected(\${testtypereported9} , 'Other'))</i>	<table border="1"> <tr><td>1</td><td>Positive (the illness was detected)</td></tr> <tr><td>2</td><td>Negative (the illness was not detected/ the patient does not have the illness)</td></tr> <tr><td>3</td><td>Inconclusive or invalid test, or the test had to be repeated</td></tr> <tr><td>4</td><td>The test was not completed before I left</td></tr> <tr><td>-99</td><td>Was told but don't know/don't remember</td></tr> <tr><td>-100</td><td>I wasn't told/informed</td></tr> </table>	1	Positive (the illness was detected)	2	Negative (the illness was not detected/ the patient does not have the illness)	3	Inconclusive or invalid test, or the test had to be repeated	4	The test was not completed before I left	-99	Was told but don't know/don't remember	-100	I wasn't told/informed		
1	Positive (the illness was detected)															
2	Negative (the illness was not detected/ the patient does not have the illness)															
3	Inconclusive or invalid test, or the test had to be repeated															
4	The test was not completed before I left															
-99	Was told but don't know/don't remember															
-100	I wasn't told/informed															
testreported2result9 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest9} , '1') and (selected(\${testtypereported9} , 'Blood_panel') or selected(\${testtypereported9} , 'Other'))</i>	<table border="1"> <tr><td>1</td><td>Positive (the illness was detected)</td></tr> <tr><td>2</td><td>Negative (the illness was not detected/ the patient does not have the illness)</td></tr> <tr><td>3</td><td>Inconclusive or invalid test, or the test had to be repeated</td></tr> <tr><td>4</td><td>The test was not completed before I left</td></tr> <tr><td>5</td><td>Not applicable</td></tr> <tr><td>-99</td><td>Was told but don't know/don't remember</td></tr> <tr><td>-100</td><td>I wasn't told/informed</td></tr> </table>	1	Positive (the illness was detected)	2	Negative (the illness was not detected/ the patient does not have the illness)	3	Inconclusive or invalid test, or the test had to be repeated	4	The test was not completed before I left	5	Not applicable	-99	Was told but don't know/don't remember	-100	I wasn't told/informed
1	Positive (the illness was detected)															
2	Negative (the illness was not detected/ the patient does not have the illness)															
3	Inconclusive or invalid test, or the test had to be repeated															
4	The test was not completed before I left															
5	Not applicable															
-99	Was told but don't know/don't remember															
-100	I wasn't told/informed															
testreportedprice9 <i>(required)</i>	How much money did you pay for this test? <i>In CFA. Enter -98 if Refusal. Enter -99 if the patient cannot remember the price. Enter -100 if the patient WAS NOT TOLD THE PRICE.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest9} , '1')</i> <i>Response constrained to: (.>=0 and .<=20000) or .=-98 or .=-99 or .=-100</i>															
otherreportedtest10 <i>(required)</i>	Were any other blood tests done/ordered? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest9} , '1')</i>	<table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No										
1	Yes															
2	No															

Field	Question	Answer	
testtypereported10 <i>(required)</i>	What type of test was done? (Test 10) <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest10} , '1')</i>		Malaria_(test_type_not_specified) Malaria (test type not specified)
			RDT RDT
			Goutte_epaisse_or_Frottis_Sanguin Goutte epaisse or Frottis Sanguin
			Widal Widal
			Typhoid_test Typhoid test
			Blood_panel Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
			Syphilis Syphilis
			Hepatitis Hepatitis
			Sickle_cell_disease Sickle cell disease
			Other Other
			Unspecified_blood_test_(purpose_not_known) Unspecified blood test (purpose of test not known)
desc_testtypereported10 <i>(required)</i>	Specify other test: <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest10} , '1') and selected(\${testtypereported10} , 'Other')</i>		
testreportedbloodafter10 <i>(required)</i>	What was done with the blood after it was collected? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest10} , '1') and (selected(\${testtypereported10} , 'Malaria_(test_type_not_specified)') or selected(\${testtypereported10} , 'Unspecified_blood_test_(purpose_not_known)'))</i>	1	The blood was put in a cassette
		2	The blood was placed onto a slide (small glass rectangle)
		3	The blood was put into another device (vial, test tube etc.)
		-99	Don't know/not sure
testreportedduration10 <i>(required)</i>	How much time did the test approximately take, from taking blood until getting the result? <i>Probe. Time in minutes. Enter -98 if refusal and -99 if don't know/don't remember.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest10} , '1')</i> <i>Response constrained to: (.>=0 and .<=999) or .=-98 or .=-99</i>		
testreported1result10 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest10} , '1') and not(selected(\${testtypereported10} , 'Blood_panel') or selected(\${testtypereported10} , 'Unspecified_blood_test_(purpose_not_known)') or selected(\${testtypereported10} , 'Other'))</i>	1	Positive (the illness was detected)
		2	Negative (the illness was not detected/ the patient does not have the illness)
		3	Inconclusive or invalid test, or the test had to be repeated
		4	The test was not completed before I left
		-99	Was told but don't know/don't remember
		-100	I wasn't told/informed

Field	Question	Answer																						
testreported2result10 <i>(required)</i>	Do you know what the test result was? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest10} , '1') and (selected(\${testtypereported10} , 'Blood_panel') or selected(\${testtypereported10} , 'Other'))</i>	<table border="1"> <tr><td>1</td><td>Positive (the illness was detected)</td></tr> <tr><td>2</td><td>Negative (the illness was not detected/ the patient does not have the illness)</td></tr> <tr><td>3</td><td>Inconclusive or invalid test, or the test had to be repeated</td></tr> <tr><td>4</td><td>The test was not completed before I left</td></tr> <tr><td>5</td><td>Not applicable</td></tr> <tr><td>-99</td><td>Was told but don't know/don't remember</td></tr> <tr><td>-100</td><td>I wasn't told/informed</td></tr> </table>	1	Positive (the illness was detected)	2	Negative (the illness was not detected/ the patient does not have the illness)	3	Inconclusive or invalid test, or the test had to be repeated	4	The test was not completed before I left	5	Not applicable	-99	Was told but don't know/don't remember	-100	I wasn't told/informed								
1	Positive (the illness was detected)																							
2	Negative (the illness was not detected/ the patient does not have the illness)																							
3	Inconclusive or invalid test, or the test had to be repeated																							
4	The test was not completed before I left																							
5	Not applicable																							
-99	Was told but don't know/don't remember																							
-100	I wasn't told/informed																							
testreportedprice10 <i>(required)</i>	How much money did you pay for this test? <i>In CFA. Enter -98 if Refusal. Enter -99 if the patient cannot remember the price. Enter -100 if the patient WAS NOT TOLD THE PRICE.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${otherreportedtest10} , '1')</i> <i>Response constrained to: (.>=0 and .<=20000) or .=-98 or .=-99 or .=-100</i>																							
comment_recorded_tests	[Surveyor: Please use only the information written on the paper record] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${whichrecords} , '1')</i>																							
recordedtests1 <i>(required)</i>	[Surveyor: Are there any blood tests stated on the record?] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${whichrecords} , '1')</i>	<table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> <tr><td>3</td><td>Not legible</td></tr> </table>	1	Yes	2	No	3	Not legible																
1	Yes																							
2	No																							
3	Not legible																							
testtyperecorded1 <i>(required)</i>	[Surveyor: What type of test done? (Test 1 on paper record)] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${recordedtests1} , '1') and selected(\${whichrecords} , '1')</i>	<table border="1"> <tr> <td>Malaria_(test_type_not_specified)</td><td>Malaria (test type not specified)</td></tr> <tr> <td>RDT</td><td>RDT</td></tr> <tr> <td>Goutte_epaisse_or_Frottis_Sanguin</td><td>Goutte epaisse or Frottis Sanguin</td></tr> <tr> <td>Widal</td><td>Widal</td></tr> <tr> <td>Typhoid_test</td><td>Typhoid test</td></tr> <tr> <td>Blood_panel</td><td>Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.</td></tr> <tr> <td>Syphilis</td><td>Syphilis</td></tr> <tr> <td>Hepatitis</td><td>Hepatitis</td></tr> <tr> <td>Sickle_cell_disease</td><td>Sickle cell disease</td></tr> <tr> <td>Other</td><td>Other</td></tr> <tr> <td>Unspecified_blood_test_(purpose_not_known)</td><td>Unspecified blood test (purpose of test not known)</td></tr> </table>	Malaria_(test_type_not_specified)	Malaria (test type not specified)	RDT	RDT	Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin	Widal	Widal	Typhoid_test	Typhoid test	Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.	Syphilis	Syphilis	Hepatitis	Hepatitis	Sickle_cell_disease	Sickle cell disease	Other	Other	Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)
Malaria_(test_type_not_specified)	Malaria (test type not specified)																							
RDT	RDT																							
Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin																							
Widal	Widal																							
Typhoid_test	Typhoid test																							
Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.																							
Syphilis	Syphilis																							
Hepatitis	Hepatitis																							
Sickle_cell_disease	Sickle cell disease																							
Other	Other																							
Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)																							
desc_testtyperecorded1 <i>(required)</i>	Specify other test: <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${recordedtests1} , '1') and selected(\${testtyperecorded1} , 'Other') and selected(\${whichrecords} , '1')</i>																							

Field	Question	Answer	
testrecorded1result1 <i>(required)</i>	[Surveyor: Which was the result?] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${recordedtests1} , '1') and selected(\${whichrecords} , '1') and not(selected(\${testtyperecorded1} , 'Blood_panel') or selected(\${testtyperecorded1} , 'Unspecified_blood_test_(purpose_not_known)') or selected(\${testtyperecorded1} , 'Other'))</i>	1	Positive
		2	Negative
		3	Inconclusive or invalid test
		4	Not legible
		5	No written result recorded for this test
testrecorded2result1 <i>(required)</i>	[Surveyor: Which was the result?] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${recordedtests1} , '1') and selected(\${whichrecords} , '1') and (selected(\${testtyperecorded1} , 'Blood_panel') or selected(\${testtyperecorded1} , 'Other'))</i>	1	Positive
		2	Negative
		3	Inconclusive or invalid test
		4	Not legible
		5	Not applicable
		6	No written result recorded for this test
testrecordedprice1 <i>(required)</i>	[Surveyor: Price stated on the record] <i>Enter -100 if price is not shown on the paper record or illegible.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${recordedtests1} , '1') and selected(\${whichrecords} , '1')</i> <i>Response constrained to: (.>=0 and .<=20000) or .=-100</i>		
otherrecordedtest2 <i>(required)</i>	[Surveyor: Is there another blood test on the record?] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${recordedtests1} , '1') and selected(\${whichrecords} , '1')</i>	1	Yes
		2	No
testtyperecorded2 <i>(required)</i>	[Surveyor: What type of test done? (Test 2 on paper record)] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest2} , '1') and selected(\${whichrecords} , '1')</i>	Malaria_(test_type_not_specified)	Malaria (test type not specified)
		RDT	RDT
		Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin
		Widal	Widal
		Typhoid_test	Typhoid test
		Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
		Syphilis	Syphilis
		Hepatitis	Hepatitis
		Sickle_cell_disease	Sickle cell disease
		Other	Other
		Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)

Field	Question	Answer		
desc_testtyperecorded2 <i>(required)</i>	<p>Specify other test:</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest2} , '1') and selected(\${testtyperecorded2} , 'Other') and selected(\${whichrecords} , '1')</p>			
testrecorded1result2 <i>(required)</i>	<p>[Surveyor: Which was the result?]</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest2} , '1') and selected(\${whichrecords} , '1') and not(selected(\${testtyperecorded2} , 'Blood_panel') or selected(\${testtyperecorded2} , 'Unspecified_blood_test_(purpose_not_known)') or selected(\${testtyperecorded2} , 'Other'))</p>	1	Positive	
		2	Negative	
		3	Inconclusive or invalid test	
		4	Not legible	
		5	No written result recorded for this test	
testrecorded2result2 <i>(required)</i>	<p>[Surveyor: Which was the result?]</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest2} , '1') and selected(\${whichrecords} , '1') and (selected(\${testtyperecorded2} , 'Blood_panel') or selected(\${testtyperecorded2} , 'Other'))</p>	1	Positive	
		2	Negative	
		3	Inconclusive or invalid test	
		4	Not legible	
		5	Not applicable	
		6	No written result recorded for this test	
testrecordedprice2 <i>(required)</i>	<p>[Surveyor: Price stated on the record]</p> <p>Enter -100 if price is not shown on the paper record or illegible.</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest2} , '1') and selected(\${whichrecords} , '1')</p> <p>Response constrained to: (.>=0 and .<=20000) or .=-100</p>			
otherrecordedtest3 <i>(required)</i>	<p>[Surveyor: Is there another blood test on the record?]</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest2} , '1') and selected(\${whichrecords} , '1')</p>	1	Yes	
		2	No	

Field	Question	Answer		
testtyperecorded3 <i>(required)</i>	[Surveyor: What type of test done? (Test 3 on paper record)] Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest3} , '1') and selected(\${whichrecords} , '1')		Malaria_(test_type_not_specified)	Malaria (test type not specified)
			RDT	RDT
			Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin
			Widal	Widal
			Typhoid_test	Typhoid test
			Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
			Syphilis	Syphilis
			Hepatitis	Hepatitis
			Sickle_cell_disease	Sickle cell disease
			Other	Other
			Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)
desc_testtyperecorded3 <i>(required)</i>	Specify other test: Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest3} , '1') and selected(\${testtyperecorded3} , 'Other') and selected(\${whichrecords} , '1')			
testrecorded1result3 <i>(required)</i>	[Surveyor: Which was the result?] Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest3} , '1') and selected(\${whichrecords} , '1') and not(selected(\${testtyperecorded3} , 'Blood_panel') or selected(\${testtyperecorded3} , 'Unspecified_blood_test_(purpose_not_known)') or selected(\${testtyperecorded3} , 'Other'))	1	Positive	
		2	Negative	
		3	Inconclusive or invalid test	
		4	Not legible	
		5	No written result recorded for this test	
testrecorded2result3 <i>(required)</i>	[Surveyor: Which was the result?] Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest3} , '1') and selected(\${whichrecords} , '1') and (selected(\${testtyperecorded3} , 'Blood_panel') or selected(\${testtyperecorded3} , 'Other'))	1	Positive	
		2	Negative	
		3	Inconclusive or invalid test	
		4	Not legible	
		5	Not applicable	
		6	No written result recorded for this test	
testrecordedprice3 <i>(required)</i>	[Surveyor: Price stated on the record] Enter -100 if price is not shown on the paper record or illegible. Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest3} , '1') and selected(\${whichrecords} , '1')			
Response constrained to: (.>=0 and .<=20000) or .=-100				

Field	Question	Answer		
otherrecordedtest4 <i>(required)</i>	[Surveyor: Is there another blood test on the record?] Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest3} , '1') and selected(\${whichrecords} , '1')	1	Yes	
		2	No	
testtyperecorded4 <i>(required)</i>	[Surveyor: What type of test done? (Test 4 on paper record)] Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest4} , '1') and selected(\${whichrecords} , '1')		Malaria_(test_type_not_specified)	Malaria (test type not specified)
			RDT	RDT
			Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin
			Widal	Widal
			Typhoid_test	Typhoid test
			Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
			Syphilis	Syphilis
			Hepatitis	Hepatitis
			Sickle_cell_disease	Sickle cell disease
			Other	Other
			Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)
desc_testtyperecorded4 <i>(required)</i>	Specify other test: Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest4} , '1') and selected(\${testtyperecorded4} , 'Other') and selected(\${whichrecords} , '1')			
testrecorded1result4 <i>(required)</i>	[Surveyor: Which was the result?] Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest4} , '1') and selected(\${whichrecords} , '1') and not(selected(\${testtyperecorded4} , 'Blood_panel') or selected(\${testtyperecorded4} , 'Unspecified_blood_test_(purpose_not_known)') or selected(\${testtyperecorded4} , 'Other'))	1	Positive	
		2	Negative	
		3	Inconclusive or invalid test	
		4	Not legible	
		5	No written result recorded for this test	
testrecorded2result4 <i>(required)</i>	[Surveyor: Which was the result?] Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest4} , '1') and selected(\${whichrecords} , '1') and (selected(\${testtyperecorded4} , 'Blood_panel') or selected(\${testtyperecorded4} , 'Other'))	1	Positive	
		2	Negative	
		3	Inconclusive or invalid test	
		4	Not legible	
		5	Not applicable	
		6	No written result recorded for this test	

Field	Question	Answer																						
testrecordedprice4 <i>(required)</i>	<p>[Surveyor: Price stated on the record]</p> <p>Enter -100 if price is not shown on the paper record or illegible.</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest4} , '1') and selected(\${whichrecords} , '1')</p> <p>Response constrained to: (.>=0 and .<=20000) or .=-100</p>																							
otherrecordedtest5 <i>(required)</i>	<p>[Surveyor: Is there another blood test on the record?]</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest4} , '1') and selected(\${whichrecords} , '1')</p>	<table border="1"> <tr> <td>1</td><td>Yes</td></tr> <tr> <td>2</td><td>No</td></tr> </table>	1	Yes	2	No																		
1	Yes																							
2	No																							
testtyperecorded5 <i>(required)</i>	<p>[Surveyor: What type of test done? (Test 5 on paper record)]</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest5} , '1') and selected(\${whichrecords} , '1')</p>	<table border="1"> <tr> <td>Malaria_(test_type_not_specified)</td><td>Malaria (test type not specified)</td></tr> <tr> <td>RDT</td><td>RDT</td></tr> <tr> <td>Goutte_epaisse_or_Frottis_Sanguin</td><td>Goutte epaisse or Frottis Sanguin</td></tr> <tr> <td>Widal</td><td>Widal</td></tr> <tr> <td>Typhoid_test</td><td>Typhoid test</td></tr> <tr> <td>Blood_panel</td><td>Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.</td></tr> <tr> <td>Syphilis</td><td>Syphilis</td></tr> <tr> <td>Hepatitis</td><td>Hepatitis</td></tr> <tr> <td>Sickle_cell_disease</td><td>Sickle cell disease</td></tr> <tr> <td>Other</td><td>Other</td></tr> <tr> <td>Unspecified_blood_test_(purpose_not_known)</td><td>Unspecified blood test (purpose of test not known)</td></tr> </table>	Malaria_(test_type_not_specified)	Malaria (test type not specified)	RDT	RDT	Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin	Widal	Widal	Typhoid_test	Typhoid test	Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.	Syphilis	Syphilis	Hepatitis	Hepatitis	Sickle_cell_disease	Sickle cell disease	Other	Other	Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)
Malaria_(test_type_not_specified)	Malaria (test type not specified)																							
RDT	RDT																							
Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin																							
Widal	Widal																							
Typhoid_test	Typhoid test																							
Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.																							
Syphilis	Syphilis																							
Hepatitis	Hepatitis																							
Sickle_cell_disease	Sickle cell disease																							
Other	Other																							
Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)																							
desc_testtyperecorded5 <i>(required)</i>	<p>Specify other test:</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest5} , '1') and selected(\${testtyperecorded5} , 'Other') and selected(\${whichrecords} , '1')</p>																							
testrecorded1result5 <i>(required)</i>	<p>[Surveyor: Which was the result?]</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest5} , '1') and selected(\${whichrecords} , '1') and not(selected(\${testtyperecorded5} , 'Blood_panel') or selected(\${testtyperecorded5} , 'Unspecified_blood_test_(purpose_not_known)') or selected(\${testtyperecorded5} , 'Other'))</p>	<table border="1"> <tr> <td>1</td><td>Positive</td></tr> <tr> <td>2</td><td>Negative</td></tr> <tr> <td>3</td><td>Inconclusive or invalid test</td></tr> <tr> <td>4</td><td>Not legible</td></tr> <tr> <td>5</td><td>No written result recorded for this test</td></tr> </table>	1	Positive	2	Negative	3	Inconclusive or invalid test	4	Not legible	5	No written result recorded for this test												
1	Positive																							
2	Negative																							
3	Inconclusive or invalid test																							
4	Not legible																							
5	No written result recorded for this test																							

Field	Question	Answer		
testrecorded2result5 <i>(required)</i>	[Surveyor: Which was the result?] Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest5} , '1') and selected(\${whichrecords} , '1') and (selected(\${testtyperecorded5} , 'Blood_panel') or selected(\${testtyperecorded5} , 'Other'))	1	Positive	
		2	Negative	
		3	Inconclusive or invalid test	
		4	Not legible	
		5	Not applicable	
		6	No written result recorded for this test	
testrecordedprice5 <i>(required)</i>	[Surveyor: Price stated on the record] Enter -100 if price is not shown on the paper record or illegible. Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest5} , '1') and selected(\${whichrecords} , '1') Response constrained to: (.>=0 and .<=20000) or .=-100			
otherrecordedtest6 <i>(required)</i>	[Surveyor: Is there another blood test on the record?] Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest5} , '1') and selected(\${whichrecords} , '1')	1	Yes	
		2	No	
testtyperecorded6 <i>(required)</i>	[Surveyor: What type of test done? (Test 6 on paper record)] Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest6} , '1') and selected(\${whichrecords} , '1')		Malaria_(test_type_not_specified)	Malaria (test type not specified)
			RDT	RDT
			Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin
			Widal	Widal
			Typhoid_test	Typhoid test
			Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
			Syphilis	Syphilis
			Hepatitis	Hepatitis
			Sickle_cell_disease	Sickle cell disease
			Other	Other
			Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)
desc_testtyperecorded6 <i>(required)</i>	Specify other test: Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest6} , '1') and selected(\${testtyperecorded6} , 'Other') and selected(\${whichrecords} , '1')			

CSCComPatientInterview

Field	Question	Answer	
testrecorded1result6 <i>(required)</i>	[Surveyor: Which was the result?] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest6} , '1') and selected(\${whichrecords} , '1') and not(selected(\${testtyperecorded6} , 'Blood_panel') or selected(\${testtyperecorded6} , 'Unspecified_blood_test_(purpose_not_known)') or selected(\${testtyperecorded6} , 'Other'))</i>	1	Positive
		2	Negative
		3	Inconclusive or invalid test
		4	Not legible
		5	No written result recorded for this test
testrecorded2result6 <i>(required)</i>	[Surveyor: Which was the result?] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest6} , '1') and selected(\${whichrecords} , '1') and (selected(\${testtyperecorded6} , 'Blood_panel') or selected(\${testtyperecorded6} , 'Other'))</i>	1	Positive
		2	Negative
		3	Inconclusive or invalid test
		4	Not legible
		5	Not applicable
		6	No written result recorded for this test
testrecordedprice6 <i>(required)</i>	[Surveyor: Price stated on the record] <i>Enter -100 if price is not shown on the paper record or illegible.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest6} , '1') and selected(\${whichrecords} , '1')</i> <i>Response constrained to: (.>=0 and .<=20000) or .=-100</i>		
otherrecordedtest7 <i>(required)</i>	[Surveyor: Is there another blood test on the record?] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest6} , '1') and selected(\${whichrecords} , '1')</i>	1	Yes
		2	No
testtyperecorded7 <i>(required)</i>	[Surveyor: What type of test done? (Test 7 on paper record)] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest7} , '1') and selected(\${whichrecords} , '1')</i>	Malaria_(test_type_not_specified)	Malaria (test type not specified)
		RDT	RDT
		Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin
		Widal	Widal
		Typhoid_test	Typhoid test
		Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
		Syphilis	Syphilis
		Hepatitis	Hepatitis
		Sickle_cell_disease	Sickle cell disease
		Other	Other
		Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)

CSComPatientInterview

Field	Question	Answer												
desc_testtyperecorded7 <i>(required)</i>	<p>Specify other test:</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest7} , '1') and selected(\${testtyperecorded7} , 'Other') and selected(\${whichrecords} , '1')</p>													
testrecorded1result7 <i>(required)</i>	<p>[Surveyor: Which was the result?]</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest7} , '1') and selected(\${whichrecords} , '1') and not(selected(\${testtyperecorded7} , 'Blood_panel') or selected(\${testtyperecorded7} , 'Unspecified_blood_test_(purpose_not_known)') or selected(\${testtyperecorded7} , 'Other'))</p>	<table><tr><td>1</td><td>Positive</td></tr><tr><td>2</td><td>Negative</td></tr><tr><td>3</td><td>Inconclusive or invalid test</td></tr><tr><td>4</td><td>Not legible</td></tr><tr><td>5</td><td>No written result recorded for this test</td></tr></table>	1	Positive	2	Negative	3	Inconclusive or invalid test	4	Not legible	5	No written result recorded for this test		
1	Positive													
2	Negative													
3	Inconclusive or invalid test													
4	Not legible													
5	No written result recorded for this test													
testrecorded2result7 <i>(required)</i>	<p>[Surveyor: Which was the result?]</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest7} , '1') and selected(\${whichrecords} , '1') and (selected(\${testtyperecorded7} , 'Blood_panel') or selected(\${testtyperecorded7} , 'Other'))</p>	<table><tr><td>1</td><td>Positive</td></tr><tr><td>2</td><td>Negative</td></tr><tr><td>3</td><td>Inconclusive or invalid test</td></tr><tr><td>4</td><td>Not legible</td></tr><tr><td>5</td><td>Not applicable</td></tr><tr><td>6</td><td>No written result recorded for this test</td></tr></table>	1	Positive	2	Negative	3	Inconclusive or invalid test	4	Not legible	5	Not applicable	6	No written result recorded for this test
1	Positive													
2	Negative													
3	Inconclusive or invalid test													
4	Not legible													
5	Not applicable													
6	No written result recorded for this test													
testrecordedprice7 <i>(required)</i>	<p>[Surveyor: Price stated on the record]</p> <p>Enter -100 if price is not shown on the paper record or illegible.</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest7} , '1') and selected(\${whichrecords} , '1')</p> <p>Response constrained to: (.>=0 and .<=20000) or .=-100</p>													
otherrecordedtest8 <i>(required)</i>	<p>[Surveyor: Is there another blood test on the record?]</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest7} , '1') and selected(\${whichrecords} , '1')</p>	<table><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr></table>	1	Yes	2	No								
1	Yes													
2	No													

CSCComPatientInterview

Field	Question	Answer
testtyperecorded8 <i>(required)</i>	[Surveyor: What type of test done? (Test 8 on paper record)] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest8} , '1') and selected(\${whichrecords} , '1')</i>	Malaria_(test_type_not_specified) Malaria (test type not specified)
		RDT RDT
		Goutte_epaisse_or_Frottis_Sanguin Goutte epaisse or Frottis Sanguin
		Widal Widal
		Typhoid_test Typhoid test
		Blood_panel Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
		Syphilis Syphilis
		Hepatitis Hepatitis
		Sickle_cell_disease Sickle cell disease
		Other Other
		Unspecified_blood_test_(purpose_not_known) Unspecified blood test (purpose of test not known)
desc_testtyperecorded8 <i>(required)</i>	Specify other test: <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest8} , '1') and selected(\${testtyperecorded8} , 'Other') and selected(\${whichrecords} , '1')</i>	
testrecorded1result8 <i>(required)</i>	[Surveyor: Which was the result?] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest8} , '1') and selected(\${whichrecords} , '1') and not(selected(\${testtyperecorded8} , 'Blood_panel') or selected(\${testtyperecorded8} , 'Unspecified_blood_test_(purpose_not_known)') or selected(\${testtyperecorded8} , 'Other'))</i>	1 Positive
		2 Negative
		3 Inconclusive or invalid test
		4 Not legible
		5 No written result recorded for this test
testrecorded2result8 <i>(required)</i>	[Surveyor: Which was the result?] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest8} , '1') and selected(\${whichrecords} , '1') and (selected(\${testtyperecorded8} , 'Blood_panel') or selected(\${testtyperecorded8} , 'Other'))</i>	1 Positive
		2 Negative
		3 Inconclusive or invalid test
		4 Not legible
		5 Not applicable
		6 No written result recorded for this test
testrecordedprice8 <i>(required)</i>	[Surveyor: Price stated on the record] Enter -100 if price is not shown on the paper record or illegible. <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest8} , '1') and selected(\${whichrecords} , '1')</i> Response constrained to: (.>=0 and .<=20000) or .=-100	

CSCComPatientInterview

Field	Question	Answer
otherrecordedtest9 <i>(required)</i>	[Surveyor: Is there another blood test on the record?] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest8} , '1') and selected(\${whichrecords} , '1')</i>	1 Yes
		2 No
testtyperecorded9 <i>(required)</i>	[Surveyor: What type of test done? (Test 9 on paper record)] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest9} , '1') and selected(\${whichrecords} , '1')</i>	Malaria_(test_type_not_specified) Malaria (test type not specified)
		RDT RDT
		Goutte_epaisse_or_Frottis_Sanguin Goutte epaisse or Frottis Sanguin
		Widal Widal
		Typhoid_test Typhoid test
		Blood_panel Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
		Syphilis Syphilis
		Hepatitis Hepatitis
		Sickle_cell_disease Sickle cell disease
		Other Other
desc_testtyperecorded9 <i>(required)</i>	Specify other test: <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest9} , '1') and selected(\${testtyperecorded9} , 'Other') and selected(\${whichrecords} , '1')</i>	Unspecified_blood_test_(purpose_not_known) Unspecified blood test (purpose of test not known)
testrecorded1result9 <i>(required)</i>	[Surveyor: Which was the result?] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest9} , '1') and selected(\${whichrecords} , '1') and not(selected(\${testtyperecorded9} , 'Blood_panel') or selected(\${testtyperecorded9} , 'Unspecified_blood_test_(purpose_not_known)') or selected(\${testtyperecorded9} , 'Other'))</i>	1 Positive
		2 Negative
		3 Inconclusive or invalid test
		4 Not legible
		5 No written result recorded for this test
testrecorded2result9 <i>(required)</i>	[Surveyor: Which was the result?] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest9} , '1') and selected(\${whichrecords} , '1') and (selected(\${testtyperecorded9} , 'Blood_panel') or selected(\${testtyperecorded9} , 'Other'))</i>	1 Positive
		2 Negative
		3 Inconclusive or invalid test
		4 Not legible
		5 Not applicable
		6 No written result recorded for this test

CSCComPatientInterview

Field	Question	Answer		
testrecordedprice9 <i>(required)</i>	[Surveyor: Price stated on the record] <i>Enter -100 if price is not shown on the paper record or illegible.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest9} , '1') and selected(\${whichrecords} , '1')</i> <i>Response constrained to: (.>=0 and .<=20000) or .=-100</i>			
otherrecordedtest10 <i>(required)</i>	[Surveyor: Is there another blood test on the record?] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest9} , '1') and selected(\${whichrecords} , '1')</i>	1	Yes	
		2	No	
testtyperecorded10 <i>(required)</i>	[Surveyor: What type of test done? (Test 10 on paper record)] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest10} , '1') and selected(\${whichrecords} , '1')</i>		Malaria_(test_type_not_specified)	Malaria (test type not specified)
			RDT	RDT
			Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin
			Widal	Widal
			Typhoid_test	Typhoid test
			Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
			Syphilis	Syphilis
			Hepatitis	Hepatitis
			Sickle_cell_disease	Sickle cell disease
			Other	Other
	Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)		
desc_testtyperecorded10 <i>(required)</i>	Specify other test: <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest10} , '1') and selected(\${testtyperecorded10} , 'Other') and selected(\${whichrecords} , '1')</i>			
testrecorded1result10 <i>(required)</i>	[Surveyor: Which was the result?] <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest10} , '1') and selected(\${whichrecords} , '1') and not(selected(\${testtyperecorded10} , 'Blood_panel') or selected(\${testtyperecorded10} , 'Unspecified_blood_test_(purpose_not_known)') or selected(\${testtyperecorded10} , 'Other'))</i>	1	Positive	
		2	Negative	
		3	Inconclusive or invalid test	
		4	Not legible	
		5	No written result recorded for this test	

CSCComPatientInterview

Field	Question	Answer
testrecorded2result10 <i>(required)</i>	[Surveyor: Which was the result?] Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest10} , '1') and selected(\${whichrecords} , '1') and (selected(\${testtyperecorded10} , 'Blood_panel') or selected(\${testtyperecorded10} , 'Other'))	<div><div>1</div>Positive</div> <div><div>2</div>Negative</div> <div><div>3</div>Inconclusive or invalid test</div> <div><div>4</div>Not legible</div> <div><div>5</div>Not applicable</div> <div><div>6</div>No written result recorded for this test</div>
testrecordedprice10 <i>(required)</i>	[Surveyor: Price stated on the record] Enter -100 if price is not shown on the paper record or illegible. Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherrecordedtest10} , '1') and selected(\${whichrecords} , '1') Response constrained to: (>=0 and . <=20000) or . =-100	
otherdiagnostictests <i>(required)</i>	Were any other diagnostic tests performed or samples taken? Please probe: what did the doctor do during the consultation? How did he/she find out what you have? Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1')	<div><div>1</div>Yes</div> <div><div>2</div>No</div>
whichotherdiagnostictests <i>(required)</i>	Which tests? Tick all that apply. Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherdiagnostictests} , '1')	<div><div>1</div>Urine</div> <div><div>2</div>Stool</div> <div><div>3</div>Lung /breathing test (stethoscope)</div> <div><div>4</div>Weight</div> <div><div>5</div>Height</div> <div><div>6</div>Arm circumference</div> <div><div>7</div>Counting breaths</div> <div><div>8</div>Squeezing foot</div> <div><div>9</div>Skin pinch</div> <div><div>-97</div>Other</div>
desc_otherdiagnostictest <i>(required)</i>	Specify other test: Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${otherdiagnostictests} , '1') and selected(\${whichotherdiagnostictests} , '-97')	
testnotdone <i>(required)</i>	Were there any other tests the doctor mentioned or recommended that you couldn't or didn't get here at the CSCOM (for any reason)? Only include tests that were not done (tests done elsewhere before the exit interview should be recorded above). Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1')	<div><div>1</div>Yes</div> <div><div>2</div>No</div>

CSCComPatientInterview

Field	Question	Answer	
testtypenotdone <i>(required)</i>	Which tests? <i>Tick all that apply.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${testnotdone} , '1')</i> <i>Response constrained to: not((selected(\${testtypenotdone} , '1') or selected(\${testtypenotdone} , '2') or selected(\${testtypenotdone} , '3') or selected(\${testtypenotdone} , '4') or selected(\${testtypenotdone} , '-97')) and selected(\${testtypenotdone} , '-99'))</i>	Malaria_(test_type_not_specified)	Malaria (test type not specified)
		RDT	RDT
		Goutte_epaisse_or_Frottis_Sanguin	Goutte epaisse or Frottis Sanguin
		Widal	Widal
		Typhoid_test	Typhoid test
		Blood_panel	Blood panel test(s): albumin, rhesus, hemoglobin, blood sugar, etc.
		Syphilis	Syphilis
		Hepatitis	Hepatitis
		Sickle_cell_disease	Sickle cell disease
		Other	Other
	Unspecified_blood_test_(purpose_not_known)	Unspecified blood test (purpose of test not known)	
desc_testtypenotdone <i>(required)</i>	Specify other test: <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${testnotdone} , '1') and selected(\${testtypenotdone} , 'Other')</i>		
testnotdonereasons <i>(required)</i>	Why was the test not done? <i>Record the main reason.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${testnotdone} , '1')</i>	1	The CSCOM laboratory is currently closed
		2	The CSCOM does not have a laboratory
		3	The CSCOM does not have all the materials or staff needed for testing
		4	I did not want to take the test – too expensive
		5	I did not want to take the test – other reasons
desc_testnotdonereasons <i>(required)</i>	Specify other reason: <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${testnotdone} , '1') and selected(\${testnotdonereasons} , '5')</i>		

CSComPatientInterview

Field	Question	Answer
reporteddiagnosis (required)	What illness did the doctor diagnose? <i>Active recall, let the respondent answer without prompting. Tick all that apply.</i> Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') Response constrained to: not((selected(\${reporteddiagnosis} , '1') or selected(\${reporteddiagnosis} , '2') or selected(\${reporteddiagnosis} , '3') or selected(\${reporteddiagnosis} , '4') or selected(\${reporteddiagnosis} , '5') or selected(\${reporteddiagnosis} , '6') or selected(\${reporteddiagnosis} , '7') or selected(\${reporteddiagnosis} , '8') or selected(\${reporteddiagnosis} , '9') or selected(\${reporteddiagnosis} , '10') or selected(\${reporteddiagnosis} , '11') or selected(\${reporteddiagnosis} , '12') or selected(\${reporteddiagnosis} , '13') or selected(\${reporteddiagnosis} , '14') or selected(\${reporteddiagnosis} , '15') or selected(\${reporteddiagnosis} , '-97')) and selected(\${reporteddiagnosis} , '-99')) and not((selected(\${reporteddiagnosis} , '1') or selected(\${reporteddiagnosis} , '2') or selected(\${reporteddiagnosis} , '3') or selected(\${reporteddiagnosis} , '4') or selected(\${reporteddiagnosis} , '5') or selected(\${reporteddiagnosis} , '6') or selected(\${reporteddiagnosis} , '7') or selected(\${reporteddiagnosis} , '8') or selected(\${reporteddiagnosis} , '9') or selected(\${reporteddiagnosis} , '10') or selected(\${reporteddiagnosis} , '11') or selected(\${reporteddiagnosis} , '12') or selected(\${reporteddiagnosis} , '13') or selected(\${reporteddiagnosis} , '14') or selected(\${reporteddiagnosis} , '15') or selected(\${reporteddiagnosis} , '-97')) and selected(\${reporteddiagnosis} , '-100')) and not((selected(\${reporteddiagnosis} , '1') or selected(\${reporteddiagnosis} , '2') or selected(\${reporteddiagnosis} , '3') or selected(\${reporteddiagnosis} , '4') or selected(\${reporteddiagnosis} , '5') or selected(\${reporteddiagnosis} , '6') or selected(\${reporteddiagnosis} , '7') or selected(\${reporteddiagnosis} , '8') or selected(\${reporteddiagnosis} , '9') or selected(\${reporteddiagnosis} , '10') or selected(\${reporteddiagnosis} , '11') or selected(\${reporteddiagnosis} , '12') or selected(\${reporteddiagnosis} , '13') or selected(\${reporteddiagnosis} , '14') or selected(\${reporteddiagnosis} , '15') or selected(\${reporteddiagnosis} , '-97')) and selected(\${reporteddiagnosis} , '-88')) and not(selected(\${reporteddiagnosis} , '1') and selected(\${reporteddiagnosis} , '2') and selected(\${reporteddiagnosis} , '3')) and not(selected(\${reporteddiagnosis} , '1') and selected(\${reporteddiagnosis} , '2')) and not(selected(\${reporteddiagnosis} , '1') and selected(\${reporteddiagnosis} , '3')) and not(selected(\${reporteddiagnosis} , '2') and selected(\${reporteddiagnosis} , '3')) and not(selected(\${reporteddiagnosis} , '1') and selected(\${reporteddiagnosis} , '-99') and selected(\${reporteddiagnosis} , '-100')) and not(selected(\${reporteddiagnosis} , '-99') and selected(\${reporteddiagnosis} , '-88')) and not(selected(\${reporteddiagnosis} , '-100') and selected(\${reporteddiagnosis} , '-88')) and not(selected(\${reporteddiagnosis} , '-99') and selected(\${reporteddiagnosis} , '-100') and selected(\${reporteddiagnosis} , '-88'))	1 Simple malaria
		2 Severe malaria
		3 Malaria (simple or severe not specified)
		4 Typhoid Fever
		5 Bronchitis
		6 Influenza/flu
		7 (Acute) respiratory infection (IRA)
		8 Pneumonia
		9 Dysentery
		10 Gastrointestinal infection, stomach infection
		11 Cardiovascular disease
		12 High blood pressure
		13 Diabetes
		14 Measles
		15 Ear infection
		-97 Other
-99 Was told but cannot remember or did not understand		
-100 Was not told		
-88 Patient has no acute illness		
desc_reporteddiagnosis (required)	Specify other diagnosis: Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${reporteddiagnosis} , '-97')	

CSCComPatientInterview

Field	Question	Answer	
recordeddiagnosis <i>(required)</i>	<p>[Surveyor: What is the (written) diagnosis?]</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${whichrecords} , '2')</p> <p>Response constrained to: not((selected(\${recordeddiagnosis} , '1') or selected(\${recordeddiagnosis} , '2') or selected(\${recordeddiagnosis} , '3') or selected(\${recordeddiagnosis} , '4') or selected(\${recordeddiagnosis} , '5') or selected(\${recordeddiagnosis} , '6') or selected(\${recordeddiagnosis} , '7') or selected(\${recordeddiagnosis} , '8') or selected(\${recordeddiagnosis} , '9') or selected(\${recordeddiagnosis} , '10') or selected(\${recordeddiagnosis} , '11') or selected(\${recordeddiagnosis} , '12') or selected(\${recordeddiagnosis} , '13') or selected(\${recordeddiagnosis} , '14') or selected(\${recordeddiagnosis} , '15') or selected(\${recordeddiagnosis} , '-97')) and selected(\${recordeddiagnosis} , '-100')) and not(selected(\${recordeddiagnosis} , '1') and selected(\${recordeddiagnosis} , '2') and selected(\${recordeddiagnosis} , '3') and not(selected(\${recordeddiagnosis} , '1') and selected(\${recordeddiagnosis} , '2') and not(selected(\${recordeddiagnosis} , '1') and selected(\${recordeddiagnosis} , '3') and not(selected(\${recordeddiagnosis} , '2') and selected(\${recordeddiagnosis} , '3'))</p>	<div>1</div> <div>2</div> <div>3</div> <div>4</div> <div>5</div> <div>6</div> <div>7</div> <div>8</div> <div>9</div> <div>10</div> <div>11</div> <div>12</div> <div>13</div> <div>14</div> <div>15</div> <div>-100</div> <div>-97</div>	<div>Simple malaria</div> <div>Severe malaria</div> <div>Malaria (simple or severe not specified)</div> <div>Typhoid Fever</div> <div>Bronchitis</div> <div>Influenza/flu</div> <div>Respiratory infection (Infection respiratoires aiguës (IRA))</div> <div>Pneumonia</div> <div>Dysentery</div> <div>Gastrointestinal infection, stomach infection</div> <div>Cardiovascular disease</div> <div>High blood pressure</div> <div>Diabetes</div> <div>Measles</div> <div>Ear infection</div> <div>No diagnosis specified</div> <div>Other</div>
desc_recordeddiagnosis <i>(required)</i>	<p>Specify other diagnosis:</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${recordeddiagnosis} , '-97')</p>		
malaria <i>(required)</i>	<p>Did the doctor or other staff mention malaria?</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and (selected(\${indiv} , '1') and selected(\${respondentavailable} , '1')) and not(selected(\${reporteddiagnosis} , '1') or selected(\${reporteddiagnosis} , '2') or selected(\${reporteddiagnosis} , '3')) and not(selected(\${recordeddiagnosis} , '1') or selected(\${recordeddiagnosis} , '2') or selected(\${recordeddiagnosis} , '3'))</p>	<div>1</div> <div>2</div>	<div>Yes</div> <div>No</div>
severemalaria <i>(required)</i>	<p>Did the doctor mention severe Malaria?</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and (selected(\${indiv} , '1') and selected(\${respondentavailable} , '1')) and (selected(\${reporteddiagnosis} , '3') or selected(\${recordeddiagnosis} , '3') or selected(\${malaria} , '1') and not(selected(\${recordeddiagnosis} , '1') or selected(\${reporteddiagnosis} , '1') or selected(\${reporteddiagnosis} , '2'))</p>	<div>1</div> <div>2</div> <div>-99</div>	<div>Yes</div> <div>No</div> <div>Don't know</div>
costconsultation <i>(required)</i>	<p>How much did you pay for the doctor consultation today?</p> <p>In CFA. Enter -98 if Refusal. Enter -99 if the patient cannot remember the price.</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1')</p> <p>Response constrained to: (.>=0 and .<=5000) or .=-98 or .=-99</p>		
item1 <i>(required)</i>	<p>[Surveyor: please record all items the patient was charged for or prescribed. This includes items received during the visit and drugs the doctor told the patient to buy, as well as things given for free. Use the prescription slip to assist with this information. Exclude blood tests recorded earlier.]</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1') and selected(\${whichrecords} , '3')</p>	<div>1</div> <div>2</div>	<div>Yes</div> <div>No</div>
typeitem1 <i>(required)</i>	<p>What is item 1 on the prescription slip?</p> <p>Question relevant when: selected(\${item1} , '1')</p>	<div>1</div> <div>2</div>	<div>Drug/medication with known name</div> <div>Equipment/materials</div>
named1 <i>(required)</i>	<p>Which is the name of the drug/medication?</p> <p>Question relevant when: selected(\${item1} , '1') and selected(\${typeitem1} , '1')</p>	<div>acefylline_piperazine</div> <div>acefylline_piperazine-diphenhydramine-hcl</div> <div>acetaminophene</div>	<div>Acéfylline pipérazine</div> <div>Acéfylline Piperazine+ Diphenhydramine Hcl</div> <div>Acétaminophène</div>

Field	Question	Answer	acetaminophene_(para)-dextromethorphan-pseud.	Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine
			acetylcysteine	Acetylcysteine
			acetylsalicylic_acid	Acetylsalicylic acid
			acid_benzoïque	Acide benzoïque
			acid_valproïque	Acide valproïque
			actapulgit	Actapulgit
			actifed	Actifed
			albendazole	Albendazole
			alimemazine	Alimemazine
			allergosone	Allergosone
			almex	Almex
			ammonium_chloride	Ammonium Chloride
			amodiaquine	Amodiaquine
			amodix	Amodix
			amoquin	Amoquin
			amoxicillin	Amoxicillin
			amoxicilline-cla	Amoxicilline + Cla
			amoxitem	Amoxitem
			ampicilline	Ampicilline
			analgin	Analgin
			antipy_benzo_otc_sol	Antipy Benzo Otic Sol
			antropine	Antropine
			arcet	Arcet
			artefan	Artefan
			artemether	Artemether
			artemether_injectable	Artemether (injectable)
			artemether_tablet	Artemether (tablet)
			artemether-lumefantrine	Artemether + Lumefantrine
			artemether-lumefantrine_injectable	Artemether + Lumefantrine (injectable)
			artemether-lumefantrine_tablet	Artemether + Lumefantrine (tablet)
			artesunate	Artesunate
			artesunate_injectable	Artesunate (injectable)
			artesunate_tablet	Artesunate (tablet)
			asa	ASA
			aspegic	Aspegic
			aspirin	Aspirin
			atropine	Atropine
			attapulgit	Attapulgit
			augmentine	Augmentine
			aureomycine	Aureomycine
			azithromycin	Azithromycin
			bactopoumon	Bactopoumon
			bactox	Bactox
			benadryl	Benadryl
			benzaote	Benzaote
			benzocaine	Benzocaine
			benzododecinium	Benzododecinium
			benzoic_acid	Benzoic Acid
			betadine	Betadine
			biafine	Biafine
			biakof	Biakof
			binozyt	Binozyt
			broncoxil	Broncoxil
			bronquidiazina	Bronquidiazina
			brufen	Brufen
			brumed	Brumed
			cac_1000	CAC 1000 sandoz
			caflam	Caflam

Field	Question	Answer
		camoquin
		Carbetux
		carbocisteine
		Cataflam
		Cedrox
		Cefadroxil
		Cefixime
		Ceftriaxone
		Celestene
		chloropyramine
		Chloroquine
		Chlorphenamine
		Chlortetracycline
		Ciprofloxacin
		Cipronat
		Clamoxyl
		Cloperastine
		Clotrimazole
		Coartem
		Codeine
		Collu-Hextril
		Combiart
		Combiart adult
		Cotrimoxazol (Trimoprim)
		CTA Adolescent
		CTA Adulte
		CTA Enfant
		Cyproheptadine
		Debridat
		Depakine
		Dexamethasone
		Dextromethorphan
		Diazole
		Diclofenac
		Diclopara
		Diosmectite
		Diphénhydramine
		Diphénoxylate
		Doliprane
		Dolotab
		Domperidone
		Dysentéral
		Efferalgan
		Ercefuryl
		Erycin
		Erythromycin
		Febrilex
		Fer + acide folique
		Fercefol
		Flagyl
		Fluazol
		Fluconazole
		Fluditec
		Fluoxine
		Gastrosédal
		Gentamycin
		Grippex
		Hépatisane
		Hexachlorophène
		Hexétidine
		Huile goménolée adulte (H-goménolée adulte)
		Ibugesic

Field	Question	Answer	
		ibuprofen	Ibuprofen
		ibusix	Ibusix
		iron_and_folic_acid	Iron and Folic Acid
		keneyaji	Keneyaji
		kva_sulf	Kva Sulf
		laxa_cassia	Laxa Cassia
		letalín_expectorant	Letalin Expectorant
		letap_paracetamol	Letap Paracetamol
		letaplex	Letaplex
		lidocaine	Lidocaine
		litacold	Litacold
		lymphshamei	Ly Mphshamei
		madar	Madar
		malacur	Malacur
		mebendazole	Mebendazole
		medvite	Medvite
		mequitazine	Mequitazine
		metamizole	Métamizole
		methylprednisolone	Methylprednisolone
		metopimazine	Metopimazine
		metronidazole	Metronidazole
		midazolam	Midazolam
		mixagrip	Mixagrip
		motilium	Motilium
		mucomyst	Mucomyst
		multivitamine	Multivitamin
		multivitamine_syrup	Multivitamin Syrup
		neo-codion	Neo-Codion
		neomycin	Neomycin
		nifuroxazide	Nifuroxazide
		nivaquine	Nivaquine
		novalgin	Novalgin
		nurupquin	Nurupquin
		nystatine	Nystatine
		oleandomycine	Oléandomycine
		onguent_antibiotique	Onguent antibiotique
		oracefal	Oracefal
		orasef_zinc	Orasef Zinc
		osmogel	Osmogel
		otipax	Otipax
		otrivine	Otrivine
		oxacilline	Oxacilline
		paidofebrile	Paidofebrile
		paidoterin	Paidoterin
		panadol	Panadol
		panalgic	Panalgic
		paracetamol	Paracetamol
		paracetamol_cetal	Paracetamol Cetal
		passedyl	Passedyl
		penicillin	Penicillin
		penicilline_onguent	Pénicilline onguent
		perfalgan	Perfalgan
		peridys	Peridys
		phenazone	Phénazone
		phenylpropanolamine	Phénylpropanolamine
		polydexa	Polydexa
		polymyxine	Polymyxine
		pommade_a_la_tetracycline	pommade à la tétracycline
		prednisone	Prednisone
		primalan	Primalan
		promethazine	Promethazine
		prorhinel_(benzododecinium)	Prorhinel (Benzododécinium)
		pseudoephedrine	Pseudoephedrine

CSCComPatientInterview

Field	Question	Answer
		quinimax Quinimax
		quinine Quinine
		quinine_injectable Quinine (injectable)
		quinine_tablet Quinine (tablet)
		radioselectan Radioselectan
		rhinathiol Rhinathiol
		royal_(chest-lung) Royal (Chest & Lung)
		salbutamol Salbutamol
		smecta Smecta
		smectites Smectites
		solu-medrol Solu-Medrol
		sro SRO
		sterimar Stérimar
		sudrex Sudrex
		sulfamethoxazol Sulfamethoxazol
		sulfur Sulfur
		synozole Synozole
		tao_(troleandomycin) TAO (troleandomycin)
		terpin_hydrate Terpin Hydrate
		terpine_codeine Terpine Codeine
		terpone_expectorant Terpone expectorant
		tetracycline_oointment Tetracycline Ointment
		theralene Theralene
		tres_orix Tres Orix
		trimebutine Trimébutine
		trimetabol Trimetabol
		uclaprim Uclaprim
		unasyn Unasyn
		valproate Valproate
		valproic_acid Valproic Acid
		vermin-dazol Vermin-Dazol
		verzol Verzol
		vinciseptil Vinciseptil
		vita_bebe Vita BeBe
		vitafer Vitafer
		vitamine_b Vitamine B
		vogalene Vogalene
		xylometazoline Xylométazoline
		zinc Zinc
		other Other
desc_othersnamed1 <i>(required)</i>	Specify other drug/medication: <i>Question relevant when: selected(\${item1} , '1') and selected(\${typeitem1} , '1') and selected(\${named1} , 'other')</i>	

CSCComPatientInterview

Field	Question	Answer
equip1 <i>(required)</i>	Which is the equipment/material? Question relevant when: selected(\${item1} , '1') and selected(\${typeitem1} , '2')	alcohol Alcohol
		bandage Bandage
		bande_de_pansement Dressing
		catheter_intraveineuse Intravenous catheter
		cotton Cotton
		compress Compress
		desinfectant Disinfectant
		epicranni Winged infusion set (scalp vein set, butterfly set)
		fluide_intraveineuse Intravenous fluid
		iodine Iodine
		infusion_IV_fluids Infusion
		perfuseur Perfuseur
		polyodoniindex Polyodon Iodex
		povidine-iodine Povidine iodine
		syringe Syringe
		serum_glucose Glucose serum
		serum_sale_(salin) Saline serum
desc_otherequip1 <i>(required)</i>	Specify other equipment/material: Question relevant when: selected(\${item1} , '1') and selected(\${typeitem1} , '2') and selected(\${equip1} , 'other')	
purchaseditema1 <i>(required)</i>	Was [named1] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item1} , '1') and selected(\${typeitem1} , '1') and not(selected(\${named1} , 'other')) and \${named1} != ""	1 Yes
		2 No
purchaseditemb1 <i>(required)</i>	Was [desc_othernamed1] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item1} , '1') and selected(\${typeitem1} , '1') and selected(\${named1} , 'other')	1 Yes
		2 No
purchaseditemc1 <i>(required)</i>	Was [equip1] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item1} , '1') and selected(\${typeitem1} , '2') and not(selected(\${equip1} , 'other')) and \${equip1} != ""	1 Yes
		2 No
purchaseditemd1 <i>(required)</i>	Was [desc_otherequip1] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item1} , '1') and selected(\${typeitem1} , '2') and selected(\${equip1} , 'other')	1 Yes
		2 No
reasonnotbuyitema1 <i>(required)</i>	What is the main reason that you have not purchased the [named1] at this CSCCom visit? Question relevant when: selected(\${item1} , '1') and selected(\${typeitem1} , '1') and selected(\${purchaseditema1} , '2') and not(selected(\${named1} , 'other')) and \${named1} != ""	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other
reasonnotbuyitemb1 <i>(required)</i>	What is the main reason that you have not purchased the [desc_othernamed1] at this CSCCom visit? Question relevant when: selected(\${item1} , '1') and selected(\${typeitem1} , '1') and selected(\${purchaseditemb1} , '2') and selected(\${named1} , 'other')	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other

CSComPatientInterview

Field	Question	Answer	
reasonnotbuyitemc1 <i>(required)</i>	What is the main reason that you have not purchased the [equip1] at this CSCom visit? <i>Question relevant when: selected(\${item1} , '1') and selected(\${typeitem1} , '2') and selected(\${purchaseditemc1} , '2') and not(selected(\${equip1} , 'other')) and \${equip1} != ""</i>	1	Out of stock at CSCom pharmacy
		2	CSCom pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
reasonnotbuyitemd1 <i>(required)</i>	What is the main reason that you have not purchased the [desc_otherequip1] at this CSCom visit? <i>Question relevant when: selected(\${item1} , '1') and selected(\${typeitem1} , '2') and selected(\${purchaseditemd1} , '2') and selected(\${equip1} , 'other')</i>	1	Out of stock at CSCom pharmacy
		2	CSCom pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
desc_othereasonnotbuy1 <i>(required)</i>	Specify the reason: <i>Question relevant when: selected(\${item1} , '1') and (selected(\${purchaseditema1} , '2') or selected(\${purchaseditemb1} , '2') or selected(\${purchaseditemc1} , '2') or selected(\${purchaseditemd1} , '2')) and (selected(\${reasonnotbuyitema1} , '-97') or selected(\${reasonnotbuyitemb1} , '-97') or selected(\${reasonnotbuyitemc1} , '-97') or selected(\${reasonnotbuyitemd1} , '-97'))</i>		
costitema1 <i>(required)</i>	What was the price paid for [named1]? Enter 0 for free items. Enter -99 if don't know. <i>Question relevant when: selected(\${item1} , '1') and selected(\${typeitem1} , '1') and selected(\${purchaseditema1} , '1') and not(selected(\${named1} , 'other')) and \${named1} != ""</i> Response constrained to: (.>=0 and .<=50000) or .=-99		
costitemb1 <i>(required)</i>	What was the price paid for [desc_othernamed1]? Enter 0 for free items. Enter -99 if don't know. <i>Question relevant when: selected(\${item1} , '1') and selected(\${typeitem1} , '1') and selected(\${purchaseditemb1} , '1') and selected(\${named1} , 'other')</i> Response constrained to: (.>=0 and .<=50000) or .=-99		
costitemc1 <i>(required)</i>	What was the price paid for [equip1]? Enter 0 for free items. Enter -99 if don't know. <i>Question relevant when: selected(\${item1} , '1') and selected(\${typeitem1} , '2') and selected(\${purchaseditemc1} , '1') and not(selected(\${equip1} , 'other')) and \${equip1} != ""</i> Response constrained to: (.>=0 and .<=50000) or .=-99		
costitemd1 <i>(required)</i>	What was the price paid for [desc_otherequip1]? Enter 0 for free items. Enter -99 if don't know. <i>Question relevant when: selected(\${item1} , '1') and selected(\${typeitem1} , '2') and selected(\${purchaseditemd1} , '1') and selected(\${equip1} , 'other')</i> Response constrained to: (.>=0 and .<=50000) or .=-99		
wouldpaiditema1 <i>(required)</i>	What was the price you would have paid for [named1] if you had bought it? Please enter in CFA. Enter -99 if don't know. <i>Question relevant when: selected(\${item1} , '1') and selected(\${typeitem1} , '1') and selected(\${purchaseditema1} , '2') and not(selected(\${named1} , 'other')) and \${named1} != ""</i> Response constrained to: (.>=0 and .<=50000) or .=-99		
wouldpaiditemb1 <i>(required)</i>	What was the price you would have paid for [desc_othernamed1] if you had bought it? Please enter in CFA. Enter -99 if don't know. <i>Question relevant when: selected(\${item1} , '1') and selected(\${typeitem1} , '1') and selected(\${purchaseditemb1} , '2') and selected(\${named1} , 'other')</i> Response constrained to: (.>=0 and .<=50000) or .=-99		
item2 <i>(required)</i>	[Surveyor: Is there another item on the prescription slip?] <i>Question relevant when: selected(\${item1} , '1')</i>	1	Yes
		2	No
typeitem2 <i>(required)</i>	What is item 2 on the prescription slip? <i>Question relevant when: selected(\${item2} , '1')</i>	1	Drug/medication with known name
		2	Equipment/materials
named2 <i>(required)</i>	Which is the name of the drug/medication? <i>Question relevant when: selected(\${item2} , '1') and selected(\${typeitem2} , '1')</i>	acefylline_piperazine	Acéfylline pipérazine
		acefylline_piperazine-diphenydramine-hcl	Acéfylline Piperazine+ Diphenydramine Hcl
		acetaminophene	Acétaminophène

Field	Question	Answer	acetaminophene_(para)- dextromethorphan-pseud.	Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine
			acetylcysteine	Acetylcysteine
			acetylsalicylic_acid	Acetylsalicylic acid
			acid_benzoique	Acide benzoïque
			acid_valproique	Acide valproïque
			actapulgit	Actapulgit
			actifed	Actifed
			albendazole	Albendazole
			alimemazine	Alimemazine
			allergosone	Allergosone
			almex	Almex
			ammonium_chloride	Ammonium Chloride
			amodiaquine	Amodiaquine
			amodix	Amodix
			amoquin	Amoquin
			amoxicillin	Amoxicillin
			amoxicilline-cla	Amoxicilline + Cla
			amoxitem	Amoxitem
			ampicilline	Ampicilline
			analgin	Analgin
			antipy_benzo_otc_sol	Antipy Benzo Otic Sol
			antropine	Antropine
			arcet	Arcet
			artefan	Artefan
			artemether	Artemether
			artemether_injectable	Artemether (injectable)
			artemether_tablet	Artemether (tablet)
			artemether-lumefantrine	Artemether + Lumefantrine
			artemether-lumefantrine_injectable	Artemether + Lumefantrine (injectable)
			artemether-lumefantrine_tablet	Artemether + Lumefantrine (tablet)
			artesunate	Artesunate
			artesunate_injectable	Artesunate (injectable)
			artesunate_tablet	Artesunate (tablet)
			asa	ASA
			aspegic	Aspegic
			aspirin	Aspirin
			atropine	Atropine
			attapulgit	Attapulgit
			augmentine	Augmentine
			aureomycine	Aureomycine
			azithromycin	Azithromycin
			bactopoumon	Bactopoumon
			bactox	Bactox
			benadryl	Benadryl
			benzaote	Benzaote
			benzocaine	Benzocaine
			benzododecinium	Benzododecinium
			benzoic_acid	Benzoic Acid
			betadine	Betadine
			biafine	Biafine
			biakof	Biakof
			binozyt	Binozyt
			brancoxil	Brancoxil
			bronquidiazina	Bronquidiazina
			brufen	Brufen
			brumed	Brumed
			cac_1000	CAC 1000 sandoz
			caflam	Caflam

Field	Question	Answer
		camoquin
		Carbetux
		carbocisteine
		Cataflam
		Cedrox
		Cefadroxil
		Cefixime
		Ceftriaxone
		Celestene
		chloropyramine
		Chloroquine
		Chlorphenamine
		Chlortetracycline
		Ciprofloxacin
		Cipronat
		Clamoxyl
		Cloperastine
		Clotrimazole
		Coartem
		Codeine
		Collu-Hextril
		Combiart
		Combiart adult
		Cotrimoxazol (Trimoprim)
		CTA Adolescent
		CTA Adulte
		CTA Enfant
		Cyproheptadine
		Debridat
		Depakine
		Dexamethasone
		Dextromethorphan
		Diazole
		Diclofenac
		Diclopara
		Diosmectite
		Diphénhydramine
		Diphénoxylate
		Doliprane
		Dolotab
		Domperidone
		Dysentéral
		Efferalgan
		Ercefuryl
		Erycin
		Erythromycin
		Febrilex
		Fer + acide folique
		Fercefol
		Flagyl
		Fluazol
		Fluconazole
		Fluditec
		Fluoxine
		Gastrosédal
		Gentamycin
		Grippex
		Hépatisane
		Hexachlorophène
		Hexétidine
		Huile goménolée adulte (H-goménolée adulte)
		Ibugesic

Field	Question	Answer	
		ibuprofen	Ibuprofen
		ibusix	Ibusix
		iron_and_folic_acid	Iron and Folic Acid
		keneyaji	Keneyaji
		kva_sulf	Kva Sulf
		laxa_cassia	Laxa Cassia
		letalín_expectorant	Letalin Expectorant
		letap_paracetamol	Letap Paracetamol
		letaplex	Letaplex
		lidocaine	Lidocaine
		litacold	Litacold
		lymphshamei	Ly Mphshamei
		madar	Madar
		malacur	Malacur
		mebendazole	Mebendazole
		medvite	Medvite
		mequitazine	Mequitazine
		metamizole	Métamizole
		methylprednisolone	Methylprednisolone
		metopimazine	Metopimazine
		metronidazole	Metronidazole
		midazolam	Midazolam
		mixagrip	Mixagrip
		motilium	Motilium
		mucomyst	Mucomyst
		multivitamine	Multivitamin
		multivitamine_syrup	Multivitamin Syrup
		neo-codion	Neo-Codion
		neomycin	Neomycin
		nifuroxazide	Nifuroxazide
		nivaquine	Nivaquine
		novalgin	Novalgin
		nurupquin	Nurupquin
		nystatine	Nystatine
		oleandomycine	Oléandomycine
		onguent_antibiotique	Onguent antibiotique
		oracefal	Oracefal
		oraseal_zinc	Oraseal Zinc
		osmogel	Osmogel
		otipax	Otipax
		otrivine	Otrivine
		oxacilline	Oxacilline
		paidofebrile	Paidofebrile
		paidoterin	Paidoterin
		panadol	Panadol
		panalgic	Panalgic
		paracetamol	Paracetamol
		paracetamol_cetal	Paracetamol Cetal
		passedyl	Passedyl
		penicillin	Penicillin
		penicilline_onguent	Pénicilline onguent
		perfalgan	Perfalgan
		peridys	Peridys
		phenazone	Phénazone
		phenylpropanolamine	Phénylpropanolamine
		polydexa	Polydexa
		polymyxine	Polymyxine
		pommade_a_la_tetracycline	pommade à la tétracycline
		prednisone	Prednisone
		primalan	Primalan
		promethazine	Promethazine
		prorhinel_(benzododecinium)	Prorhinel (Benzododécinium)
		pseudoephedrine	Pseudoephedrine

CSCComPatientInterview

Field	Question	Answer
		quinimax
		Quinimax
		quinine
		Quinine
		quinine_injectable
		Quinine (injectable)
		quinine_tablet
		Quinine (tablet)
		radioselectan
		Radioselectan
		rhinathiol
		Rhinathiol
		royal_(chest-lung)
		Royal (Chest & Lung)
		salbutamol
		Salbutamol
		smecta
		Smecta
		smectites
		Smectites
		solu-medrol
		Solu-Medrol
		sro
		SRO
		sterimar
		Stérimar
		sudrex
		Sudrex
		sulfamethoxazol
		Sulfamethoxazol
		sulfur
		Sulfur
		synozole
		Synozole
		tao_(troleandomycin)
		TAO (troleandomycin)
		terpin_hydrate
		Terpin Hydrate
		terpine_codeine
		Terpine Codeine
		terpone_expectorant
		Terpone expectorant
		tetracycline_ointment
		Tetracycline Ointment
		theralene
		Theralene
		tres_orix
		Tres Orix
		trimebutine
		Trimébutine
		trimetabol
		Trimetabol
		uclaprim
		Uclaprim
		unasyn
		Unasyn
		valproate
		Valproate
		valproic_acid
		Valproic Acid
		vermin-dazol
		Vermin-Dazol
		verzol
		Verzol
		vinciseptil
		Vinciseptil
		vita_bebe
		Vita BeBe
		vitafer
		Vitafer
		vitamine_b
		Vitamine B
		vogalene
		Vogalene
		xylometazoline
		Xylométazoline
		zinc
		Zinc
		other
		Other
desc_othersnamed2 (required)	Specify other drug/medication: Question relevant when: selected(\${item2} , '1') and selected(\${typeitem2} , '1') and selected(\${named2} , 'other')	

CSCComPatientInterview

Field	Question	Answer
equip2 <i>(required)</i>	Which is the equipment/material? Question relevant when: selected(\${item2} , '1') and selected(\${typeitem2} , '2')	alcohol Alcohol
		bandage Bandage
		bande_de_pansement Dressing
		catheter_intraveineuse Intravenous catheter
		cotton Cotton
		compress Compress
		desinfectant Disinfectant
		epicranni Winged infusion set (scalp vein set, butterfly set)
		fluide_intraveineuse Intravenous fluid
		iodine Iodine
		infusion_IV_fluids Infusion
		perfuseur Perfuseur
		polyodoniodex Polyodon Iodex
		povidine-iodine Povidine iodine
		syringe Syringe
		serum_glucose Glucose serum
		serum_sale_(salin) Saline serum
desc_otherequip2 <i>(required)</i>	Specify other equipment/material: Question relevant when: selected(\${item2} , '1') and selected(\${typeitem2} , '2') and selected(\${equip2} , 'other')	
purchaseditema2 <i>(required)</i>	Was [named2] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item2} , '1') and selected(\${typeitem2} , '1') and not(selected(\${named2} , 'other')) and \${named2} != ""	1 Yes
		2 No
purchaseditemb2 <i>(required)</i>	Was [desc_othernamed2] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item2} , '1') and selected(\${typeitem2} , '1') and selected(\${named2} , 'other')	1 Yes
		2 No
purchaseditemc2 <i>(required)</i>	Was [equip2] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item2} , '1') and selected(\${typeitem2} , '2') and not(selected(\${equip2} , 'other')) and \${equip2} != ""	1 Yes
		2 No
purchaseditemd2 <i>(required)</i>	Was [desc_otherequip2] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item2} , '1') and selected(\${typeitem2} , '2') and selected(\${equip2} , 'other')	1 Yes
		2 No
reasonnotbuyitema2 <i>(required)</i>	What is the main reason that you are not purchasing the [named2] at this CSCCom visit? Question relevant when: selected(\${item2} , '1') and selected(\${typeitem2} , '1') and selected(\${purchaseditema2} , '2') and not(selected(\${named2} , 'other')) and \${named2} != ""	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other
reasonnotbuyitemb2 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_othernamed2] at this CSCCom visit? Question relevant when: selected(\${item2} , '1') and selected(\${typeitem2} , '1') and selected(\${purchaseditemb2} , '2') and selected(\${named2} , 'other')	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other

CSCoPatientInterview

Field	Question	Answer	
reasonnotbuyitemc2 <i>(required)</i>	What is the main reason that you are not purchasing the [equip2] at this CSCo visit? <i>Question relevant when: selected(\${item2} , '1') and selected(\${typeitem2} , '2') and selected(\${purchaseditemc2} , '2') and not(selected(\${equip2} , 'other')) and \${equip2} != ""</i>	1	Out of stock at CSCo pharmacy
		2	CSCo pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
reasonnotbuyitemd2 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_otherequip2] at this CSCo visit? <i>Question relevant when: selected(\${item2} , '1') and selected(\${typeitem2} , '2') and selected(\${purchaseditemd2} , '2') and selected(\${equip2} , 'other')</i>	1	Out of stock at CSCo pharmacy
		2	CSCo pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
desc_othereasonnotbuy2 <i>(required)</i>	Specify the reason: <i>Question relevant when: selected(\${item2} , '1') and (selected(\${purchaseditema2} , '2') or selected(\${purchaseditemb2} , '2') or selected(\${purchaseditemc2} , '2') or selected(\${purchaseditemd2} , '2')) and (selected(\${reasonnotbuyitema2} , '-97') or selected(\${reasonnotbuyitemb2} , '-97') or selected(\${reasonnotbuyitemc2} , '-97') or selected(\${reasonnotbuyitemd2} , '-97'))</i>		
costitema2 <i>(required)</i>	What was the price paid for [namemed2]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item2} , '1') and selected(\${typeitem2} , '1') and selected(\${purchaseditema2} , '1') and not(selected(\${namemed2} , 'other')) and \${namemed2} != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
costitemb2 <i>(required)</i>	What was the price paid for [desc_othernamemed2]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item2} , '1') and selected(\${typeitem2} , '1') and selected(\${purchaseditemb2} , '1') and selected(\${namemed2} , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
costitemc2 <i>(required)</i>	What was the price paid for [equip2]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item2} , '1') and selected(\${typeitem2} , '2') and selected(\${purchaseditemc2} , '1') and not(selected(\${equip2} , 'other')) and \${equip2} != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
costitemd2 <i>(required)</i>	What was the price paid for [desc_otherequip2]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item2} , '1') and selected(\${typeitem2} , '2') and selected(\${purchaseditemd2} , '1') and selected(\${equip2} , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
wouldpaiditema2 <i>(required)</i>	What was the price you would have paid for [namemed2] if you had bought it? <i>Please enter in CFA. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item2} , '1') and selected(\${typeitem2} , '1') and selected(\${purchaseditema2} , '2') and not(selected(\${namemed2} , 'other')) and \${namemed2} != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
wouldpaiditemb2 <i>(required)</i>	What was the price you would have paid for [desc_othernamemed2] if you had bought it? <i>Please enter in CFA. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item2} , '1') and selected(\${typeitem2} , '1') and selected(\${purchaseditemb2} , '2') and selected(\${namemed2} , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
item3 <i>(required)</i>	[Surveyor: Is there another item on the prescription slip?] <i>Question relevant when: selected(\${item2} , '1')</i>	1	Yes
		2	No
typeitem3 <i>(required)</i>	What is item 3 on the prescription slip? <i>Question relevant when: selected(\${item3} , '1')</i>	1	Drug/medication with known name
		2	Equipment/materials
namemed3 <i>(required)</i>	Which is the name of the drug/medication? <i>Question relevant when: selected(\${item3} , '1') and selected(\${typeitem3} , '1')</i>	acefylline_piperazine	Acéfylline pipérazine
		acefylline_piperazine-diphenydramine-hcl	Acéfylline Piperazine+ Diphenydramine Hcl
		acetaminophene	Acétaminophène

Field	Question	Answer	acetaminophene_(para)- dextromethorphan-pseud.	Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine
			acetylcysteine	Acetylcysteine
			acetylsalicylic_acid	Acetylsalicylic acid
			acid_benzoïque	Acide benzoïque
			acid_valproïque	Acide valproïque
			actapulgite	Actapulgite
			actifed	Actifed
			albendazole	Albendazole
			alimemazine	Alimemazine
			allergosone	Allergosone
			almex	Almex
			ammonium_chloride	Ammonium Chloride
			amodiaquine	Amodiaquine
			amodix	Amodix
			amoquin	Amoquin
			amoxicillin	Amoxicillin
			amoxicilline-cla	Amoxicilline + Cla
			amoxitem	Amoxitem
			ampicilline	Ampicilline
			analgin	Analgin
			antipy_benzo_otic_sol	Antipy Benzo Otic Sol
			antropine	Antropine
			arcet	Arcet
			artefan	Artefan
			artemether	Artemether
			artemether_injectable	Artemether (injectable)
			artemether_tablet	Artemether (tablet)
			artemether-lumefantrine	Artemether + Lumefantrine
			artemether-lumefantrine_injectable	Artemether + Lumefantrine (injectable)
			artemether-lumefantrine_tablet	Artemether + Lumefantrine (tablet)
			artesunate	Artesunate
			artesunate_injectable	Artesunate (injectable)
			artesunate_tablet	Artesunate (tablet)
			asa	ASA
			aspegic	Aspegic
			aspirin	Aspirin
			atropine	Atropine
			attapulgite	Attapulgite
			augmentine	Augmentine
			aureomycine	Aureomycine
			azithromycin	Azithromycin
			bactopoumon	Bactopoumon
			bactox	Bactox
			benadryl	Benadryl
			benzaote	Benzaote
			benzocaine	Benzocaine
			benzododecinium	Benzododecinium
			benzoic_acid	Benzoic Acid
			betadine	Betadine
			biafine	Biafine
			biakof	Biakof
			binozyt	Binozyt
			broncoxil	Broncoxil
			bronquidiazina	Bronquidiazina
			brufen	Brufen
			brumed	Brumed
			cac_1000	CAC 1000 sandoz
			caflam	Caflam

Field	Question	Answer
		camoquin
		Carbetux
		carbocisteine
		Cataflam
		Cedrox
		Cefadroxil
		Cefixime
		Ceftriaxone
		Celestene
		chloropyramine
		Chloroquine
		Chlorphenamine
		Chlortetracycline
		Ciprofloxacin
		Cipronat
		Clamoxyl
		Cloperastine
		Clotrimazole
		Coartem
		Codeine
		Collu-Hextril
		Combiart
		Combiart_adult
		Cotrimoxazol (Trimoprim)
		cta_adolescent
		CTA Adulte
		cta_enfant
		CTA Enfant
		Cyproheptadine
		Debridat
		Depakine
		Dexamethasone
		Dextromethorphan
		Diazole
		Diclofenac
		Diclopara
		Diosmectite
		Diphenhydramine
		Diphénoxylate
		Doliprane
		Dolotab
		Domperidone
		Dysentéral
		Efferalgan
		Ercefuryl
		Erycin
		Erythromycin
		Febrilex
		Fer + acide folique
		Fercefol
		Flagyl
		Fluazol
		Fluconazole
		Fluditec
		Fluoxine
		Gastrosédal
		Gentamycin
		Grippex
		Hépatisane
		Hexachlorophène
		Hexétidine
		Huile goménolée adulte (H-goménolée adulte)
		Ibugesic

Field	Question	Answer	
		ibuprofen	Ibuprofen
		ibusix	Ibusix
		iron_and_folic_acid	Iron and Folic Acid
		keneyaji	Keneyaji
		kva_sulf	Kva Sulf
		laxa_cassia	Laxa Cassia
		letalín_expectorant	Letalin Expectorant
		letap_paracetamol	Letap Paracetamol
		letaplex	Letaplex
		lidocaine	Lidocaine
		litacold	Litacold
		lymphshamei	Ly Mphshamei
		madar	Madar
		malacur	Malacur
		mebendazole	Mebendazole
		medvite	Medvite
		mequitazine	Mequitazine
		metamizole	Métamizole
		methylprednisolone	Methylprednisolone
		metopimazine	Metopimazine
		metronidazole	Metronidazole
		midazolam	Midazolam
		mixagrip	Mixagrip
		motilium	Motilium
		mucomyst	Mucomyst
		multivitamine	Multivitamin
		multivitamine_syrup	Multivitamin Syrup
		neo-codion	Neo-Codion
		neomycin	Neomycin
		nifuroxazide	Nifuroxazide
		nivaquine	Nivaquine
		novalgin	Novalgin
		nurupquin	Nurupquin
		nystatine	Nystatine
		oleandomycine	Oléandomycine
		onguent_antibiotique	Onguent antibiotique
		oracefal	Oracefal
		oraseal_zinc	Oraseal Zinc
		osmogel	Osmogel
		otipax	Otipax
		otrivine	Otrivine
		oxacilline	Oxacilline
		paidofebrile	Paidofebrile
		paidoterin	Paidoterin
		panadol	Panadol
		panalgic	Panalgic
		paracetamol	Paracetamol
		paracetamol_cetal	Paracetamol Cetal
		passedyl	Passedyl
		penicillin	Penicillin
		penicilline_onguent	Pénicilline onguent
		perfalgan	Perfalgan
		peridys	Peridys
		phenazone	Phénazone
		phenylpropanolamine	Phénylpropanolamine
		polydexa	Polydexa
		polymyxine	Polymyxine
		pommade_a_la_tetracycline	pommade à la tétracycline
		prednisone	Prednisone
		primalan	Primalan
		promethazine	Promethazine
		prorhinel_(benzododecinium)	Prorhinel (Benzododécinium)
		pseudoephedrine	Pseudoephedrine

CSCComPatientInterview

Field	Question	Answer
		quinimax Quinimax
		quinine Quinine
		quinine_injectable Quinine (injectable)
		quinine_tablet Quinine (tablet)
		radioselectan Radioselectan
		rhinathiol Rhinathiol
		royal_(chest-lung) Royal (Chest & Lung)
		salbutamol Salbutamol
		smecta Smecta
		smectites Smectites
		solu-medrol Solu-Medrol
		sro SRO
		sterimar Stérimar
		sudrex Sudrex
		sulfamethoxazol Sulfamethoxazol
		sulfur Sulfur
		synozole Synozole
		tao_(troleandomycin) TAO (troleandomycin)
		terpin_hydrate Terpin Hydrate
		terpine_codeine Terpine Codeine
		terpone_expectorant Terpone expectorant
		tetracycline_ointment Tetracycline Ointment
		theralene Theralene
		tres_orix Tres Orix
		trimebutine Trimébutine
		trimetabol Trimetabol
		uclaprim Uclaprim
		unasyn Unasyn
		valproate Valproate
		valproic_acid Valproic Acid
		vermin-dazol Vermin-Dazol
		verzol Verzol
		vinciseptil Vinciseptil
		vita_bebe Vita BeBe
		vitafer Vitafer
		vitamine_b Vitamine B
		vogalene Vogalene
		xylometazoline Xylométazoline
		zinc Zinc
		other Other
desc_othersnamed3 <i>(required)</i>	Specify other drug/medication: <i>Question relevant when: selected(\${item3} , '1') and selected(\${typeitem3} , '1') and selected(\${named3} , 'other')</i>	

CSCComPatientInterview

Field	Question	Answer
equip3 <i>(required)</i>	Which is the equipment/material? Question relevant when: selected(\${item3} , '1') and selected(\${typeitem3} , '2')	alcohol Alcohol
		bandage Bandage
		bande_de_pansement Dressing
		catheter_intraveineuse Intravenous catheter
		cotton Cotton
		compress Compress
		desinfectant Disinfectant
		epicranni Winged infusion set (scalp vein set, butterfly set)
		fluide_intraveineuse Intravenous fluid
		iodine Iodine
		infusion_IV_fluids Infusion
		perfuseur Perfuseur
		polyodoniodex Polyodon Iodex
		povidine-iodine Povidine iodine
		syringe Syringe
		serum_glucose Glucose serum
		serum_sale_(salin) Saline serum
desc_otherequip3 <i>(required)</i>	Specify other equipment/material: Question relevant when: selected(\${item3} , '1') and selected(\${typeitem3} , '2') and selected(\${equip3} , 'other')	
purchaseditema3 <i>(required)</i>	Was [named3] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item3} , '1') and selected(\${typeitem3} , '1') and not(selected(\${named3} , 'other')) and \${named3} != ""	1 Yes
		2 No
purchaseditemb3 <i>(required)</i>	Was [desc_othernamed3] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item3} , '1') and selected(\${typeitem3} , '1') and selected(\${named3} , 'other')	1 Yes
		2 No
purchaseditemc3 <i>(required)</i>	Was [equip3] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item3} , '1') and selected(\${typeitem3} , '2') and not(selected(\${equip3} , 'other')) and \${equip3} != ""	1 Yes
		2 No
purchaseditemd3 <i>(required)</i>	Was [desc_otherequip3] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item3} , '1') and selected(\${typeitem3} , '2') and selected(\${equip3} , 'other')	1 Yes
		2 No
reasonnotbuyitema3 <i>(required)</i>	What is the main reason that you are not purchasing the [named3] at this CSCCom visit? Question relevant when: selected(\${item3} , '1') and selected(\${typeitem3} , '1') and selected(\${purchaseditema3} , '2') and not(selected(\${named3} , 'other')) and \${named3} != ""	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other
reasonnotbuyitemb3 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_othernamed3] at this CSCCom visit? Question relevant when: selected(\${item3} , '1') and selected(\${typeitem3} , '1') and selected(\${purchaseditemb3} , '2') and selected(\${named3} , 'other')	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other

CSCComPatientInterview

Field	Question	Answer	
reasonnotbuyitemc3 <i>(required)</i>	What is the main reason that you are not purchasing the [equip3] at this CSCom visit? <i>Question relevant when: selected(\${item3} , '1') and selected(\${typeitem3} , '2') and selected(\${purchaseditemc3} , '2') and not(selected(\${equip3} , 'other')) and \${equip3} != ""</i>	1	Out of stock at CSCom pharmacy
		2	CSCom pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
reasonnotbuyitemd3 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_otherequip3] at this CSCom visit? <i>Question relevant when: selected(\${item3} , '1') and selected(\${typeitem3} , '2') and selected(\${purchaseditemd3} , '2') and selected(\${equip3} , 'other')</i>	1	Out of stock at CSCom pharmacy
		2	CSCom pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
desc_othereasonnotbuy3 <i>(required)</i>	Specify the reason: <i>Question relevant when: selected(\${item3} , '1') and (selected(\${purchaseditema3} , '2') or selected(\${purchaseditemb3} , '2') or selected(\${purchaseditemc3} , '2') or selected(\${purchaseditemd3} , '2')) and (selected(\${reasonnotbuyitema3} , '-97') or selected(\${reasonnotbuyitemb3} , '-97') or selected(\${reasonnotbuyitemc3} , '-97') or selected(\${reasonnotbuyitemd3} , '-97'))</i>		
costitema3 <i>(required)</i>	What was the price paid for [named3]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item3} , '1') and selected(\${typeitem3} , '1') and selected(\${purchaseditema3} , '1') and not(selected(\${named3} , 'other')) and \${named3} != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
costitemb3 <i>(required)</i>	What was the price paid for [desc_othernamed3]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item3} , '1') and selected(\${typeitem3} , '1') and selected(\${purchaseditemb3} , '1') and selected(\${named3} , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
costitemc3 <i>(required)</i>	What was the price paid for [equip3]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item3} , '1') and selected(\${typeitem3} , '2') and selected(\${purchaseditemc3} , '1') and not(selected(\${equip3} , 'other')) and \${equip3} != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
costitemd3 <i>(required)</i>	What was the price paid for [desc_otherequip3]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item3} , '1') and selected(\${typeitem3} , '2') and selected(\${purchaseditemd3} , '1') and selected(\${equip3} , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
wouldpaiditema3 <i>(required)</i>	What was the price you would have paid for [named3] if you had bought it? <i>Please enter in CFA. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item3} , '1') and selected(\${typeitem3} , '1') and selected(\${purchaseditema3} , '2') and not(selected(\${named3} , 'other')) and \${named3} != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
wouldpaiditemb3 <i>(required)</i>	What was the price you would have paid for [desc_othernamed3] if you had bought it? <i>Please enter in CFA. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item3} , '1') and selected(\${typeitem3} , '1') and selected(\${purchaseditemb3} , '2') and selected(\${named3} , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
item4 <i>(required)</i>	[Surveyor: Is there another item on the prescription slip?] <i>Question relevant when: selected(\${item3} , '1')</i>	1	Yes
		2	No
typeitem4 <i>(required)</i>	What is item 4 on the prescription slip? <i>Question relevant when: selected(\${item4} , '1')</i>	1	Drug/medication with known name
		2	Equipment/materials
named4 <i>(required)</i>	Which is the name of the drug/medication? <i>Question relevant when: selected(\${item4} , '1') and selected(\${typeitem4} , '1')</i>	acefylline_piperazine	Acéfylline pipérazine
		acefylline_piperazine-diphenydramine-hcl	Acéfylline Piperazine+ Diphenydramine Hcl
		acetaminophene	Acétaminophène

Field	Question	Answer	acetaminophene_(para)- dextromethorphan-pseud.	Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine
			acetylcysteine	Acetylcysteine
			acetylsalicylic_acid	Acetylsalicylic acid
			acid_benzoïque	Acide benzoïque
			acid_valproïque	Acide valproïque
			actapulgit	Actapulgit
			actifed	Actifed
			albendazole	Albendazole
			alimemazine	Alimemazine
			allergosone	Allergosone
			almex	Almex
			ammonium_chloride	Ammonium Chloride
			amodiaquine	Amodiaquine
			amodix	Amodix
			amoquin	Amoquin
			amoxicillin	Amoxicillin
			amoxicilline-cla	Amoxicilline + Cla
			amoxitem	Amoxitem
			ampicilline	Ampicilline
			analgin	Analgin
			antipy_benzo_otic_sol	Antipy Benzo Otic Sol
			antropine	Antropine
			arcet	Arcet
			artefan	Artefan
			artemether	Artemether
			artemether_injectable	Artemether (injectable)
			artemether_tablet	Artemether (tablet)
			artemether-lumefantrine	Artemether + Lumefantrine
			artemether-lumefantrine_injectable	Artemether + Lumefantrine (injectable)
			artemether-lumefantrine_tablet	Artemether + Lumefantrine (tablet)
			artesunate	Artesunate
			artesunate_injectable	Artesunate (injectable)
			artesunate_tablet	Artesunate (tablet)
			asa	ASA
			aspegic	Aspegic
			aspirin	Aspirin
			atropine	Atropine
			attapulgit	Attapulgit
			augmentine	Augmentine
			aureomycine	Aureomycine
			azithromycin	Azithromycin
			bactopoumon	Bactopoumon
			bactox	Bactox
			benadryl	Benadryl
			benzaote	Benzaote
			benzocaine	Benzocaine
			benzododecinium	Benzododecinium
			benzoic_acid	Benzoic Acid
			betadine	Betadine
			biafine	Biafine
			biakof	Biakof
			binozyt	Binozyt
			broncoxil	Broncoxil
			bronquidiazina	Bronquidiazina
			brufen	Brufen
			brumed	Brumed
			cac_1000	CAC 1000 sandoz
			caflam	Caflam

Field	Question	Answer
		camoquin
		Carbetux
		carbocisteine
		Cataflam
		Cedrox
		Cefadroxil
		Cefixime
		Ceftriaxone
		Celestene
		chloropyramine
		Chloroquine
		Chlorphenamine
		Chlortetracycline
		Ciprofloxacin
		Cipronat
		Clamoxyl
		Cloperastine
		Clotrimazole
		Coartem
		Codeine
		Collu-Hextril
		Combiart
		Combiart adult
		Cotrimoxazol (Trimoprim)
		CTA Adolescent
		CTA Adulte
		CTA Enfant
		Cyproheptadine
		Debridat
		Depakine
		Dexamethasone
		Dextromethorphan
		Diazole
		Diclofenac
		Diclopara
		Diosmectite
		Diphénhydramine
		Diphénoxylate
		Doliprane
		Dolotab
		Domperidone
		Dysentéral
		Efferalgan
		Ercefuryl
		Erycin
		Erythromycin
		Febrilex
		Fer + acide folique
		Fercefol
		Flagyl
		Fluazol
		Fluconazole
		Fluditec
		Fluoxine
		Gastrosédal
		Gentamycin
		Grippex
		Hépatisane
		Hexachlorophène
		Hexétidine
		Huile goménolée adulte (H-goménolée adulte)
		Ibugesic

Field	Question	Answer	
		ibuprofen	Ibuprofen
		ibusix	Ibusix
		iron_and_folic_acid	Iron and Folic Acid
		keneyaji	Keneyaji
		kva_sulf	Kva Sulf
		laxa_cassia	Laxa Cassia
		letalín_expectorant	Letalin Expectorant
		letap_paracetamol	Letap Paracetamol
		letaplex	Letaplex
		lidocaine	Lidocaine
		litacold	Litacold
		lymphshamei	Ly Mphshamei
		madar	Madar
		malacur	Malacur
		mebendazole	Mebendazole
		medvite	Medvite
		mequitazine	Mequitazine
		metamizole	Métamizole
		methylprednisolone	Methylprednisolone
		metopimazine	Metopimazine
		metronidazole	Metronidazole
		midazolam	Midazolam
		mixagrip	Mixagrip
		motilium	Motilium
		mucomyst	Mucomyst
		multivitamine	Multivitamin
		multivitamine_syrup	Multivitamin Syrup
		neo-codion	Neo-Codion
		neomycin	Neomycin
		nifuroxazide	Nifuroxazide
		nivaquine	Nivaquine
		novalgin	Novalgin
		nurupquin	Nurupquin
		nystatine	Nystatine
		oleandomycine	Oléandomycine
		onguent_antibiotique	Onguent antibiotique
		oracefal	Oracefal
		orasef_zinc	Orasef Zinc
		osmogel	Osmogel
		otipax	Otipax
		otrivine	Otrivine
		oxacilline	Oxacilline
		paidofebrile	Paidofebrile
		paidoterin	Paidoterin
		panadol	Panadol
		panalgic	Panalgic
		paracetamol	Paracetamol
		paracetamol_cetal	Paracetamol Cetal
		passedyl	Passedyl
		penicillin	Penicillin
		penicilline_onguent	Pénicilline onguent
		perfalgan	Perfalgan
		peridys	Peridys
		phenazone	Phénazone
		phenylpropanolamine	Phénylpropanolamine
		polydexa	Polydexa
		polymyxine	Polymyxine
		pommade_a_la_tetracycline	pommade à la tétracycline
		prednisone	Prednisone
		primalan	Primalan
		promethazine	Promethazine
		prorhinel_(benzododecinium)	Prorhinel (Benzododécinium)
		pseudoephedrine	Pseudoephedrine

CSCComPatientInterview

Field	Question	Answer
		quinimax Quinimax
		quinine Quinine
		quinine_injectable Quinine (injectable)
		quinine_tablet Quinine (tablet)
		radioselectan Radioselectan
		rhinathiol Rhinathiol
		royal_(chest-lung) Royal (Chest & Lung)
		salbutamol Salbutamol
		smecta Smecta
		smectites Smectites
		solu-medrol Solu-Medrol
		sro SRO
		sterimar Stérimar
		sudrex Sudrex
		sulfamethoxazol Sulfamethoxazol
		sulfur Sulfur
		synozole Synozole
		tao_(troleandomycin) TAO (troleandomycin)
		terpin_hydrate Terpin Hydrate
		terpine_codeine Terpine Codeine
		terpone_expectorant Terpone expectorant
		tetracycline_ointment Tetracycline Ointment
		theralene Theralene
		tres_orix Tres Orix
		trimebutine Trimébutine
		trimetabol Trimetabol
		uclaprim Uclaprim
		unasyn Unasyn
		valproate Valproate
		valproic_acid Valproic Acid
		vermin-dazol Vermin-Dazol
		verzol Verzol
		vinciseptil Vinciseptil
		vita_bebe Vita BeBe
		vitafer Vitafer
		vitamine_b Vitamine B
		vogalene Vogalene
		xylometazoline Xylométazoline
		zinc Zinc
		other Other
desc_othersnamed4 (required)	Specify other drug/medication: <i>Question relevant when: selected(\${item4} , '1') and selected(\${typeitem4} , '1') and selected(\${named4} , 'other')</i>	

CSCComPatientInterview

Field	Question	Answer
equip4 <i>(required)</i>	Which is the equipment/material? Question relevant when: selected(\${item4} , '1') and selected(\${typeitem4} , '2')	alcohol Alcohol
		bandage Bandage
		bande_de_pansement Dressing
		catheter_intraveineuse Intravenous catheter
		cotton Cotton
		compress Compress
		desinfectant Disinfectant
		epicranni Winged infusion set (scalp vein set, butterfly set)
		fluide_intraveineuse Intravenous fluid
		iodine Iodine
		infusion_IV_fluids Infusion
		perfuseur Perfuseur
		polyodoniodex Polyodon Iodex
		povidine-iodine Povidine iodine
		syringe Syringe
		serum_glucose Glucose serum
		serum_sale_(salin) Saline serum
desc_otherequip4 <i>(required)</i>	Specify other equipment/material: Question relevant when: selected(\${item4} , '1') and selected(\${typeitem4} , '2') and selected(\${equip4} , 'other')	
purchaseditema4 <i>(required)</i>	Was [named4] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item4} , '1') and selected(\${typeitem4} , '1') and not(selected(\${named4} , 'other')) and \${named4} != ""	1 Yes
		2 No
purchaseditemb4 <i>(required)</i>	Was [desc_othernamed4] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item4} , '1') and selected(\${typeitem4} , '1') and selected(\${named4} , 'other')	1 Yes
		2 No
purchaseditemc4 <i>(required)</i>	Was [equip4] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item4} , '1') and selected(\${typeitem4} , '2') and not(selected(\${equip4} , 'other')) and \${equip4} != ""	1 Yes
		2 No
purchaseditemd4 <i>(required)</i>	Was [desc_otherequip4] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item4} , '1') and selected(\${typeitem4} , '2') and selected(\${equip4} , 'other')	1 Yes
		2 No
reasonnotbuyitema4 <i>(required)</i>	What is the main reason that you are not purchasing the [named4] at this CSCCom visit? Question relevant when: selected(\${item4} , '1') and selected(\${typeitem4} , '1') and selected(\${purchaseditema4} , '2') and not(selected(\${named4} , 'other')) and \${named4} != ""	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other
reasonnotbuyitemb4 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_othernamed4] at this CSCCom visit? Question relevant when: selected(\${item4} , '1') and selected(\${typeitem4} , '1') and selected(\${purchaseditemb4} , '2') and selected(\${named4} , 'other')	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other

CSCoPatientInterview

Field	Question	Answer	
reasonnotbuyitemc4 (required)	What is the main reason that you are not purchasing the [equip4] at this CScCom visit? <i>Question relevant when: selected(\${item4} , '1') and selected(\${typeitem4} , '2') and selected(\${purchaseditemc4} , '2') and not(selected(\${equip4} , 'other')) and \${equip4} != ""</i>	1	Out of stock at CScCom pharmacy
		2	CScCom pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
reasonnotbuyitemd4 (required)	What is the main reason that you are not purchasing the [desc_otherequip4] at this CScCom visit? <i>Question relevant when: selected(\${item4} , '1') and selected(\${typeitem4} , '2') and selected(\${purchaseditemd4} , '2') and selected(\${equip4} , 'other')</i>	1	Out of stock at CScCom pharmacy
		2	CScCom pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
desc_othereasonnotbuy4 (required)	Specify the reason: <i>Question relevant when: selected(\${item4} , '1') and (selected(\${purchaseditema4} , '2') or selected(\${purchaseditemb4} , '2') or selected(\${purchaseditemc4} , '2') or selected(\${purchaseditemd4} , '2')) and (selected(\${reasonnotbuyitema4} , '-97') or selected(\${reasonnotbuyitemb4} , '-97') or selected(\${reasonnotbuyitemc4} , '-97') or selected(\${reasonnotbuyitemd4} , '-97'))</i>		
costitema4 (required)	What was the price paid for [named4]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item4} , '1') and selected(\${typeitem4} , '1') and selected(\${purchaseditema4} , '1') and not(selected(\${named4} , 'other')) and \${named4} != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
costitemb4 (required)	What was the price paid for [desc_othernamed4]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item4} , '1') and selected(\${typeitem4} , '1') and selected(\${purchaseditemb4} , '1') and selected(\${named4} , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
costitemc4 (required)	What was the price paid for [equip4]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item4} , '1') and selected(\${typeitem4} , '2') and selected(\${purchaseditemc4} , '1') and not(selected(\${equip4} , 'other')) and \${equip4} != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
costitemd4 (required)	What was the price paid for [desc_otherequip4]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item4} , '1') and selected(\${typeitem4} , '2') and selected(\${purchaseditemd4} , '1') and selected(\${equip4} , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
wouldpaiditema4 (required)	What was the price you would have paid for [named4] if you had bought it? <i>Please enter in CFA. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item4} , '1') and selected(\${typeitem4} , '1') and selected(\${purchaseditema4} , '2') and not(selected(\${named4} , 'other')) and \${named4} != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
wouldpaiditemb4 (required)	What was the price you would have paid for [desc_othernamed4] if you had bought it? <i>Please enter in CFA. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item4} , '1') and selected(\${typeitem4} , '1') and selected(\${purchaseditemb4} , '2') and selected(\${named4} , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
item5 (required)	[Surveyor: Is there another item on the prescription slip?] <i>Question relevant when: selected(\${item4} , '1')</i>	1	Yes
		2	No
typeitem5 (required)	What is item 5 on the prescription slip? <i>Question relevant when: selected(\${item5} , '1')</i>	1	Drug/medication with known name
		2	Equipment/materials
named5 (required)	Which is the name of the drug/medication? <i>Question relevant when: selected(\${item5} , '1') and selected(\${typeitem5} , '1')</i>	acefylline_piperazine	Acéfylline pipérazine
		acefylline_piperazine-diphenydramine-hcl	Acéfylline Piperazine+ Diphenydramine Hcl
		acetaminophene	Acétaminophène

Field	Question	Answer	acetaminophene_(para)- dextromethorphan-pseud.	Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine
			acetylcysteine	Acetylcysteine
			acetylsalicylic_acid	Acetylsalicylic acid
			acid_benzoïque	Acide benzoïque
			acid_valproïque	Acide valproïque
			actapulgit	Actapulgit
			actifed	Actifed
			albendazole	Albendazole
			alimemazine	Alimemazine
			allergosone	Allergosone
			almex	Almex
			ammonium_chloride	Ammonium Chloride
			amodiaquine	Amodiaquine
			amodix	Amodix
			amoquin	Amoquin
			amoxicillin	Amoxicillin
			amoxicilline-cla	Amoxicilline + Cla
			amoxitem	Amoxitem
			ampicilline	Ampicilline
			analgin	Analgin
			antipy_benzo_otc_sol	Antipy Benzo Otic Sol
			antropine	Antropine
			arcet	Arcet
			artefan	Artefan
			artemether	Artemether
			artemether_injectable	Artemether (injectable)
			artemether_tablet	Artemether (tablet)
			artemether-lumefantrine	Artemether + Lumefantrine
			artemether-lumefantrine_injectable	Artemether + Lumefantrine (injectable)
			artemether-lumefantrine_tablet	Artemether + Lumefantrine (tablet)
			artesunate	Artesunate
			artesunate_injectable	Artesunate (injectable)
			artesunate_tablet	Artesunate (tablet)
			asa	ASA
			aspegic	Aspegic
			aspirin	Aspirin
			atropine	Atropine
			attapulgit	Attapulgit
			augmentine	Augmentine
			aureomycine	Aureomycine
			azithromycin	Azithromycin
			bactopoumon	Bactopoumon
			bactox	Bactox
			benadryl	Benadryl
			benzaote	Benzaote
			benzocaine	Benzocaine
			benzododecinium	Benzododecinium
			benzoic_acid	Benzoic Acid
			betadine	Betadine
			biafine	Biafine
			biakof	Biakof
			binozyt	Binozyt
			broncoxil	Broncoxil
			bronquidiazina	Bronquidiazina
			brufen	Brufen
			brumed	Brumed
			cac_1000	CAC 1000 sandoz
			caflam	Caflam

Field	Question	Answer
		camoquin
		Carbetux
		carbocisteine
		Cataflam
		Cedrox
		Cefadroxil
		Cefixime
		Ceftriaxone
		Celestene
		chloropyramine
		Chloroquine
		Chlorphenamine
		Chlortetracycline
		Ciprofloxacin
		Cipronat
		Clamoxyl
		Cloperastine
		Clotrimazole
		Coartem
		Codeine
		Collu-Hextril
		Combiart
		Combiart adult
		Cotrimoxazol (Trimoprim)
		CTA Adolescent
		CTA Adulte
		CTA Enfant
		Cyproheptadine
		Debridat
		Depakine
		Dexamethasone
		Dextromethorphan
		Diazole
		Diclofenac
		Diclopara
		Diosmectite
		Diphénhydramine
		Diphénoxylate
		Doliprane
		Dolotab
		Domperidone
		Dysentéral
		Efferalgan
		Ercefuryl
		Erycin
		Erythromycin
		Febrilex
		Fer + acide folique
		Fercefol
		Flagyl
		Fluazol
		Fluconazole
		Fluditec
		Fluoxine
		Gastrosédal
		Gentamycin
		Grippex
		Hépatisane
		Hexachlorophène
		Hexétidine
		Huile goménolée adulte (H-goménolée adulte)
		Ibugesic

Field	Question	Answer	
		ibuprofen	Ibuprofen
		ibusix	Ibusix
		iron_and_folic_acid	Iron and Folic Acid
		keneyaji	Keneyaji
		kva_sulf	Kva Sulf
		laxa_cassia	Laxa Cassia
		letalín_expectorant	Letalin Expectorant
		letap_paracetamol	Letap Paracetamol
		letaplex	Letaplex
		lidocaine	Lidocaine
		litacold	Litacold
		lymphshamei	Ly Mphshamei
		madar	Madar
		malacur	Malacur
		mebendazole	Mebendazole
		medvite	Medvite
		mequitazine	Mequitazine
		metamizole	Métamizole
		methylprednisolone	Methylprednisolone
		metopimazine	Metopimazine
		metronidazole	Metronidazole
		midazolam	Midazolam
		mixagrip	Mixagrip
		motilium	Motilium
		mucomyst	Mucomyst
		multivitamine	Multivitamin
		multivitamine_syrup	Multivitamin Syrup
		neo-codion	Neo-Codion
		neomycin	Neomycin
		nifuroxazide	Nifuroxazide
		nivaquine	Nivaquine
		novalgin	Novalgin
		nurupquin	Nurupquin
		nystatine	Nystatine
		oleandomycine	Oléandomycine
		onguent_antibiotique	Onguent antibiotique
		oracefal	Oracefal
		orasef_zinc	Orasef Zinc
		osmogel	Osmogel
		otipax	Otipax
		otrivine	Otrivine
		oxacilline	Oxacilline
		paidofebrile	Paidofebrile
		paidoterin	Paidoterin
		panadol	Panadol
		panalgic	Panalgic
		paracetamol	Paracetamol
		paracetamol_cetal	Paracetamol Cetal
		passedyl	Passedyl
		penicillin	Penicillin
		penicilline_onguent	Pénicilline onguent
		perfalgan	Perfalgan
		peridys	Peridys
		phenazone	Phénazone
		phenylpropanolamine	Phénylpropanolamine
		polydexa	Polydexa
		polymyxine	Polymyxine
		pommade_a_la_tetracycline	pommade à la tétracycline
		prednisone	Prednisone
		primalan	Primalan
		promethazine	Promethazine
		prorhinel_(benzododecinium)	Prorhinel (Benzododécinium)
		pseudoephedrine	Pseudoephedrine

CSCComPatientInterview

Field	Question	Answer
		quinimax Quinimax
		quinine Quinine
		quinine_injectable Quinine (injectable)
		quinine_tablet Quinine (tablet)
		radioselectan Radioselectan
		rhinathiol Rhinathiol
		royal_(chest-lung) Royal (Chest & Lung)
		salbutamol Salbutamol
		smecta Smecta
		smectites Smectites
		solu-medrol Solu-Medrol
		sro SRO
		sterimar Stérimar
		sudrex Sudrex
		sulfamethoxazol Sulfamethoxazol
		sulfur Sulfur
		synozole Synozole
		tao_(troleandomycin) TAO (troleandomycin)
		terpin_hydrate Terpin Hydrate
		terpine_codeine Terpine Codeine
		terpone_expectorant Terpone expectorant
		tetracycline_ointment Tetracycline Ointment
		theralene Theralene
		tres_orix Tres Orix
		trimebutine Trimébutine
		trimetabol Trimetabol
		uclaprim Uclaprim
		unasyn Unasyn
		valproate Valproate
		valproic_acid Valproic Acid
		vermin-dazol Vermin-Dazol
		verzol Verzol
		vinciseptil Vinciseptil
		vita_bebe Vita BeBe
		vitafer Vitafer
		vitamine_b Vitamine B
		vogalene Vogalene
		xylometazoline Xylométazoline
		zinc Zinc
		other Other
desc_othersnamemed5 (required)	Specify other drug/medication: <i>Question relevant when: selected(\${item5} , '1') and selected(\${typeitem5} , '1') and selected(\${namemed5} , 'other')</i>	

CSCComPatientInterview

Field	Question	Answer
equip5 <i>(required)</i>	Which is the equipment/material? Question relevant when: selected(\$(item5) , '1') and selected(\${typeitem5} , '2')	alcohol Alcohol
		bandage Bandage
		bande_de_pansement Dressing
		catheter_intraveineuse Intravenous catheter
		cotton Cotton
		compress Compress
		desinfectant Disinfectant
		epicranni Winged infusion set (scalp vein set, butterfly set)
		fluide_intraveineuse Intravenous fluid
		iodine Iodine
		infusion_IV_fluids Infusion
		perfuseur Perfuseur
		polyodoniodex Polyodon Iodex
		povidine-iodine Povidine iodine
		syringe Syringe
		serum_glucose Glucose serum
		serum_sale_(salin) Saline serum
desc_otherequip5 <i>(required)</i>	Specify other equipment/material: Question relevant when: selected(\$(item5) , '1') and selected(\${typeitem5} , '2') and selected(\$(equip5) , 'other')	other Other
purchaseditema5 <i>(required)</i>	Was [named5] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\$(item5) , '1') and selected(\${typeitem5} , '1') and not(selected(\${named5} , 'other')) and \${named5} != ""	1 Yes
		2 No
purchaseditemb5 <i>(required)</i>	Was [desc_othernamed5] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\$(item5) , '1') and selected(\${typeitem5} , '1') and selected(\${named5} , 'other')	1 Yes
		2 No
purchaseditemc5 <i>(required)</i>	Was [equip5] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\$(item5) , '1') and selected(\${typeitem5} , '2') and not(selected(\$(equip5) , 'other')) and \${equip5} != ""	1 Yes
		2 No
purchaseditemd5 <i>(required)</i>	Was [desc_otherequip5] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\$(item5) , '1') and selected(\${typeitem5} , '2') and selected(\$(equip5) , 'other')	1 Yes
		2 No
reasonnotbuyitema5 <i>(required)</i>	What is the main reason that you are not purchasing the [named5] at this CSCCom visit? Question relevant when: selected(\$(item5) , '1') and selected(\${typeitem5} , '1') and selected(\${purchaseditema5} , '2') and not(selected(\${named5} , 'other')) and \${named5} != ""	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other
reasonnotbuyitemb5 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_othernamed5] at this CSCCom visit? Question relevant when: selected(\$(item5) , '1') and selected(\${typeitem5} , '1') and selected(\${purchaseditemb5} , '2') and selected(\${named5} , 'other')	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other

CSCComPatientInterview

Field	Question	Answer	
reasonnotbuyitemc5 (required)	What is the main reason that you are not purchasing the [equip5] at this CSCCom visit? Question relevant when: selected(\$(item5), '1') and selected(\$(typeitem5), '2') and selected(\$(purchaseditemc5), '2') and not(selected(\$(equip5), 'other')) and \$(equip5) != ""	1	Out of stock at CSCCom pharmacy
		2	CSCCom pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
reasonnotbuyitemd5 (required)	What is the main reason that you are not purchasing the [desc_otherequip5] at this CSCCom visit? Question relevant when: selected(\$(item5), '1') and selected(\$(typeitem5), '2') and selected(\$(purchaseditemd5), '2') and selected(\$(equip5), 'other')	1	Out of stock at CSCCom pharmacy
		2	CSCCom pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
desc_othereasonnotbuy5 (required)	Specify the reason: Question relevant when: selected(\$(item5), '1') and (selected(\$(purchaseditema5), '2') or selected(\$(purchaseditemb5), '2') or selected(\$(purchaseditemc5), '2') or selected(\$(purchaseditemd5), '2')) and (selected(\$(reasonnotbuyitema5), '-97') or selected(\$(reasonnotbuyitemb5), '-97') or selected(\$(reasonnotbuyitemc5), '-97') or selected(\$(reasonnotbuyitemd5), '-97'))		
costitema5 (required)	What was the price paid for [named5]? Enter 0 for free items. Enter -99 if don't know. Question relevant when: selected(\$(item5), '1') and selected(\$(typeitem5), '1') and selected(\$(purchaseditema5), '1') and not(selected(\$(named5), 'other')) and \$(named5) != "" Response constrained to: (.>=0 and .<=50000) or .=-99		
costitemb5 (required)	What was the price paid for [desc_othernamed5]? Enter 0 for free items. Enter -99 if don't know. Question relevant when: selected(\$(item5), '1') and selected(\$(typeitem5), '1') and selected(\$(purchaseditemb5), '1') and selected(\$(named5), 'other') Response constrained to: (.>=0 and .<=50000) or .=-99		
costitemc5 (required)	What was the price paid for [equip5]? Enter 0 for free items. Enter -99 if don't know. Question relevant when: selected(\$(item5), '1') and selected(\$(typeitem5), '2') and selected(\$(purchaseditemc5), '1') and not(selected(\$(equip5), 'other')) and \$(equip5) != "" Response constrained to: (.>=0 and .<=50000) or .=-99		
costitemd5 (required)	What was the price paid for [desc_otherequip5]? Enter 0 for free items. Enter -99 if don't know. Question relevant when: selected(\$(item5), '1') and selected(\$(typeitem5), '2') and selected(\$(purchaseditemd5), '1') and selected(\$(equip5), 'other') Response constrained to: (.>=0 and .<=50000) or .=-99		
wouldpaiditema5 (required)	What was the price you would have paid for [named5] if you had bought it? Please enter in CFA. Enter -99 if don't know. Question relevant when: selected(\$(item5), '1') and selected(\$(typeitem5), '1') and selected(\$(purchaseditema5), '2') and not(selected(\$(named5), 'other')) and \$(named5) != "" Response constrained to: (.>=0 and .<=50000) or .=-99		
wouldpaiditemb5 (required)	What was the price you would have paid for [desc_othernamed5] if you had bought it? Please enter in CFA. Enter -99 if don't know. Question relevant when: selected(\$(item5), '1') and selected(\$(typeitem5), '1') and selected(\$(purchaseditemb5), '2') and selected(\$(named5), 'other') Response constrained to: (.>=0 and .<=50000) or .=-99		
item6 (required)	[Surveyor: Is there another item on the prescription slip?] Question relevant when: selected(\$(item5), '1')	1	Yes
		2	No
typeitem6 (required)	What is item 6 on the prescription slip? Question relevant when: selected(\$(item6), '1')	1	Drug/medication with known name
		2	Equipment/materials
named6 (required)	Which is the name of the drug/medication? Question relevant when: selected(\$(item6), '1') and selected(\$(typeitem6), '1')	acefylline_piperazine	Acéfylline pipérazine
		acefylline_piperazine-diphenhydramine-hcl	Acéfylline Piperazine+ Diphenydramine Hcl
		acetaminophene	Acétaminophène

Field	Question	Answer	acetaminophene_(para)-dextromethorphan-pseud.	Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine
			acetylcysteine	Acetylcysteine
			acetylsalicylic_acid	Acetylsalicylic acid
			acid_benzoique	Acide benzoïque
			acid_valproique	Acide valproïque
			actapulgit	Actapulgit
			actifed	Actifed
			albendazole	Albendazole
			alimemazine	Alimemazine
			allergosone	Allergosone
			almex	Almex
			ammonium_chloride	Ammonium Chloride
			amodiaquine	Amodiaquine
			amodix	Amodix
			amoquin	Amoquin
			amoxicillin	Amoxicillin
			amoxicilline-cla	Amoxicilline + Cla
			amoxitem	Amoxitem
			ampicilline	Ampicilline
			analgin	Analgin
			antipy_benzo_otc_sol	Antipy Benzo Otic Sol
			antropine	Antropine
			arcet	Arcet
			artefan	Artefan
			artemether	Artemether
			artemether_injectable	Artemether (injectable)
			artemether_tablet	Artemether (tablet)
			artemether-lumefantrine	Artemether + Lumefantrine
			artemether-lumefantrine_injectable	Artemether + Lumefantrine (injectable)
			artemether-lumefantrine_tablet	Artemether + Lumefantrine (tablet)
			artesunate	Artesunate
			artesunate_injectable	Artesunate (injectable)
			artesunate_tablet	Artesunate (tablet)
			asa	ASA
			aspegic	Aspegic
			aspirin	Aspirin
			atropine	Atropine
			attapulgit	Attapulgit
			augmentine	Augmentine
			aureomycine	Aureomycine
			azithromycin	Azithromycin
			bactopoumon	Bactopoumon
			bactox	Bactox
			benadryl	Benadryl
			benzaote	Benzaote
			benzocaine	Benzocaine
			benzododecinium	Benzododecinium
			benzoic_acid	Benzoic Acid
			betadine	Betadine
			biafine	Biafine
			biakof	Biakof
			binozyt	Binozyt
			broncoxil	Broncoxil
			bronquidiazina	Bronquidiazina
			brufen	Brufen
			brumed	Brumed
			cac_1000	CAC 1000 sandoz
			caflam	Caflam

Field	Question	Answer
		camoquin
		Carbetux
		carbocisteine
		Cataflam
		Cedrox
		Cefadroxil
		Cefixime
		Ceftriaxone
		Celestene
		chloropyramine
		Chloroquine
		Chlorphenamine
		Chlortetracycline
		Ciprofloxacin
		Cipronat
		Clamoxyl
		Cloperastine
		Clotrimazole
		Coartem
		Codeine
		Collu-Hextril
		Combiart
		Combiart adult
		Cotrimoxazol (Trimoprim)
		CTA Adolescent
		CTA Adulte
		CTA Enfant
		Cyproheptadine
		Debridat
		Depakine
		Dexamethasone
		Dextromethorphan
		Diazole
		Diclofenac
		Diclopara
		Diosmectite
		Diphénhydramine
		Diphénoxylate
		Doliprane
		Dolotab
		Domperidone
		Dysentéral
		Efferalgan
		Ercefuryl
		Erycin
		Erythromycin
		Febrilex
		Fer + acide folique
		Fercefol
		Flagyl
		Fluazol
		Fluconazole
		Fluditec
		Fluoxine
		Gastrosédal
		Gentamycin
		Grippex
		Hépatisane
		Hexachlorophène
		Hexétidine
		Huile goménolée adulte (H-goménolée adulte)
		Ibugesic

Field	Question	Answer	
		ibuprofen	Ibuprofen
		ibusix	Ibusix
		iron_and_folic_acid	Iron and Folic Acid
		keneyaji	Keneyaji
		kva_sulf	Kva Sulf
		laxa_cassia	Laxa Cassia
		letalín_expectorant	Letalin Expectorant
		letap_paracetamol	Letap Paracetamol
		letaplex	Letaplex
		lidocaine	Lidocaine
		litacold	Litacold
		lymphshamei	Ly Mphshamei
		madar	Madar
		malacur	Malacur
		mebendazole	Mebendazole
		medvite	Medvite
		mequitazine	Mequitazine
		metamizole	Métamizole
		methylprednisolone	Methylprednisolone
		metopimazine	Metopimazine
		metronidazole	Metronidazole
		midazolam	Midazolam
		mixagrip	Mixagrip
		motilium	Motilium
		mucomyst	Mucomyst
		multivitamine	Multivitamin
		multivitamine_syrup	Multivitamin Syrup
		neo-codion	Neo-Codion
		neomycin	Neomycin
		nifuroxazide	Nifuroxazide
		nivaquine	Nivaquine
		novalgin	Novalgin
		nurupquin	Nurupquin
		nystatine	Nystatine
		oleandomycine	Oléandomycine
		onguent_antibiotique	Onguent antibiotique
		oracefal	Oracefal
		oraseal_zinc	Oraseal Zinc
		osmogel	Osmogel
		otipax	Otipax
		otrivine	Otrivine
		oxacilline	Oxacilline
		paidofebrile	Paidofebrile
		paidoterin	Paidoterin
		panadol	Panadol
		panalgic	Panalgic
		paracetamol	Paracetamol
		paracetamol_cetal	Paracetamol Cetal
		passedyl	Passedyl
		penicillin	Penicillin
		penicilline_onguent	Pénicilline onguent
		perfalgan	Perfalgan
		peridys	Peridys
		phenazone	Phénazone
		phenylpropanolamine	Phénylpropanolamine
		polydexa	Polydexa
		polymyxine	Polymyxine
		pommade_a_la_tetracycline	pommade à la tétracycline
		prednisone	Prednisone
		primalan	Primalan
		promethazine	Promethazine
		prorhinel_(benzododecinium)	Prorhinel (Benzododécinium)
		pseudoephedrine	Pseudoephedrine

CSCComPatientInterview

Field	Question	Answer
		quinimax Quinimax
		quinine Quinine
		quinine_injectable Quinine (injectable)
		quinine_tablet Quinine (tablet)
		radioselectan Radioselectan
		rhinathiol Rhinathiol
		royal_(chest-lung) Royal (Chest & Lung)
		salbutamol Salbutamol
		smecta Smecta
		smectites Smectites
		solu-medrol Solu-Medrol
		sro SRO
		sterimar Stérimar
		sudrex Sudrex
		sulfamethoxazol Sulfamethoxazol
		sulfur Sulfur
		synozole Synozole
		tao_(troleandomycin) TAO (troleandomycin)
		terpin_hydrate Terpin Hydrate
		terpine_codeine Terpine Codeine
		terpone_expectorant Terpone expectorant
		tetracycline_ointment Tetracycline Ointment
		theralene Theralene
		tres_orix Tres Orix
		trimebutine Trimébutine
		trimetabol Trimetabol
		uclaprim Uclaprim
		unasyn Unasyn
		valproate Valproate
		valproic_acid Valproic Acid
		vermin-dazol Vermin-Dazol
		verzol Verzol
		vinciseptil Vinciseptil
		vita_bebe Vita BeBe
		vitafer Vitafer
		vitamine_b Vitamine B
		vogalene Vogalene
		xylometazoline Xylométazoline
		zinc Zinc
		other Other
desc_othersnamed6 (required)	Specify other drug/medication: <i>Question relevant when: selected(\${item6} , '1') and selected(\${typeitem6} , '1') and selected(\${named6} , 'other')</i>	

CSCComPatientInterview

Field	Question	Answer
equip6 <i>(required)</i>	Which is the equipment/material? Question relevant when: selected(\${item6} , '1') and selected(\${typeitem6} , '2')	alcohol Alcohol
		bandage Bandage
		bande_de_pansement Dressing
		catheter_intraveineuse Intravenous catheter
		cotton Cotton
		compress Compress
		desinfectant Disinfectant
		epicranni Winged infusion set (scalp vein set, butterfly set)
		fluide_intraveineuse Intravenous fluid
		iodine Iodine
		infusion_IV_fluids Infusion
		perfuseur Perfuseur
		polyodoniodex Polyodon Iodex
		povidine-iodine Povidine iodine
		syringe Syringe
		serum_glucose Glucose serum
		serum_sale_(salin) Saline serum
desc_otherequip6 <i>(required)</i>	Specify other equipment/material: Question relevant when: selected(\${item6} , '1') and selected(\${typeitem6} , '2') and selected(\${equip6} , 'other')	other Other
purchaseditema6 <i>(required)</i>	Was [named6] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item6} , '1') and selected(\${typeitem6} , '1') and not(selected(\${named6} , 'other')) and \${named6} != ""	1 Yes
		2 No
purchaseditemb6 <i>(required)</i>	Was [desc_othernamed6] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item6} , '1') and selected(\${typeitem6} , '1') and selected(\${named6} , 'other')	1 Yes
		2 No
purchaseditemc6 <i>(required)</i>	Was [equip6] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item6} , '1') and selected(\${typeitem6} , '2') and not(selected(\${equip6} , 'other')) and \${equip6} != ""	1 Yes
		2 No
purchaseditemd6 <i>(required)</i>	Was [desc_otherequip6] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item6} , '1') and selected(\${typeitem6} , '2') and selected(\${equip6} , 'other')	1 Yes
		2 No
reasonnotbuyitema6 <i>(required)</i>	What is the main reason that you are not purchasing the [named6] at this CSCCom visit? Question relevant when: selected(\${item6} , '1') and selected(\${typeitem6} , '1') and selected(\${purchaseditema6} , '2') and not(selected(\${named6} , 'other')) and \${named6} != ""	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other
reasonnotbuyitemb6 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_othernamed6] at this CSCCom visit? Question relevant when: selected(\${item6} , '1') and selected(\${typeitem6} , '1') and selected(\${purchaseditemb6} , '2') and selected(\${named6} , 'other')	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other

CSCoPatientInterview

Field	Question	Answer	
reasonnotbuyitemc6 (required)	What is the main reason that you are not purchasing the [equip6] at this CScCom visit? <i>Question relevant when: selected(\$(item6) , '1') and selected(\$(typeitem6) , '2') and selected(\$(purchaseditemc6) , '2') and not(selected(\$(equip6) , 'other')) and \$(equip6) != ""</i>	1	Out of stock at CScCom pharmacy
		2	CScCom pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
reasonnotbuyitemd6 (required)	What is the main reason that you are not purchasing the [desc_otherequip6] at this CScCom visit? <i>Question relevant when: selected(\$(item6) , '1') and selected(\$(typeitem6) , '2') and selected(\$(purchaseditemd6) , '2') and selected(\$(equip6) , 'other')</i>	1	Out of stock at CScCom pharmacy
		2	CScCom pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
desc_othereasonnotbuy6 (required)	Specify the reason: <i>Question relevant when: selected(\$(item6) , '1') and (selected(\$(purchaseditema6) , '2') or selected(\$(purchaseditemb6) , '2') or selected(\$(purchaseditemc6) , '2') or selected(\$(purchaseditemd6) , '2')) and (selected(\$(reasonnotbuyitema6) , '-97') or selected(\$(reasonnotbuyitemb6) , '-97') or selected(\$(reasonnotbuyitemc6) , '-97') or selected(\$(reasonnotbuyitemd6) , '-97'))</i>		
costitema6 (required)	What was the price paid for [namem6]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\$(item6) , '1') and selected(\$(typeitem6) , '1') and selected(\$(purchaseditema6) , '1') and not(selected(\$(namem6) , 'other')) and \$(namem6) != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
costitemb6 (required)	What was the price paid for [desc_othernamem6]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\$(item6) , '1') and selected(\$(typeitem6) , '1') and selected(\$(purchaseditemb6) , '1') and selected(\$(namem6) , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
costitemc6 (required)	What was the price paid for [equip6]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\$(item6) , '1') and selected(\$(typeitem6) , '2') and selected(\$(purchaseditemc6) , '1') and not(selected(\$(equip6) , 'other')) and \$(equip6) != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
costitemd6 (required)	What was the price paid for [desc_otherequip6]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\$(item6) , '1') and selected(\$(typeitem6) , '2') and selected(\$(purchaseditemd6) , '1') and selected(\$(equip6) , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
wouldpaiditema6 (required)	What was the price you would have paid for [namem6] if you had bought it? <i>Please enter in CFA. Enter -99 if don't know.</i> <i>Question relevant when: selected(\$(item6) , '1') and selected(\$(typeitem6) , '1') and selected(\$(purchaseditema6) , '2') and not(selected(\$(namem6) , 'other')) and \$(namem6) != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
wouldpaiditemb6 (required)	What was the price you would have paid for [desc_othernamem6] if you had bought it? <i>Please enter in CFA. Enter -99 if don't know.</i> <i>Question relevant when: selected(\$(item6) , '1') and selected(\$(typeitem6) , '1') and selected(\$(purchaseditemb6) , '2') and selected(\$(namem6) , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
item7 (required)	[Surveyor: Is there another item on the prescription slip?] <i>Question relevant when: selected(\$(item6) , '1')</i>	1	Yes
		2	No
typeitem7 (required)	What is item 7 on the prescription slip? <i>Question relevant when: selected(\$(item7) , '1')</i>	1	Drug/medication with known name
		2	Equipment/materials
namem7 (required)	Which is the name of the drug/medication? <i>Question relevant when: selected(\$(item7) , '1') and selected(\$(typeitem7) , '1')</i>	acefylline_piperazine	Acéfylline pipérazine
		acefylline_piperazine-diphenydramine-hcl	Acéfylline Piperazine+ Diphenydramine Hcl
		acetaminophene	Acétaminophène

Field	Question	Answer	acetaminophene_(para)- dextromethorphan-pseud.	Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine
			acetylcysteine	Acetylcysteine
			acetylsalicylic_acid	Acetylsalicylic acid
			acid_benzoïque	Acide benzoïque
			acid_valproïque	Acide valproïque
			actapulgit	Actapulgit
			actifed	Actifed
			albendazole	Albendazole
			alimemazine	Alimemazine
			allergosone	Allergosone
			almex	Almex
			ammonium_chloride	Ammonium Chloride
			amodiaquine	Amodiaquine
			amodix	Amodix
			amoquin	Amoquin
			amoxicillin	Amoxicillin
			amoxicilline-cla	Amoxicilline + Cla
			amoxitem	Amoxitem
			ampicilline	Ampicilline
			analgin	Analgin
			antipy_benzo_otic_sol	Antipy Benzo Otic Sol
			antropine	Antropine
			arcet	Arcet
			artefan	Artefan
			artemether	Artemether
			artemether_injectable	Artemether (injectable)
			artemether_tablet	Artemether (tablet)
			artemether-lumefantrine	Artemether + Lumefantrine
			artemether-lumefantrine_injectable	Artemether + Lumefantrine (injectable)
			artemether-lumefantrine_tablet	Artemether + Lumefantrine (tablet)
			artesonate	Artesunate
			artesonate_injectable	Artesunate (injectable)
			artesonate_tablet	Artesunate (tablet)
			asa	ASA
			aspegic	Aspegic
			aspirin	Aspirin
			atropine	Atropine
			attapulgit	Attapulgit
			augmentine	Augmentine
			aureomycine	Aureomycine
			azithromycin	Azithromycin
			bactopoumon	Bactopoumon
			bactox	Bactox
			benadryl	Benadryl
			benzaote	Benzaote
			benzocaine	Benzocaine
			benzododecinium	Benzododecinium
			benzoic_acid	Benzoic Acid
			betadine	Betadine
			biafine	Biafine
			biakof	Biakof
			binozyt	Binozyt
			broncoxil	Broncoxil
			bronquidiazina	Bronquidiazina
			brufen	Brufen
			brumed	Brumed
			cac_1000	CAC 1000 sandoz
			caflam	Caflam

Field	Question	Answer
		camoquin
		Carbetux
		carbocisteine
		Cataflam
		Cedrox
		Cefadroxil
		Cefixime
		Ceftriaxone
		Celestene
		chloropyramine
		Chloroquine
		Chlorphenamine
		Chlortetracycline
		Ciprofloxacin
		Cipronat
		Clamoxyl
		Cloperastine
		Clotrimazole
		Coartem
		Codeine
		Collu-Hextril
		Combiart
		Combiart adult
		Cotrimoxazol (Trimoprim)
		CTA Adolescent
		CTA Adulte
		CTA Enfant
		Cyproheptadine
		Debridat
		Depakine
		Dexamethasone
		Dextromethorphan
		Diazole
		Diclofenac
		Diclopara
		Diosmectite
		Diphénhydramine
		Diphénoxylate
		Doliprane
		Dolotab
		Domperidone
		Dysentéral
		Efferalgan
		Ercefuryl
		Erycin
		Erythromycin
		Febrilex
		Fer + acide folique
		Fercefol
		Flagyl
		Fluazol
		Fluconazole
		Fluditec
		Fluoxine
		Gastrosédal
		Gentamycin
		Grippex
		Hépatisane
		Hexachlorophène
		Hexétidine
		Huile goménolée adulte (H-goménolée adulte)
		Ibugesic

Field	Question	Answer	
		ibuprofen	Ibuprofen
		ibusix	Ibusix
		iron_and_folic_acid	Iron and Folic Acid
		keneyaji	Keneyaji
		kva_sulf	Kva Sulf
		laxa_cassia	Laxa Cassia
		letalín_expectorant	Letalin Expectorant
		letap_paracetamol	Letap Paracetamol
		letaplex	Letaplex
		lidocaine	Lidocaine
		litacold	Litacold
		lymphshamei	Ly Mphshamei
		madar	Madar
		malacur	Malacur
		mebendazole	Mebendazole
		medvite	Medvite
		mequitazine	Mequitazine
		metamizole	Métamizole
		methylprednisolone	Methylprednisolone
		metopimazine	Metopimazine
		metronidazole	Metronidazole
		midazolam	Midazolam
		mixagrip	Mixagrip
		motilium	Motilium
		mucomyst	Mucomyst
		multivitamine	Multivitamin
		multivitamine_syrup	Multivitamin Syrup
		neo-codion	Neo-Codion
		neomycin	Neomycin
		nifuroxazide	Nifuroxazide
		nivaquine	Nivaquine
		novalgin	Novalgin
		nurupquin	Nurupquin
		nystatine	Nystatine
		oleandomycine	Oléandomycine
		onguent_antibiotique	Onguent antibiotique
		oracefal	Oracefal
		orasef_zinc	Orasef Zinc
		osmogel	Osmogel
		otipax	Otipax
		otrivine	Otrivine
		oxacilline	Oxacilline
		paidofebrile	Paidofebrile
		paidoterin	Paidoterin
		panadol	Panadol
		panalgic	Panalgic
		paracetamol	Paracetamol
		paracetamol_cetal	Paracetamol Cetal
		passedyl	Passedyl
		penicillin	Penicillin
		penicilline_onguent	Pénicilline onguent
		perfalgan	Perfalgan
		peridys	Peridys
		phenazone	Phénazone
		phenylpropanolamine	Phénylpropanolamine
		polydexa	Polydexa
		polymyxine	Polymyxine
		pommade_a_la_tetracycline	pommade à la tétracycline
		prednisone	Prednisone
		primalan	Primalan
		promethazine	Promethazine
		prorhinel_(benzododecinium)	Prorhinel (Benzododécinium)
		pseudoephedrine	Pseudoephedrine

CSCComPatientInterview

Field	Question	Answer
		quinimax Quinimax
		quinine Quinine
		quinine_injectable Quinine (injectable)
		quinine_tablet Quinine (tablet)
		radioselectan Radioselectan
		rhinathiol Rhinathiol
		royal_(chest-lung) Royal (Chest & Lung)
		salbutamol Salbutamol
		smecta Smecta
		smectites Smectites
		solu-medrol Solu-Medrol
		sro SRO
		sterimar Stérimar
		sudrex Sudrex
		sulfamethoxazol Sulfamethoxazol
		sulfur Sulfur
		synozole Synozole
		tao_(troleandomycin) TAO (troleandomycin)
		terpin_hydrate Terpin Hydrate
		terpine_codeine Terpine Codeine
		terpone_expectorant Terpone expectorant
		tetracycline_oointment Tetracycline Ointment
		theralene Theralene
		tres_orix Tres Orix
		trimebutine Trimébutine
		trimetabol Trimetabol
		uclaprim Uclaprim
		unasyn Unasyn
		valproate Valproate
		valproic_acid Valproic Acid
		vermin-dazol Vermin-Dazol
		verzol Verzol
		vinciseptil Vinciseptil
		vita_bebe Vita BeBe
		vitafer Vitafer
		vitamine_b Vitamine B
		vogalene Vogalene
		xylometazoline Xylométazoline
		zinc Zinc
		other Other
desc_othersnamed7 <i>(required)</i>	Specify other drug/medication: <i>Question relevant when: selected(\${item7} , '1') and selected(\${typeitem7} , '1') and selected(\${named7} , 'other')</i>	

CSCComPatientInterview

Field	Question	Answer
equip7 <i>(required)</i>	Which is the equipment/material? Question relevant when: selected(\${item7} , '1') and selected(\${typeitem7} , '2')	alcohol Alcohol
		bandage Bandage
		bande_de_pansement Dressing
		catheter_intraveineuse Intravenous catheter
		cotton Cotton
		compress Compress
		desinfectant Disinfectant
		epicranni Winged infusion set (scalp vein set, butterfly set)
		fluide_intraveineuse Intravenous fluid
		iodine Iodine
		infusion_IV_fluids Infusion
		perfuseur Perfuseur
		polyodoniodex Polyodon Iodex
		povidine-iodine Povidine iodine
		syringe Syringe
		serum_glucose Glucose serum
		serum_sale_(salin) Saline serum
desc_otherequip7 <i>(required)</i>	Specify other equipment/material: Question relevant when: selected(\${item7} , '1') and selected(\${typeitem7} , '2') and selected(\${equip7} , 'other')	
purchaseditema7 <i>(required)</i>	Was [named7] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item7} , '1') and selected(\${typeitem7} , '1') and not(selected(\${named7} , 'other')) and \${named7} != ""	1 Yes
		2 No
purchaseditemb7 <i>(required)</i>	Was [desc_othernamed7] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item7} , '1') and selected(\${typeitem7} , '1') and selected(\${named7} , 'other')	1 Yes
		2 No
purchaseditemc7 <i>(required)</i>	Was [equip7] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item7} , '1') and selected(\${typeitem7} , '2') and not(selected(\${equip7} , 'other')) and \${equip7} != ""	1 Yes
		2 No
purchaseditemd7 <i>(required)</i>	Was [desc_otherequip7] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item7} , '1') and selected(\${typeitem7} , '2') and selected(\${equip7} , 'other')	1 Yes
		2 No
reasonnotbuyitema7 <i>(required)</i>	What is the main reason that you are not purchasing the [named7] at this CSCCom visit? Question relevant when: selected(\${item7} , '1') and selected(\${typeitem7} , '1') and selected(\${purchaseditema7} , '2') and not(selected(\${named7} , 'other')) and \${named7} != ""	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other
reasonnotbuyitemb7 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_othernamed7] at this CSCCom visit? Question relevant when: selected(\${item7} , '1') and selected(\${typeitem7} , '1') and selected(\${purchaseditemb7} , '2') and selected(\${named7} , 'other')	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other

CSCoPatientInterview

Field	Question	Answer	
reasonnotbuyitemc7 (required)	What is the main reason that you are not purchasing the [equip7] at this CScCom visit? Question relevant when: selected(\${item7} , '1') and selected(\${typeitem7} , '2') and selected(\${purchaseditemc7} , '2') and not(selected(\${equip7} , 'other')) and \${equip7} != ""	1	Out of stock at CScCom pharmacy
		2	CScCom pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
reasonnotbuyitemd7 (required)	What is the main reason that you are not purchasing the [desc_otherequip7] at this CScCom visit? Question relevant when: selected(\${item7} , '1') and selected(\${typeitem7} , '2') and selected(\${purchaseditemd7} , '2') and selected(\${equip7} , 'other')	1	Out of stock at CScCom pharmacy
		2	CScCom pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
desc_othereasonnotbuy7 (required)	Specify the reason: Question relevant when: selected(\${item7} , '1') and (selected(\${purchaseditema7} , '2') or selected(\${purchaseditemb7} , '2') or selected(\${purchaseditemc7} , '2') or selected(\${purchaseditemd7} , '2')) and (selected(\${reasonnotbuyitema7} , '-97') or selected(\${reasonnotbuyitemb7} , '-97') or selected(\${reasonnotbuyitemc7} , '-97') or selected(\${reasonnotbuyitemd7} , '-97'))		
costitema7 (required)	What was the price paid for [named7]? Enter 0 for free items. Enter -99 if don't know. Question relevant when: selected(\${item7} , '1') and selected(\${typeitem7} , '1') and selected(\${purchaseditema7} , '1') and not(selected(\${named7} , 'other')) and \${named7} != "" Response constrained to: (.>=0 and .<=50000) or .=-99		
costitemb7 (required)	What was the price paid for [desc_othernamem7]? Enter 0 for free items. Enter -99 if don't know. Question relevant when: selected(\${item7} , '1') and selected(\${typeitem7} , '1') and selected(\${purchaseditemb7} , '1') and selected(\${named7} , 'other') Response constrained to: (.>=0 and .<=50000) or .=-99		
costitemc7 (required)	What was the price paid for [equip7]? Enter 0 for free items. Enter -99 if don't know. Question relevant when: selected(\${item7} , '1') and selected(\${typeitem7} , '2') and selected(\${purchaseditemc7} , '1') and not(selected(\${equip7} , 'other')) and \${equip7} != "" Response constrained to: (.>=0 and .<=50000) or .=-99		
costitemd7 (required)	What was the price paid for [desc_otherequip7]? Enter 0 for free items. Enter -99 if don't know. Question relevant when: selected(\${item7} , '1') and selected(\${typeitem7} , '2') and selected(\${purchaseditemd7} , '1') and selected(\${equip7} , 'other') Response constrained to: (.>=0 and .<=50000) or .=-99		
wouldpaiditema7 (required)	What was the price you would have paid for [named7] if you had bought it? Please enter in CFA. Enter -99 if don't know. Question relevant when: selected(\${item7} , '1') and selected(\${typeitem7} , '1') and selected(\${purchaseditema7} , '2') and not(selected(\${named7} , 'other')) and \${named7} != "" Response constrained to: (.>=0 and .<=50000) or .=-99		
wouldpaiditemb7 (required)	What was the price you would have paid for [desc_othernamem7] if you had bought it? Please enter in CFA. Enter -99 if don't know. Question relevant when: selected(\${item7} , '1') and selected(\${typeitem7} , '1') and selected(\${purchaseditemb7} , '2') and selected(\${named7} , 'other') Response constrained to: (.>=0 and .<=50000) or .=-99		
item8 (required)	[Surveyor: Is there another item on the prescription slip?] Question relevant when: selected(\${item7} , '1')	1	Yes
		2	No
typeitem8 (required)	What is item 8 on the prescription slip? Question relevant when: selected(\${item8} , '1')	1	Drug/medication with known name
		2	Equipment/materials
named8 (required)	Which is the name of the drug/medication? Question relevant when: selected(\${item8} , '1') and selected(\${typeitem8} , '1')	acefylline_piperazine	Acéfylline pipérazine
		acefylline_piperazine-diphenydramine-hcl	Acéfylline Piperazine+ Diphenydramine Hcl
		acetaminophene	Acétaminophène

Field	Question	Answer	acetaminophene_(para)-dextromethorphan-pseud.	Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine
			acetylcysteine	Acetylcysteine
			acetylsalicylic_acid	Acetylsalicylic acid
			acid_benzoique	Acide benzoïque
			acid_valproique	Acide valproïque
			actapulgit	Actapulgit
			actifed	Actifed
			albendazole	Albendazole
			alimemazine	Alimemazine
			allergosone	Allergosone
			almex	Almex
			ammonium_chloride	Ammonium Chloride
			amodiaquine	Amodiaquine
			amodix	Amodix
			amoquin	Amoquin
			amoxicillin	Amoxicillin
			amoxicilline-cla	Amoxicilline + Cla
			amoxitem	Amoxitem
			ampicilline	Ampicilline
			analgin	Analgin
			antipy_benzo_otic_sol	Antipy Benzo Otic Sol
			antropine	Antropine
			arcet	Arcet
			artefan	Artefan
			artemether	Artemether
			artemether_injectable	Artemether (injectable)
			artemether_tablet	Artemether (tablet)
			artemether-lumefantrine	Artemether + Lumefantrine
			artemether-lumefantrine_injectable	Artemether + Lumefantrine (injectable)
			artemether-lumefantrine_tablet	Artemether + Lumefantrine (tablet)
			artesunate	Artesunate
			artesunate_injectable	Artesunate (injectable)
			artesunate_tablet	Artesunate (tablet)
			asa	ASA
			aspegic	Aspegic
			aspirin	Aspirin
			atropine	Atropine
			attapulgit	Attapulgit
			augmentine	Augmentine
			aureomycine	Aureomycine
			azithromycin	Azithromycin
			bactopoumon	Bactopoumon
			bactox	Bactox
			benadryl	Benadryl
			benzaote	Benzaote
			benzocaine	Benzocaine
			benzododecinium	Benzododecinium
			benzoic_acid	Benzoic Acid
			betadine	Betadine
			biafine	Biafine
			biakof	Biakof
			binozyt	Binozyt
			broncoxil	Broncoxil
			bronquidiazina	Bronquidiazina
			brufen	Brufen
			brumed	Brumed
			cac_1000	CAC 1000 sandoz
			caflam	Caflam

Field	Question	Answer
		camoquin
		Carbetux
		carbocisteine
		Cataflam
		Cedrox
		Cefadroxil
		Cefixime
		Ceftriaxone
		Celestene
		chloropyramine
		Chloroquine
		Chlorphenamine
		Chlortetracycline
		Ciprofloxacin
		Cipronat
		Clamoxyl
		Cloperastine
		Clotrimazole
		Coartem
		Codeine
		Collu-Hextril
		Combiart
		Combiart adult
		Cotrimoxazol (Trimoprim)
		CTA Adolescent
		CTA Adulte
		CTA Enfant
		Cyproheptadine
		Debridat
		Depakine
		Dexamethasone
		Dextromethorphan
		Diazole
		Diclofenac
		Diclopara
		Diosmectite
		Diphénhydramine
		Diphénoxylate
		Doliprane
		Dolotab
		Domperidone
		Dysentéral
		Efferalgan
		Ercefuryl
		Erycin
		Erythromycin
		Febrilex
		Fer + acide folique
		Fercefol
		Flagyl
		Fluazol
		Fluconazole
		Fluditec
		Fluoxine
		Gastrosédal
		Gentamycin
		Grippex
		Hépatisane
		Hexachlorophène
		Hexétidine
		Huile goménolée adulte (H-goménolée adulte)
		Ibugesic

Field	Question	Answer	
		ibuprofen	Ibuprofen
		ibusix	Ibusix
		iron_and_folic_acid	Iron and Folic Acid
		keneyaji	Keneyaji
		kva_sulf	Kva Sulf
		laxa_cassia	Laxa Cassia
		letalín_expectorant	Letalin Expectorant
		letap_paracetamol	Letap Paracetamol
		letaplex	Letaplex
		lidocaine	Lidocaine
		litacold	Litacold
		lymphshamei	Ly Mphshamei
		madar	Madar
		malacur	Malacur
		mebendazole	Mebendazole
		medvite	Medvite
		mequitazine	Mequitazine
		metamizole	Métamizole
		methylprednisolone	Methylprednisolone
		metopimazine	Metopimazine
		metronidazole	Metronidazole
		midazolam	Midazolam
		mixagrip	Mixagrip
		motilium	Motilium
		mucomyst	Mucomyst
		multivitamine	Multivitamin
		multivitamine_syrup	Multivitamin Syrup
		neo-codion	Neo-Codion
		neomycin	Neomycin
		nifuroxazide	Nifuroxazide
		nivaquine	Nivaquine
		novalgin	Novalgin
		nurupquin	Nurupquin
		nystatine	Nystatine
		oleandomycine	Oléandomycine
		onguent_antibiotique	Onguent antibiotique
		oracefal	Oracefal
		oraseal_zinc	Oraseal Zinc
		osmogel	Osmogel
		otipax	Otipax
		otrivine	Otrivine
		oxacilline	Oxacilline
		paidofebrile	Paidofebrile
		paidoterin	Paidoterin
		panadol	Panadol
		panalgic	Panalgic
		paracetamol	Paracetamol
		paracetamol_cetal	Paracetamol Cetal
		passedyl	Passedyl
		penicillin	Penicillin
		penicilline_onguent	Pénicilline onguent
		perfalgan	Perfalgan
		peridys	Peridys
		phenazone	Phénazone
		phenylpropanolamine	Phénylpropanolamine
		polydexa	Polydexa
		polymyxine	Polymyxine
		pommade_a_la_tetracycline	pommade à la tétracycline
		prednisone	Prednisone
		primalan	Primalan
		promethazine	Promethazine
		prorhinel_(benzododecinium)	Prorhinel (Benzododécinium)
		pseudoephedrine	Pseudoephedrine

CSCComPatientInterview

Field	Question	Answer
		quinimax Quinimax
		quinine Quinine
		quinine_injectable Quinine (injectable)
		quinine_tablet Quinine (tablet)
		radioselectan Radioselectan
		rhinathiol Rhinathiol
		royal_(chest-lung) Royal (Chest & Lung)
		salbutamol Salbutamol
		smecta Smecta
		smectites Smectites
		solu-medrol Solu-Medrol
		sro SRO
		sterimar Stérimar
		sudrex Sudrex
		sulfamethoxazol Sulfamethoxazol
		sulfur Sulfur
		synozole Synozole
		tao_(troleandomycin) TAO (troleandomycin)
		terpin_hydrate Terpin Hydrate
		terpine_codeine Terpine Codeine
		terpone_expectorant Terpone expectorant
		tetracycline_ointment Tetracycline Ointment
		theralene Theralene
		tres_orix Tres Orix
		trimebutine Trimébutine
		trimetabol Trimetabol
		uclaprim Uclaprim
		unasyn Unasyn
		valproate Valproate
		valproic_acid Valproic Acid
		vermin-dazol Vermin-Dazol
		verzol Verzol
		vinciseptil Vinciseptil
		vita_bebe Vita BeBe
		vitafer Vitafer
		vitamine_b Vitamine B
		vogalene Vogalene
		xylometazoline Xylométazoline
		zinc Zinc
		other Other
desc_othersnamed8 <i>(required)</i>	Specify other drug/medication: <i>Question relevant when: selected(\${item8} , '1') and selected(\${typeitem8} , '1') and selected(\${named8} , 'other')</i>	

CSCComPatientInterview

Field	Question	Answer
equip8 <i>(required)</i>	Which is the equipment/material? Question relevant when: selected(\${item8} , '1') and selected(\${typeitem8} , '2')	alcohol Alcohol
		bandage Bandage
		bande_de_pansement Dressing
		catheter_intraveineuse Intravenous catheter
		cotton Cotton
		compress Compress
		desinfectant Disinfectant
		epicranni Winged infusion set (scalp vein set, butterfly set)
		fluide_intraveineuse Intravenous fluid
		iodine Iodine
		infusion_IV_fluids Infusion
		perfuseur Perfuseur
		polyodoniodex Polyodon Iodex
		povidine-iodine Povidine iodine
		syringe Syringe
		serum_glucose Glucose serum
		serum_sale_(salin) Saline serum
desc_otherequip8 <i>(required)</i>	Specify other equipment/material: Question relevant when: selected(\${item8} , '1') and selected(\${typeitem8} , '2') and selected(\${equip8} , 'other')	
purchaseditema8 <i>(required)</i>	Was [named8] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item8} , '1') and selected(\${typeitem8} , '1') and not(selected(\${named8} , 'other')) and \${named8} != ""	1 Yes
		2 No
purchaseditemb8 <i>(required)</i>	Was [desc_othernamed8] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item8} , '1') and selected(\${typeitem8} , '1') and selected(\${named8} , 'other')	1 Yes
		2 No
purchaseditemc8 <i>(required)</i>	Was [equip8] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item8} , '1') and selected(\${typeitem8} , '2') and not(selected(\${equip8} , 'other')) and \${equip8} != ""	1 Yes
		2 No
purchaseditemd8 <i>(required)</i>	Was [desc_otherequip8] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item8} , '1') and selected(\${typeitem8} , '2') and selected(\${equip8} , 'other')	1 Yes
		2 No
reasonnotbuyitema8 <i>(required)</i>	What is the main reason that you are not purchasing the [named8] at this CSCCom visit? Question relevant when: selected(\${item8} , '1') and selected(\${typeitem8} , '1') and selected(\${purchaseditema8} , '2') and not(selected(\${named8} , 'other')) and \${named8} != ""	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other
reasonnotbuyitemb8 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_othernamed8] at this CSCCom visit? Question relevant when: selected(\${item8} , '1') and selected(\${typeitem8} , '1') and selected(\${purchaseditemb8} , '2') and selected(\${named8} , 'other')	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other

CSCoPatientInterview

Field	Question	Answer	
reasonnotbuyitemc8 <i>(required)</i>	What is the main reason that you are not purchasing the [equip8] at this CScCom visit? <i>Question relevant when: selected(\${item8} , '1') and selected(\${typeitem8} , '2') and selected(\${purchaseditemc8} , '2') and not(selected(\${equip8} , 'other')) and \${equip8} != ""</i>	1	Out of stock at CScCom pharmacy
		2	CScCom pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
reasonnotbuyitemd8 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_otherequip8] at this CScCom visit? <i>Question relevant when: selected(\${item8} , '1') and selected(\${typeitem8} , '2') and selected(\${purchaseditemd8} , '2') and selected(\${equip8} , 'other')</i>	1	Out of stock at CScCom pharmacy
		2	CScCom pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
desc_othereasonnotbuy8 <i>(required)</i>	Specify the reason: <i>Question relevant when: selected(\${item8} , '1') and (selected(\${purchaseditema8} , '2') or selected(\${purchaseditemb8} , '2') or selected(\${purchaseditemc8} , '2') or selected(\${purchaseditemd8} , '2')) and (selected(\${reasonnotbuyitema8} , '-97') or selected(\${reasonnotbuyitemb8} , '-97') or selected(\${reasonnotbuyitemc8} , '-97') or selected(\${reasonnotbuyitemd8} , '-97'))</i>		
costitema8 <i>(required)</i>	What was the price paid for [namem8]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item8} , '1') and selected(\${typeitem8} , '1') and selected(\${purchaseditema8} , '1') and not(selected(\${namem8} , 'other')) and \${namem8} != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
costitemb8 <i>(required)</i>	What was the price paid for [desc_othernamem8]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item8} , '1') and selected(\${typeitem8} , '1') and selected(\${purchaseditemb8} , '1') and selected(\${namem8} , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
costitemc8 <i>(required)</i>	What was the price paid for [equip8]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item8} , '1') and selected(\${typeitem8} , '2') and selected(\${purchaseditemc8} , '1') and not(selected(\${equip8} , 'other')) and \${equip8} != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
costitemd8 <i>(required)</i>	What was the price paid for [desc_otherequip8]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item8} , '1') and selected(\${typeitem8} , '2') and selected(\${purchaseditemd8} , '1') and selected(\${equip8} , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
wouldpaiditema8 <i>(required)</i>	What was the price you would have paid for [namem8] if you had bought it? <i>Please enter in CFA. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item8} , '1') and selected(\${typeitem8} , '1') and selected(\${purchaseditema8} , '2') and not(selected(\${namem8} , 'other')) and \${namem8} != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
wouldpaiditemb8 <i>(required)</i>	What was the price you would have paid for [desc_othernamem8] if you had bought it? <i>Please enter in CFA. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item8} , '1') and selected(\${typeitem8} , '1') and selected(\${purchaseditemb8} , '2') and selected(\${namem8} , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
item9 <i>(required)</i>	[Surveyor: Is there another item on the prescription slip?] <i>Question relevant when: selected(\${item8} , '1')</i>	1	Yes
		2	No
typeitem9 <i>(required)</i>	What is item 9 on the prescription slip? <i>Question relevant when: selected(\${item9} , '1')</i>	1	Drug/medication with known name
		2	Equipment/materials
namem89 <i>(required)</i>	Which is the name of the drug/medication? <i>Question relevant when: selected(\${item9} , '1') and selected(\${typeitem9} , '1')</i>	acefylline_piperazine	Acéfylline pipérazine
		acefylline_piperazine-diphenhydramine-hcl	Acéfylline Piperazine+ Diphenhydramine Hcl
		acetaminophene	Acétaminophène

Field	Question	Answer	acetaminophene_(para)- dextromethorphan-pseud.	Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine
			acetylcysteine	Acetylcysteine
			acetylsalicylic_acid	Acetylsalicylic acid
			acid_benzoïque	Acide benzoïque
			acid_valproïque	Acide valproïque
			actapulgit	Actapulgit
			actifed	Actifed
			albendazole	Albendazole
			alimemazine	Alimemazine
			allergosone	Allergosone
			almex	Almex
			ammonium_chloride	Ammonium Chloride
			amodiaquine	Amodiaquine
			amodix	Amodix
			amoquin	Amoquin
			amoxicillin	Amoxicillin
			amoxicilline-cla	Amoxicilline + Cla
			amoxitem	Amoxitem
			ampicilline	Ampicilline
			analgin	Analgin
			antipy_benzo_otic_sol	Antipy Benzo Otic Sol
			antropine	Antropine
			arcet	Arcet
			artefan	Artefan
			artemether	Artemether
			artemether_injectable	Artemether (injectable)
			artemether_tablet	Artemether (tablet)
			artemether-lumefantrine	Artemether + Lumefantrine
			artemether-lumefantrine_injectable	Artemether + Lumefantrine (injectable)
			artemether-lumefantrine_tablet	Artemether + Lumefantrine (tablet)
			artesunate	Artesunate
			artesunate_injectable	Artesunate (injectable)
			artesunate_tablet	Artesunate (tablet)
			asa	ASA
			aspegic	Aspegic
			aspirin	Aspirin
			atropine	Atropine
			attapulgit	Attapulgit
			augmentine	Augmentine
			aureomycine	Aureomycine
			azithromycin	Azithromycin
			bactopoumon	Bactopoumon
			bactox	Bactox
			benadryl	Benadryl
			benzaote	Benzaote
			benzocaine	Benzocaine
			benzododecinium	Benzododecinium
			benzoic_acid	Benzoic Acid
			betadine	Betadine
			biafine	Biafine
			biakof	Biakof
			binozyt	Binozyt
			broncoxil	Broncoxil
			bronquidiazina	Bronquidiazina
			brufen	Brufen
			brumed	Brumed
			cac_1000	CAC 1000 sandoz
			caflam	Caflam

Field	Question	Answer
		camoquin
		Carbetux
		carbocisteine
		Cataflam
		Cedrox
		Cefadroxil
		Cefixime
		Ceftriaxone
		Celestene
		chloropyramine
		Chloroquine
		Chlorphenamine
		Chlortetracycline
		Ciprofloxacin
		Cipronat
		Clamoxyl
		Cloperastine
		Clotrimazole
		Coartem
		Codeine
		Collu-Hextril
		Combiart
		Combiart adult
		Cotrimoxazol (Trimoprim)
		CTA Adolescent
		CTA Adulte
		CTA Enfant
		Cyproheptadine
		Debridat
		Depakine
		Dexamethasone
		Dextromethorphan
		Diazole
		Diclofenac
		Diclopara
		Diosmectite
		Diphénhydramine
		Diphénoxylate
		Doliprane
		Dolotab
		Domperidone
		Dysentéral
		Efferalgan
		Ercefuryl
		Erycin
		Erythromycin
		Febrilex
		Fer + acide folique
		Fercefol
		Flagyl
		Fluazol
		Fluconazole
		Fluditec
		Fluoxine
		Gastrosédal
		Gentamycin
		Grippex
		Hépatisane
		Hexachlorophène
		Hexétidine
		Huile goménolée adulte (H-goménolée adulte)
		Ibugesic

Field	Question	Answer	
		ibuprofen	Ibuprofen
		ibusix	Ibusix
		iron_and_folic_acid	Iron and Folic Acid
		keneyaji	Keneyaji
		kva_sulf	Kva Sulf
		laxa_cassia	Laxa Cassia
		letalín_expectorant	Letalin Expectorant
		letap_paracetamol	Letap Paracetamol
		letaplex	Letaplex
		lidocaine	Lidocaine
		litacold	Litacold
		lymphshamei	Ly Mphshamei
		madar	Madar
		malacur	Malacur
		mebendazole	Mebendazole
		medvite	Medvite
		mequitazine	Mequitazine
		metamizole	Métamizole
		methylprednisolone	Methylprednisolone
		metopimazine	Metopimazine
		metronidazole	Metronidazole
		midazolam	Midazolam
		mixagrip	Mixagrip
		motilium	Motilium
		mucomyst	Mucomyst
		multivitamine	Multivitamin
		multivitamine_syrup	Multivitamin Syrup
		neo-codion	Neo-Codion
		neomycin	Neomycin
		nifuroxazide	Nifuroxazide
		nivaquine	Nivaquine
		novalgin	Novalgin
		nurupquin	Nurupquin
		nystatine	Nystatine
		oleandomycine	Oléandomycine
		onguent_antibiotique	Onguent antibiotique
		oracefal	Oracefal
		orasef_zinc	Orasef Zinc
		osmogel	Osmogel
		otipax	Otipax
		otrivine	Otrivine
		oxacilline	Oxacilline
		paidofebrile	Paidofebrile
		paidoterin	Paidoterin
		panadol	Panadol
		panalgic	Panalgic
		paracetamol	Paracetamol
		paracetamol_cetal	Paracetamol Cetal
		passedyl	Passedyl
		penicillin	Penicillin
		penicilline_onguent	Pénicilline onguent
		perfalgan	Perfalgan
		peridys	Peridys
		phenazone	Phénazone
		phenylpropanolamine	Phénylpropanolamine
		polydexa	Polydexa
		polymyxine	Polymyxine
		pommade_a_la_tetracycline	pommade à la tétracycline
		prednisone	Prednisone
		primalan	Primalan
		promethazine	Promethazine
		prorhinel_(benzododecinium)	Prorhinel (Benzododécinium)
		pseudoephedrine	Pseudoephedrine

Field	Question	Answer	quinimax	Quinimax
			quinine	Quinine
			quinine_injectable	Quinine (injectable)
			quinine_tablet	Quinine (tablet)
			radioselectan	Radioselectan
			rhinathiol	Rhinathiol
			royal_(chest-lung)	Royal (Chest & Lung)
			salbutamol	Salbutamol
			smecta	Smecta
			smectites	Smectites
			solu-medrol	Solu-Medrol
			sro	SRO
			sterimar	Stérimar
			sudrex	Sudrex
			sulfamethoxazol	Sulfamethoxazol
			sulfur	Sulfur
			synozole	Synozole
			tao_(troleandomycin)	TAO (troleandomycin)
			terpin_hydrate	Terpin Hydrate
			terpine_codeine	Terpine Codeine
			terpone_expectorant	Terpone expectorant
			tetracycline_ointment	Tetracycline Ointment
			theralene	Theralene
			tres_orix	Tres Orix
			trimebutine	Trimébutine
			trimetabol	Trimetabol
			uclaprim	Uclaprim
			unasyn	Unasyn
			valproate	Valproate
			valproic_acid	Valproic Acid
			vermin-dazol	Vermin-Dazol
			verzol	Verzol
			vinciseptil	Vinciseptil
			vita_bebe	Vita BeBe
			vitafer	Vitafer
			vitamine_b	Vitamine B
			vogalene	Vogalene
			xylometazoline	Xylométazoline
			zinc	Zinc
			other	Other
desc_othersnamed9 <i>(required)</i>	Specify other drug/medication: <i>Question relevant when: selected(\${item9} , '1') and selected(\${typeitem9} , '1') and selected(\${named9} , 'other')</i>			

CSCComPatientInterview

Field	Question	Answer
equip9 <i>(required)</i>	Which is the equipment/material? Question relevant when: selected(\${item9} , '1') and selected(\${typeitem9} , '2')	alcohol Alcohol
		bandage Bandage
		bande_de_pansement Dressing
		catheter_intraveineuse Intravenous catheter
		cotton Cotton
		compress Compress
		desinfectant Disinfectant
		epicranni Winged infusion set (scalp vein set, butterfly set)
		fluide_intraveineuse Intravenous fluid
		iodine Iodine
		infusion_IV_fluids Infusion
		perfuseur Perfuseur
		polyodoniindex Polyodon Iodex
		povidine-iodine Povidine iodine
		syringe Syringe
		serum_glucose Glucose serum
		serum_sale_(salin) Saline serum
desc_otherequip9 <i>(required)</i>	Specify other equipment/material: Question relevant when: selected(\${item9} , '1') and selected(\${typeitem9} , '2') and selected(\${equip9} , 'other')	
purchaseditema9 <i>(required)</i>	Was [named9] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item9} , '1') and selected(\${typeitem9} , '1') and not(selected(\${named9} , 'other')) and \${named9} != ""	1 Yes
		2 No
purchaseditemb9 <i>(required)</i>	Was [desc_othernamed9] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item9} , '1') and selected(\${typeitem9} , '1') and selected(\${named9} , 'other')	1 Yes
		2 No
purchaseditemc9 <i>(required)</i>	Was [equip9] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item9} , '1') and selected(\${typeitem9} , '2') and not(selected(\${equip9} , 'other')) and \${equip9} != ""	1 Yes
		2 No
purchaseditemd9 <i>(required)</i>	Was [desc_otherequip9] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item9} , '1') and selected(\${typeitem9} , '2') and selected(\${equip9} , 'other')	1 Yes
		2 No
reasonnotbuyitema9 <i>(required)</i>	What is the main reason that you are not purchasing the [named9] at this CSCCom visit? Question relevant when: selected(\${item9} , '1') and selected(\${typeitem9} , '1') and selected(\${purchaseditema9} , '2') and not(selected(\${named9} , 'other')) and \${named9} != ""	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other
reasonnotbuyitemb9 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_othernamed9] at this CSCCom visit? Question relevant when: selected(\${item9} , '1') and selected(\${typeitem9} , '1') and selected(\${purchaseditemb9} , '2') and selected(\${named9} , 'other')	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other

CSCComPatientInterview

Field	Question	Answer	
reasonnotbuyitemc9 <i>(required)</i>	What is the main reason that you are not purchasing the [equip9] at this CSCCom visit? <i>Question relevant when: selected(\${item9} , '1') and selected(\${typeitem9} , '2') and selected(\${purchaseditemc9} , '2') and not(selected(\${equip9} , 'other')) and \${equip9} != ""</i>	1	Out of stock at CSCCom pharmacy
		2	CSCCom pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
reasonnotbuyitemd9 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_otherequip9] at this CSCCom visit? <i>Question relevant when: selected(\${item9} , '1') and selected(\${typeitem9} , '2') and selected(\${purchaseditemd9} , '2') and selected(\${equip9} , 'other')</i>	1	Out of stock at CSCCom pharmacy
		2	CSCCom pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
desc_othereasonnotbuy9 <i>(required)</i>	Specify the reason: <i>Question relevant when: selected(\${item9} , '1') and (selected(\${purchaseditema9} , '2') or selected(\${purchaseditemb9} , '2') or selected(\${purchaseditemc9} , '2') or selected(\${purchaseditemd9} , '2')) and (selected(\${reasonnotbuyitema9} , '-97') or selected(\${reasonnotbuyitemb9} , '-97') or selected(\${reasonnotbuyitemc9} , '-97') or selected(\${reasonnotbuyitemd9} , '-97'))</i>		
costitema9 <i>(required)</i>	What was the price paid for [named9]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item9} , '1') and selected(\${typeitem9} , '1') and selected(\${purchaseditema9} , '1') and not(selected(\${named9} , 'other')) and \${named9} != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
costitemb9 <i>(required)</i>	What was the price paid for [desc_othernamed9]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item9} , '1') and selected(\${typeitem9} , '1') and selected(\${purchaseditemb9} , '1') and selected(\${named9} , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
costitemc9 <i>(required)</i>	What was the price paid for [equip9]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item9} , '1') and selected(\${typeitem9} , '2') and selected(\${purchaseditemc9} , '1') and not(selected(\${equip9} , 'other')) and \${equip9} != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
costitemd9 <i>(required)</i>	What was the price paid for [desc_otherequip9]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item9} , '1') and selected(\${typeitem9} , '2') and selected(\${purchaseditemd9} , '1') and selected(\${equip9} , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
wouldpaiditema9 <i>(required)</i>	What was the price you would have paid for [named9] if you had bought it? <i>Please enter in CFA. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item9} , '1') and selected(\${typeitem9} , '1') and selected(\${purchaseditema9} , '2') and not(selected(\${named9} , 'other')) and \${named9} != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
wouldpaiditemb9 <i>(required)</i>	What was the price you would have paid for [desc_othernamed9] if you had bought it? <i>Please enter in CFA. Enter -99 if don't know.</i> <i>Question relevant when: selected(\${item9} , '1') and selected(\${typeitem9} , '1') and selected(\${purchaseditemb9} , '2') and selected(\${named9} , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
item10 <i>(required)</i>	[Surveyor: Is there another item on the prescription slip?] <i>Question relevant when: selected(\${item9} , '1')</i>	1	Yes
		2	No
typeitem10 <i>(required)</i>	What is item 10 on the prescription slip? <i>Question relevant when: selected(\${item10} , '1')</i>	1	Drug/medication with known name
		2	Equipment/materials
named10 <i>(required)</i>	Which is the name of the drug/medication? <i>Question relevant when: selected(\${item10} , '1') and selected(\${typeitem10} , '1')</i>	acefylline_piperazine	Acéfylline pipérazine
		acefylline_piperazine-diphenydramine-hcl	Acéfylline Piperazine+ Diphenydramine Hcl
		acetaminophene	Acétaminophène

Field	Question	Answer	acetaminophene_(para)-dextromethorphan-pseud.	Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine
			acetylcysteine	Acetylcysteine
			acetylsalicylic_acid	Acetylsalicylic acid
			acid_benzoïque	Acide benzoïque
			acid_valproïque	Acide valproïque
			actapulgite	Actapulgite
			actifed	Actifed
			albendazole	Albendazole
			alimemazine	Alimemazine
			allergosone	Allergosone
			almex	Almex
			ammonium_chloride	Ammonium Chloride
			amodiaquine	Amodiaquine
			amodix	Amodix
			amoquin	Amoquin
			amoxicillin	Amoxicillin
			amoxicilline-cla	Amoxicilline + Cla
			amoxitem	Amoxitem
			ampicilline	Ampicilline
			analgin	Analgin
			antipy_benzo_otic_sol	Antipy Benzo Otic Sol
			antropine	Antropine
			arcet	Arcet
			artefan	Artefan
			artemether	Artemether
			artemether_injectable	Artemether (injectable)
			artemether_tablet	Artemether (tablet)
			artemether-lumefantrine	Artemether + Lumefantrine
			artemether-lumefantrine_injectable	Artemether + Lumefantrine (injectable)
			artemether-lumefantrine_tablet	Artemether + Lumefantrine (tablet)
			artesanate	Artesunate
			artesanate_injectable	Artesunate (injectable)
			artesanate_tablet	Artesunate (tablet)
			asa	ASA
			aspegic	Aspegic
			aspirin	Aspirin
			atropine	Atropine
			attapulgit	Attapulgit
			augmentine	Augmentine
			aureomycine	Aureomycine
			azithromycin	Azithromycin
			bactopoumon	Bactopoumon
			bactox	Bactox
			benadryl	Benadryl
			benzaote	Benzaote
			benzocaine	Benzocaine
			benzododecinium	Benzododecinium
			benzoic_acid	Benzoic Acid
			betadine	Betadine
			biafine	Biafine
			biakof	Biakof
			binozyt	Binozyt
			brancoxil	Brancoxil
			bronquidiazina	Bronquidiazina
			brufen	Brufen
			brumed	Brumed
			cac_1000	CAC 1000 sandoz
			caflam	Caflam

Field	Question	Answer
		camoquin
		Carbetux
		carbocisteine
		Cataflam
		Cedrox
		Cefadroxil
		Cefixime
		Ceftriaxone
		Celestene
		chloropyramine
		Chloroquine
		Chlorphenamine
		Chlortetracycline
		Ciprofloxacin
		Cipronat
		Clamoxyl
		Cloperastine
		Clotrimazole
		Coartem
		Codeine
		Collu-Hextril
		Combiart
		Combiart adult
		Cotrimoxazol (Trimoprim)
		CTA Adolescent
		CTA Adulte
		CTA Enfant
		Cyproheptadine
		Debridat
		Depakine
		Dexamethasone
		Dextromethorphan
		Diazole
		Diclofenac
		Diclopara
		Diosmectite
		Diphénhydramine
		Diphénoxylate
		Doliprane
		Dolotab
		Domperidone
		Dysentéral
		Efferalgan
		Ercefuryl
		Erycin
		Erythromycin
		Febrilex
		Fer + acide folique
		Fercefol
		Flagyl
		Fluazol
		Fluconazole
		Fluditec
		Fluoxine
		Gastrosédal
		Gentamycin
		Grippex
		Hépatisane
		Hexachlorophène
		Hexétidine
		Huile goménolée adulte (H-goménolée adulte)
		Ibugesic

Field	Question	Answer	
		ibuprofen	Ibuprofen
		ibusix	Ibusix
		iron_and_folic_acid	Iron and Folic Acid
		keneyaji	Keneyaji
		kva_sulf	Kva Sulf
		laxa_cassia	Laxa Cassia
		letalín_expectorant	Letalin Expectorant
		letap_paracetamol	Letap Paracetamol
		letaplex	Letaplex
		lidocaine	Lidocaine
		litacold	Litacold
		lymphshamei	Ly Mphshamei
		madar	Madar
		malacur	Malacur
		mebendazole	Mebendazole
		medvite	Medvite
		mequitazine	Mequitazine
		metamizole	Métamizole
		methylprednisolone	Methylprednisolone
		metopimazine	Metopimazine
		metronidazole	Metronidazole
		midazolam	Midazolam
		mixagrip	Mixagrip
		motilium	Motilium
		mucomyst	Mucomyst
		multivitamine	Multivitamin
		multivitamine_syrup	Multivitamin Syrup
		neo-codion	Neo-Codion
		neomycin	Neomycin
		nifuroxazide	Nifuroxazide
		nivaquine	Nivaquine
		novalgin	Novalgin
		nurupquin	Nurupquin
		nystatine	Nystatine
		oleandomycine	Oléandomycine
		onguent_antibiotique	Onguent antibiotique
		oracefal	Oracefal
		oraseal_zinc	Oraseal Zinc
		osmogel	Osmogel
		otipax	Otipax
		otrivine	Otrivine
		oxacilline	Oxacilline
		paidofebrile	Paidofebrile
		paidoterin	Paidoterin
		panadol	Panadol
		panalgic	Panalgic
		paracetamol	Paracetamol
		paracetamol_cetal	Paracetamol Cetal
		passedyl	Passedyl
		penicillin	Penicillin
		penicilline_onguent	Pénicilline onguent
		perfalgan	Perfalgan
		peridys	Peridys
		phenazone	Phénazone
		phenylpropanolamine	Phénylpropanolamine
		polydexa	Polydexa
		polymyxine	Polymyxine
		pommade_a_la_tetracycline	pommade à la tétracycline
		prednisone	Prednisone
		primalan	Primalan
		promethazine	Promethazine
		prorhinel_(benzododecinium)	Prorhinel (Benzododécinium)
		pseudoephedrine	Pseudoephedrine

CSCComPatientInterview

Field	Question	Answer
		quinimax Quinimax
		quinine Quinine
		quinine_injectable Quinine (injectable)
		quinine_tablet Quinine (tablet)
		radioselectan Radioselectan
		rhinathiol Rhinathiol
		royal_(chest-lung) Royal (Chest & Lung)
		salbutamol Salbutamol
		smecta Smecta
		smectites Smectites
		solu-medrol Solu-Medrol
		sro SRO
		sterimar Stérimar
		sudrex Sudrex
		sulfamethoxazol Sulfamethoxazol
		sulfur Sulfur
		synozole Synozole
		tao_(troleandomycin) TAO (troleandomycin)
		terpin_hydrate Terpin Hydrate
		terpine_codeine Terpine Codeine
		terpone_expectorant Terpone expectorant
		tetracycline_oointment Tetracycline Ointment
		theralene Theralene
		tres_orix Tres Orix
		trimebutine Trimébutine
		trimetabol Trimetabol
		uclaprim Uclaprim
		unasyn Unasyn
		valproate Valproate
		valproic_acid Valproic Acid
		vermin-dazol Vermin-Dazol
		verzol Verzol
		vinciseptil Vinciseptil
		vita_bebe Vita BeBe
		vitafer Vitafer
		vitamine_b Vitamine B
		vogalene Vogalene
		xylometazoline Xylométazoline
		zinc Zinc
		other Other
desc_othersnamed10 (required)	Specify other drug/medication: <i>Question relevant when: selected(\${item10} , '1') and selected(\${typeitem10} , '1') and selected(\${named10} , 'other')</i>	

CSCComPatientInterview

Field	Question	Answer
equip10 <i>(required)</i>	Which is the equipment/material? Question relevant when: selected(\${item10} , '1') and selected(\${typeitem10} , '2')	alcohol Alcohol
		bandage Bandage
		bande_de_pansement Dressing
		catheter_intraveineuse Intravenous catheter
		cotton Cotton
		compress Compress
		desinfectant Disinfectant
		epicranni Winged infusion set (scalp vein set, butterfly set)
		fluide_intraveineuse Intravenous fluid
		iodine Iodine
		infusion_IV_fluids Infusion
		perfuseur Perfuseur
		polyodoniodex Polyodon Iodex
		povidine-iodine Povidine iodine
		syringe Syringe
		serum_glucose Glucose serum
		serum_sale_(salin) Saline serum
desc_otherequip10 <i>(required)</i>	Specify other equipment/material: Question relevant when: selected(\${item10} , '1') and selected(\${typeitem10} , '2') and selected(\${equip10} , 'other')	
purchaseditema10 <i>(required)</i>	Was [named10] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item10} , '1') and selected(\${typeitem10} , '1') and not(selected(\${named10} , 'other')) and \${named10} != ""	1 Yes
		2 No
purchaseditemb10 <i>(required)</i>	Was [desc_othernamed10] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item10} , '1') and selected(\${typeitem10} , '1') and selected(\${named10} , 'other')	1 Yes
		2 No
purchaseditemc10 <i>(required)</i>	Was [equip10] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item10} , '1') and selected(\${typeitem10} , '2') and not(selected(\${equip10} , 'other')) and \${equip10} != ""	1 Yes
		2 No
purchaseditemd10 <i>(required)</i>	Was [desc_otherequip10] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item10} , '1') and selected(\${typeitem10} , '2') and selected(\${equip10} , 'other')	1 Yes
		2 No
reasonnotbuyitema10 <i>(required)</i>	What is the main reason that you are not purchasing the [named10] at this CSCCom visit? Question relevant when: selected(\${item10} , '1') and selected(\${typeitem10} , '1') and selected(\${purchaseditema10} , '2') and not(selected(\${named10} , 'other')) and \${named10} != ""	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other
reasonnotbuyitemb10 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_othernamed10] at this CSCCom visit? Question relevant when: selected(\${item10} , '1') and selected(\${typeitem10} , '1') and selected(\${purchaseditemb10} , '2') and selected(\${named10} , 'other')	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other

CSCoPatientInterview

Field	Question	Answer	
reasonnotbuyitemc10 <i>(required)</i>	What is the main reason that you are not purchasing the [equip10] at this CSCo visit? <i>Question relevant when: selected(\$(item10) , '1') and selected(\$(typeitem10) , '2') and selected(\$(purchaseditemc10) , '2') and not(selected(\$(equip10) , 'other')) and \$(equip10) != ""</i>	1	Out of stock at CSCo pharmacy
		2	CSCo pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
reasonnotbuyitemd10 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_otherequip10] at this CSCo visit? <i>Question relevant when: selected(\$(item10) , '1') and selected(\$(typeitem10) , '2') and selected(\$(purchaseditemd10) , '2') and selected(\$(equip10) , 'other')</i>	1	Out of stock at CSCo pharmacy
		2	CSCo pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
desc_othereasonnotbuy10 <i>(required)</i>	Specify the reason: <i>Question relevant when: selected(\$(item10) , '1') and (selected(\$(purchaseditema10) , '2') or selected(\$(purchaseditemb10) , '2') or selected(\$(purchaseditemc10) , '2') or selected(\$(purchaseditemd10) , '2')) and (selected(\$(reasonnotbuyitema10) , '-97') or selected(\$(reasonnotbuyitemb10) , '-97') or selected(\$(reasonnotbuyitemc10) , '-97') or selected(\$(reasonnotbuyitemd10) , '-97'))</i>		
costitema10 <i>(required)</i>	What was the price paid for [named10]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\$(item10) , '1') and selected(\$(typeitem10) , '1') and selected(\$(purchaseditema10) , '1') and not(selected(\$(named10) , 'other')) and \$(named10) != ""</i> <i>Response constrained to: (. >=0 and . <=50000) or .=-99</i>		
costitemb10 <i>(required)</i>	What was the price paid for [desc_othernamem10]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\$(item10) , '1') and selected(\$(typeitem10) , '1') and selected(\$(purchaseditemb10) , '1') and selected(\$(named10) , 'other')</i> <i>Response constrained to: (. >=0 and . <=50000) or .=-99</i>		
costitemc10 <i>(required)</i>	What was the price paid for [equip10]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\$(item10) , '1') and selected(\$(typeitem10) , '2') and selected(\$(purchaseditemc10) , '1') and not(selected(\$(equip10) , 'other')) and \$(equip10) != ""</i> <i>Response constrained to: (. >=0 and . <=50000) or .=-99</i>		
costitemd10 <i>(required)</i>	What was the price paid for [desc_otherequip10]? <i>Enter 0 for free items. Enter -99 if don't know.</i> <i>Question relevant when: selected(\$(item10) , '1') and selected(\$(typeitem10) , '2') and selected(\$(purchaseditemd10) , '1') and selected(\$(equip10) , 'other')</i> <i>Response constrained to: (. >=0 and . <=50000) or .=-99</i>		
wouldpaiditema10 <i>(required)</i>	What was the price you would have paid for [named10] if you had bought it? <i>Please enter in CFA. Enter -99 if don't know.</i> <i>Question relevant when: selected(\$(item10) , '1') and selected(\$(typeitem10) , '1') and selected(\$(purchaseditema10) , '2') and not(selected(\$(named10) , 'other')) and \$(named10) != ""</i> <i>Response constrained to: (. >=0 and . <=50000) or .=-99</i>		
wouldpaiditemb10 <i>(required)</i>	What was the price you would have paid for [desc_othernamem10] if you had bought it? <i>Please enter in CFA. Enter -99 if don't know.</i> <i>Question relevant when: selected(\$(item10) , '1') and selected(\$(typeitem10) , '1') and selected(\$(purchaseditemb10) , '2') and selected(\$(named10) , 'other')</i> <i>Response constrained to: (. >=0 and . <=50000) or .=-99</i>		
item11 <i>(required)</i>	[Surveyor: Is there another item on the prescription slip?] <i>Question relevant when: selected(\$(item10) , '1')</i>	1	Yes
		2	No
typeitem11 <i>(required)</i>	What is item 11 on the prescription slip? <i>Question relevant when: selected(\$(item11) , '1')</i>	1	Drug/medication with known name
		2	Equipment/materials
named11 <i>(required)</i>	Which is the name of the drug/medication? <i>Question relevant when: selected(\$(item11) , '1') and selected(\$(typeitem11) , '1')</i>	acefylline_piperazine	Acéfylline pipérazine
		acefylline_piperazine-diphenhydramine-hcl	Acefylline Piperazine+ Diphenhydramine Hcl

Field	Question	Answer
		acetaminophene Acétaminophène
		acetaminophene_(para)- Acétaminophène
		dextromethorphan-pseud. (Paracétamol) + Dextrométhorphan + Pseudoéphédrine
		acetylcysteine Acetylcysteine
		acetylsalicylic_acid Acetylsalicylic acid
		acid_benzoïque Acide benzoïque
		acid_valproïque Acide valproïque
		actapulgite Actapulgite
		actifed Actifed
		albendazole Albendazole
		alimemazine Alimemazine
		allergosone Allergosone
		almex Almex
		ammonium_chloride Ammonium Chloride
		amodiaquine Amodiaquine
		amodix Amodix
		amoquin Amoquin
		amoxicillin Amoxicillin
		amoxicilline-cla Amoxicilline + Cla
		amoxitem Amoxitem
		ampicilline Ampicilline
		analgin Analgin
		antipy_benzo_otc_sol Antipy Benzo Otic Sol
		antropine Antropine
		arcet Arcet
		artefan Artefan
		artemether Artemether
		artemether_injectable Artemether (injectable)
		artemether_tablet Artemether (tablet)
		artemether-lumefantrine Artemether + Lumefantrine
		artemether- lumefantrine_injectable Artemether + Lumefantrine (injectable)
		artemether- lumefantrine_tablet Artemether + Lumefantrine (tablet)
		artesunate Artesunate
		artesunate_injectable Artesunate (injectable)
		artesunate_tablet Artesunate (tablet)
		asa ASA
		aspegic Aspegic
		aspirin Aspirin
		atropine Atropine
		attapulgite Attapulgite
		augmentine Augmentine
		aureomycine Aureomycine
		azithromycin Azithromycin
		bactopoumon Bactopoumon
		bactox Bactox
		benadryl Benadryl
		benzaote Benzaote
		benzocaine Benzocaine
		benzododecinium Benzododecinium
		benzoic_acid Benzoic Acid
		betadine Betadine
		biafine Biafine
		biakof Biakof
		binozyt Binozyt
		brancoxil Broncoxil
		bronquidiazina Bronquidiazina
		brufen Brufen
		brumed Brumed
		cac_1000 CAC 1000 sandoz

Field	Question	Answer
		caflam
		Cafiam
		camoquin
		Camoquin
		carbetux
		Carbetux
		carbocisteine
		Carbocisteine
		cataflam
		Cataflam
		cedrox
		Cedrox
		cefadroxil
		Cefadroxil
		cefixime
		Cefixime
		ceftriaxone
		Ceftriaxone
		celestene
		Celestene
		chloropyramine
		Chloropyramine
		chloroquine
		Chloroquine
		chlorphenamine
		Chlorphenamine
		chlortetracycline
		Chlortetracycline
		ciprofloxacin
		Ciprofloxacin
		cipronat
		Cipronat
		clamoxy
		Clamoxy
		cloperastine
		Cloperastine
		clotrimazole
		Clotrimazole
		coartem
		Coartem
		codeine
		Codeine
		collu-hextril
		Collu-Hextril
		combiart
		Combiart
		combiart_adult
		Combiart adult
		cotrimoxazol_(trimoprim)
		Cotrimoxazol (Trimoprim)
		cta_adolescent
		CTA Adolescent
		cta_adulte
		CTA Adulte
		cta_enfant
		CTA Enfant
		cypheptadine
		Cypheptadine
		debridat
		Debridat
		depakine
		Depakine
		dexamethasone
		Dexamethasone
		dextromethorphan
		Dextromethorphan
		diazole
		Diazole
		diclofenac
		Diclofenac
		diclopara
		Diclopara
		diosmectite
		Diosmectite
		diphenhydramine
		Diphénhydramine
		diphenoxylate
		Diphénoxylate
		doliprane
		Doliprane
		dolotab
		Dolotab
		domperidone
		Domperidone
		dysenteral
		Dysentéral
		effergal
		Effergal
		ercefuryl
		Ercefuryl
		erycin
		Erycin
		erythromycin
		Erythromycin
		febrilex
		Febrilex
		fer_acidefolique
		Fer + acide folique
		fercefol
		Fercefol
		flagyl
		Flagyl
		flucazol
		Flucazol
		fluconazole
		Fluconazole
		fluditec
		Fluditec
		fluoxine
		Fluoxine
		gastrosedal
		Gastrosédal
		gentamycin
		Gentamycin
		grippex
		Grippex
		hepatisane
		Hépatisane
		hexachlorophene
		Hexachlorophène
		hexetidine
		Hexétidine
		huile_gomenolee_adulte
		Huile goménolée adulte (H-goménolée adulte)

Field	Question	Answer	
		ibugesic	Ibugesic
		ibuprofen	Ibuprofen
		ibusix	Ibusix
		iron_and_folic_acid	Iron and Folic Acid
		keneyaji	Keneyaji
		kva_sulf	Kva Sulf
		laxa_cassia	Laxa Cassia
		letaln_expectorant	Letalin Expectorant
		letap_paracetamol	Letap Paracetamol
		letaplex	Letaplex
		lidocaine	Lidocaine
		litacold	Litacold
		lymphshamei	Ly Mphshamei
		madar	Madar
		malacur	Malacur
		mebendazole	Mebendazole
		medvite	Medvite
		mequitazine	Mequitazine
		metamizole	Métamizole
		methylprednisolone	Methylprednisolone
		metopimazine	Metopimazine
		metronidazole	Metronidazole
		midazolam	Midazolam
		mixagrip	Mixagrip
		motilium	Motilium
		mucomyst	Mucomyst
		multivitamine	Multivitamin
		multivitamine_syrup	Multivitamin Syrup
		neo-codion	Neo-Codion
		neomycin	Neomycin
		nifuroxazide	Nifuroxazide
		nivaquine	Nivaquine
		novalgin	Novalgin
		nurupquin	Nurupquin
		nystatine	Nystatine
		oleandomycine	Oléandomycine
		onguent_antibiotique	Onguent antibiotique
		oracefal	Oracefal
		oraseal_zinc	Oraseal Zinc
		osmogel	Osmogel
		otipax	Otipax
		otrivine	Otrivine
		oxacilline	Oxacilline
		paidofebrile	Paidofebrile
		paidoterin	Paidoterin
		panadol	Panadol
		panalgic	Panalgic
		paracetamol	Paracetamol
		paracetamol_cetal	Paracetamol Cetal
		passedyl	Passedyl
		penicillin	Penicillin
		penicilline_onguent	Pénicilline onguent
		perfalgan	Perfalgan
		peridys	Peridys
		phenazone	Phénazone
		phenylpropanolamine	Phénylpropanolamine
		polydexa	Polydexa
		polymyxine	Polymyxine
		pommade_a_la_tetracycline	pommade à la tétracycline
		prednisone	Prednisone
		primalan	Primalan
		promethazine	Promethazine
		prorhinel_(benzododecinium)	Prorhinel (Benzododécinium)

Field	Question	Answer
		pseudoephedrine Pseudoephedrine
		quinimax Quinimax
		quinine Quinine
		quinine_injectable Quinine (injectable)
		quinine_tablet Quinine (tablet)
		radioselectan Radioselectan
		rhinathiol Rhinathiol
		royal_(chest-lung) Royal (Chest & Lung)
		salbutamol Salbutamol
		smecta Smecta
		smectites Smectites
		solu-medrol Solu-Medrol
		sro SRO
		sterimar Stérimar
		sudrex Sudrex
		sulfamethoxazol Sulfamethoxazol
		sulfur Sulfur
		synozole Synozole
		tao_(troleandomycin) TAO (troleandomycin)
		terpin_hydrate Terpin Hydrate
		terpine_codeine Terpine Codeine
		terpone_expectorant Terpone expectorant
		tetracycline_oointment Tetracycline Ointment
		theralene Theralene
		tres_orix Tres Orix
		trimebutine Trimébutine
		trimetabol Trimetabol
		uclaprim Uclaprim
		unasyn Unasyn
		valproate Valproate
		valproic_acid Valproic Acid
		vermin-dazol Vermin-Dazol
		verzol Verzol
		vinciseptil Vinciseptil
		vita_bebe Vita BeBe
		vitafer Vitafer
		vitamine_b Vitamine B
		vogalene Vogalene
		xylometazoline Xylométazoline
		zinc Zinc
		other Other
desc_othersnamed11 <i>(required)</i>	Specify other drug/medication: <i>Question relevant when: selected(\${item11} , '1') and selected(\${typeitem11} , '1') and selected(\${named11} , 'other')</i>	

CSCComPatientInterview

Field	Question	Answer
equip11 <i>(required)</i>	Which is the equipment/material? Question relevant when: selected(\${item11} , '1') and selected(\${typeitem11} , '2')	alcohol Alcohol
		bandage Bandage
		bande_de_pansement Dressing
		catheter_intraveineuse Intravenous catheter
		cotton Cotton
		compress Compress
		desinfectant Disinfectant
		epicranni Winged infusion set (scalp vein set, butterfly set)
		fluide_intraveineuse Intravenous fluid
		iodine Iodine
		infusion_IV_fluids Infusion
		perfuseur Perfuseur
		polyodoniodex Polyodon Iodex
		povidine-iodine Povidine iodine
		syringe Syringe
		serum_glucose Glucose serum
		serum_sale_(salin) Saline serum
desc_otherequip11 <i>(required)</i>	Specify other equipment/material: Question relevant when: selected(\${item11} , '1') and selected(\${typeitem11} , '2') and selected(\${equip11} , 'other')	
purchaseditema11 <i>(required)</i>	Was [namemed11] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item11} , '1') and selected(\${typeitem11} , '1') and not(selected(\${namemed11} , 'other')) and \${namemed11} != ""	1 Yes
		2 No
purchaseditemb11 <i>(required)</i>	Was [desc_othernamemed11] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item11} , '1') and selected(\${typeitem11} , '1') and selected(\${namemed11} , 'other')	1 Yes
		2 No
purchaseditemc11 <i>(required)</i>	Was [equip11] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item11} , '1') and selected(\${typeitem11} , '2') and not(selected(\${equip11} , 'other')) and \${equip11} != ""	1 Yes
		2 No
purchaseditemd11 <i>(required)</i>	Was [desc_otherequip11] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item11} , '1') and selected(\${typeitem11} , '2') and selected(\${equip11} , 'other')	1 Yes
		2 No
reasonnotbuyitema11 <i>(required)</i>	What is the main reason that you are not purchasing the [namemed11] at this CSCCom visit? Question relevant when: selected(\${item11} , '1') and selected(\${typeitem11} , '1') and selected(\${purchaseditema11} , '2') and not(selected(\${namemed11} , 'other')) and \${namemed11} != ""	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other
reasonnotbuyitemb11 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_othernamemed11] at this CSCCom visit? Question relevant when: selected(\${item11} , '1') and selected(\${typeitem11} , '1') and selected(\${purchaseditemb11} , '2') and selected(\${namemed11} , 'other')	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other

CSCComPatientInterview

Field	Question	Answer	
reasonnotbuyitemc11 <i>(required)</i>	What is the main reason that you are not purchasing the [equip11] at this CSCom visit? <i>Question relevant when: selected(\$(item11) , '1') and selected(\$(typeitem11) , '2') and selected(\$(purchaseditemc11) , '2') and not(selected(\$(equip11) , 'other')) and \$(equip11) != ""</i>	1	Out of stock at CSCom pharmacy
		2	CSCom pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
reasonnotbuyitemd11 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_otherequip11] at this CSCom visit? <i>Question relevant when: selected(\$(item11) , '1') and selected(\$(typeitem11) , '2') and selected(\$(purchaseditemd11) , '2') and selected(\$(equip11) , 'other')</i>	1	Out of stock at CSCom pharmacy
		2	CSCom pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
desc_othereasonnotbuy11 <i>(required)</i>	Specify the reason: <i>Question relevant when: selected(\$(item11) , '1') and (selected(\$(purchaseditema11) , '2') or selected(\$(purchaseditemb11) , '2') or selected(\$(purchaseditemc11) , '2') or selected(\$(purchaseditemd11) , '2')) and (selected(\$(reasonnotbuyitema11) , '-97') or selected(\$(reasonnotbuyitemb11) , '-97') or selected(\$(reasonnotbuyitemc11) , '-97') or selected(\$(reasonnotbuyitemd11) , '-97'))</i>		
costitema11 <i>(required)</i>	What was the price paid for [namemed11]? Enter 0 for free items. Enter -99 if don't know. <i>Question relevant when: selected(\$(item11) , '1') and selected(\$(typeitem11) , '1') and selected(\$(purchaseditema11) , '1') and not(selected(\$(namemed11) , 'other')) and \$(namemed11) != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
costitemb11 <i>(required)</i>	What was the price paid for [desc_othernamemed11]? Enter 0 for free items. Enter -99 if don't know. <i>Question relevant when: selected(\$(item11) , '1') and selected(\$(typeitem11) , '1') and selected(\$(purchaseditemb11) , '1') and selected(\$(namemed11) , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
costitemc11 <i>(required)</i>	What was the price paid for [equip11]? Enter 0 for free items. Enter -99 if don't know. <i>Question relevant when: selected(\$(item11) , '1') and selected(\$(typeitem11) , '2') and selected(\$(purchaseditemc11) , '1') and not(selected(\$(equip11) , 'other')) and \$(equip11) != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
costitemd11 <i>(required)</i>	What was the price paid for [desc_otherequip11]? Enter 0 for free items. Enter -99 if don't know. <i>Question relevant when: selected(\$(item11) , '1') and selected(\$(typeitem11) , '2') and selected(\$(purchaseditemd11) , '1') and selected(\$(equip11) , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
wouldpaiditema11 <i>(required)</i>	What was the price you would have paid for [namemed11] if you had bought it? Please enter in CFA. Enter -99 if don't know. <i>Question relevant when: selected(\$(item11) , '1') and selected(\$(typeitem11) , '1') and selected(\$(purchaseditema11) , '2') and not(selected(\$(namemed11) , 'other')) and \$(namemed11) != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
wouldpaiditemb11 <i>(required)</i>	What was the price you would have paid for [desc_othernamemed11] if you had bought it? Please enter in CFA. Enter -99 if don't know. <i>Question relevant when: selected(\$(item11) , '1') and selected(\$(typeitem11) , '1') and selected(\$(purchaseditemb11) , '2') and selected(\$(namemed11) , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>		
item12 <i>(required)</i>	[Surveyor: Is there another item on the prescription slip?] <i>Question relevant when: selected(\$(item11) , '1')</i>	1	Yes
		2	No
typeitem12 <i>(required)</i>	What is item 12 on the prescription slip? <i>Question relevant when: selected(\$(item12) , '1')</i>	1	Drug/medication with known name
		2	Equipment/materials
namemed12 <i>(required)</i>	Which is the name of the drug/medication? <i>Question relevant when: selected(\$(item12) , '1') and selected(\$(typeitem12) , '1')</i>	acefylline_piperazine	Acéfylline pipérazine
		acefylline_piperazine-diphenhydramine-hcl	Acefylline Piperazine+ Diphenhydramine Hcl

Field	Question	Answer
		acetaminophene Acétaminophène
		acetaminophene_(para)- Acétaminophène
		dextromethorphan-pseud. (Paracétamol) + Dextrométhorphan + Pseudoéphédrine
		acetylcysteine Acetylcysteine
		acetylsalicylic_acid Acetylsalicylic acid
		acid_benzoique Acide benzoïque
		acid_valproique Acide valproïque
		actapulgit Actapulgit
		actifed Actifed
		albendazole Albendazole
		alimemazine Alimemazine
		allergosone Allergosone
		almex Almex
		ammonium_chloride Ammonium Chloride
		amodiaquine Amodiaquine
		amodix Amodix
		amoquin Amoquin
		amoxicillin Amoxicillin
		amoxicilline-cla Amoxicilline + Cla
		amoxitem Amoxitem
		ampicilline Ampicilline
		analgin Analgin
		antipy_benzo_otc_sol Antipy Benzo Otic Sol
		antropine Antropine
		arcet Arcet
		artefan Artefan
		artemether Artemether
		artemether_injectable Artemether (injectable)
		artemether_tablet Artemether (tablet)
		artemether-lumefantrine Artemether + Lumefantrine
		artemether- lumefantrine_injectable Artemether + Lumefantrine (injectable)
		artemether- lumefantrine_tablet Artemether + Lumefantrine (tablet)
		artesunate Artesunate
		artesunate_injectable Artesunate (injectable)
		artesunate_tablet Artesunate (tablet)
		asa ASA
		aspegic Aspegic
		aspirin Aspirin
		atropine Atropine
		attapulgit Attapulgit
		augmentine Augmentine
		aureomycine Aureomycine
		azithromycin Azithromycin
		bactopoumon Bactopoumon
		bactox Bactox
		benadryl Benadryl
		benzaote Benzaote
		benzocaine Benzocaine
		benzododecinium Benzododecinium
		benzoic_acid Benzoic Acid
		betadine Betadine
		biafine Biafine
		biakof Biakof
		binozyt Binozyt
		broncoxil Broncoxil
		bronquidiazina Bronquidiazina
		brufen Brufen
		brumed Brumed
		cac_1000 CAC 1000 sandoz

Field	Question	Answer
		caflam
		Cafam
		camoquin
		Camoquin
		carbetux
		Carbetux
		carbocisteine
		Carbocisteine
		cataflam
		Cataflam
		cedrox
		Cedrox
		cefadroxil
		Cefadroxil
		cefixime
		Cefixime
		ceftriaxone
		Ceftriaxone
		celestene
		Celestene
		chloropyramine
		Chloropyramine
		chloroquine
		Chloroquine
		chlorphenamine
		Chlorphenamine
		chlortetracycline
		Chlortetracycline
		ciprofloxacin
		Ciprofloxacin
		cipronat
		Cipronat
		clamoxy
		Clamoxy
		cloperastine
		Cloperastine
		clotrimazole
		Clotrimazole
		coartem
		Coartem
		codeine
		Codeine
		collu-hextril
		Collu-Hextril
		combiart
		Combiart
		combiart_adult
		Combiart adult
		cotrimoxazol_(trimoprim)
		Cotrimoxazol (Trimoprim)
		cta_adolescent
		CTA Adolescent
		cta_adulte
		CTA Adulte
		cta_enfant
		CTA Enfant
		cypheptadine
		Cypheptadine
		debridat
		Debridat
		depakine
		Depakine
		dexamethasone
		Dexamethasone
		dextromethorphan
		Dextromethorphan
		diazole
		Diazole
		diclofenac
		Diclofenac
		diclopara
		Diclopara
		diosmectite
		Diosmectite
		diphenhydramine
		Diphénhydramine
		diphenoxylate
		Diphénoxylate
		doliprane
		Doliprane
		dolotab
		Dolotab
		domperidone
		Domperidone
		dysenteral
		Dysentéral
		effergal
		Effergal
		ercefuryl
		Ercefuryl
		erycin
		Erycin
		erythromycin
		Erythromycin
		febrilex
		Febrilex
		fer_acidefolique
		Fer + acide folique
		fercefol
		Fercefol
		flagyl
		Flagyl
		flucazol
		Flucazol
		fluconazole
		Fluconazole
		fluditec
		Fluditec
		fluoxine
		Fluoxine
		gastrosedal
		Gastrosédal
		gentamycin
		Gentamycin
		grippex
		Grippex
		hepatisane
		Hépatisane
		hexachlorophene
		Hexachlorophène
		hexetidine
		Hexétidine
		huile_gomenolee_adulte
		Huile goménolée adulte (H-goménolée adulte)

Field	Question	Answer	ibugesic	Ibugesic
			ibuprofen	Ibuprofen
			ibusix	Ibusix
			iron_and_folic_acid	Iron and Folic Acid
			keneyaji	Keneyaji
			kva_sulf	Kva Sulf
			laxa_cassia	Laxa Cassia
			letaln_expectorant	Letalin Expectorant
			letap_paracetamol	Letap Paracetamol
			letaplex	Letaplex
			lidocaine	Lidocaine
			litacold	Litacold
			lymphshamei	Ly Mphshamei
			madar	Madar
			malacur	Malacur
			mebendazole	Mebendazole
			medvite	Medvite
			mequitazine	Mequitazine
			metamizole	Métamizole
			methylprednisolone	Methylprednisolone
			metopimazine	Metopimazine
			metronidazole	Metronidazole
			midazolam	Midazolam
			mixagrip	Mixagrip
			motilium	Motilium
			mucomyst	Mucomyst
			multivitamine	Multivitamin
			multivitamine_syrup	Multivitamin Syrup
			neo-codion	Neo-Codion
			neomycin	Neomycin
			nifuroxazide	Nifuroxazide
			nivaquine	Nivaquine
			novalgin	Novalgin
			nurupquin	Nurupquin
			nystatine	Nystatine
			oleandomycine	Oléandomycine
			onguent_antibiotique	Onguent antibiotique
			oracefal	Oracefal
			oraseal_zinc	Oraseal Zinc
			osmogel	Osmogel
			otipax	Otipax
			otrivine	Otrivine
			oxacilline	Oxacilline
			paidofebrile	Paidofebrile
			paidoterin	Paidoterin
			panadol	Panadol
			panalgic	Panalgic
			paracetamol	Paracetamol
			paracetamol_cetal	Paracetamol Cetal
			passedyl	Passedyl
			penicillin	Penicillin
			penicilline_onguent	Pénicilline onguent
			perfalgan	Perfalgan
			peridys	Peridys
			phenazone	Phénazone
			phenylpropanolamine	Phénylpropanolamine
			polydexa	Polydexa
			polymyxine	Polymyxine
			pommade_a_la_tetracycline	pommade à la tétracycline
			prednisone	Prednisone
			primalan	Primalan
			promethazine	Promethazine
			prorhinel_(benzododecinium)	Prorhinel (Benzododécinium)

Field	Question	Answer
		pseudoephedrine Pseudoephedrine
		quinimax Quinimax
		quinine Quinine
		quinine_injectable Quinine (injectable)
		quinine_tablet Quinine (tablet)
		radioselectan Radioselectan
		rhinathiol Rhinathiol
		royal_(chest-lung) Royal (Chest & Lung)
		salbutamol Salbutamol
		smecta Smecta
		smectites Smectites
		solu-medrol Solu-Medrol
		sro SRO
		sterimar Stérimar
		sudrex Sudrex
		sulfamethoxazol Sulfamethoxazol
		sulfur Sulfur
		synozole Synozole
		tao_(troleandomycin) TAO (troleandomycin)
		terpin_hydrate Terpin Hydrate
		terpine_codeine Terpine Codeine
		terpone_expectorant Terpone expectorant
		tetracycline_oointment Tetracycline Ointment
		theralene Theralene
		tres_orix Tres Orix
		trimebutine Trimébutine
		trimetabol Trimetabol
		uclaprim Uclaprim
		unasyn Unasyn
		valproate Valproate
		valproic_acid Valproic Acid
		vermin-dazol Vermin-Dazol
		verzol Verzol
		vinciseptil Vinciseptil
		vita_bebe Vita BeBe
		vitafer Vitafer
		vitamine_b Vitamine B
		vogalene Vogalene
		xylometazoline Xylométazoline
		zinc Zinc
		other Other
desc_othersnamed12 <i>(required)</i>	Specify other drug/medication: <i>Question relevant when: selected(\${item12} , '1') and selected(\${typeitem12} , '1') and selected(\${named12} , 'other')</i>	

CSCComPatientInterview

Field	Question	Answer
equip12 <i>(required)</i>	Which is the equipment/material? Question relevant when: selected(\${item12} , '1') and selected(\${typeitem12} , '2')	alcohol Alcohol
		bandage Bandage
		bande_de_pansement Dressing
		catheter_intraveineuse Intravenous catheter
		cotton Cotton
		compress Compress
		desinfectant Disinfectant
		epicranni Winged infusion set (scalp vein set, butterfly set)
		fluide_intraveineuse Intravenous fluid
		iodine Iodine
		infusion_IV_fluids Infusion
		perfuseur Perfuseur
		polyodoniodex Polyodon Iodex
		povidine-iodine Povidine iodine
		syringe Syringe
		serum_glucose Glucose serum
		serum_sale_(salin) Saline serum
desc_otherequip12 <i>(required)</i>	Specify other equipment/material: Question relevant when: selected(\${item12} , '1') and selected(\${typeitem12} , '2') and selected(\${equip12} , 'other')	
purchaseditema12 <i>(required)</i>	Was [named12] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item12} , '1') and selected(\${typeitem12} , '1') and not(selected(\${named12} , 'other')) and \${named12} != ""	1 Yes
		2 No
purchaseditemb12 <i>(required)</i>	Was [desc_othernamed12] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item12} , '1') and selected(\${typeitem12} , '1') and selected(\${named12} , 'other')	1 Yes
		2 No
purchaseditemc12 <i>(required)</i>	Was [equip12] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item12} , '1') and selected(\${typeitem12} , '2') and not(selected(\${equip12} , 'other')) and \${equip12} != ""	1 Yes
		2 No
purchaseditemd12 <i>(required)</i>	Was [desc_otherequip12] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item12} , '1') and selected(\${typeitem12} , '2') and selected(\${equip12} , 'other')	1 Yes
		2 No
reasonnotbuyitema12 <i>(required)</i>	What is the main reason that you are not purchasing the [named12] at this CSCCom visit? Question relevant when: selected(\${item12} , '1') and selected(\${typeitem12} , '1') and selected(\${purchaseditema12} , '2') and not(selected(\${named12} , 'other')) and \${named12} != ""	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other
reasonnotbuyitemb12 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_othernamed12] at this CSCCom visit? Question relevant when: selected(\${item12} , '1') and selected(\${typeitem12} , '1') and selected(\${purchaseditemb12} , '2') and selected(\${named12} , 'other')	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other

CSCoPatientInterview

Field	Question	Answer	
reasonnotbuyitemc12 <i>(required)</i>	What is the main reason that you are not purchasing the [equip12] at this CSCo visit? Question relevant when: selected(\$(item12) , '1') and selected(\$(typeitem12) , '2') and selected(\$(purchaseditemc12) , '2') and not(selected(\$(equip12) , 'other')) and \$(equip12) != ""	1	Out of stock at CSCo pharmacy
		2	CSCo pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
reasonnotbuyitemd12 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_otherequip12] at this CSCo visit? Question relevant when: selected(\$(item12) , '1') and selected(\$(typeitem12) , '2') and selected(\$(purchaseditemd12) , '2') and selected(\$(equip12) , 'other')	1	Out of stock at CSCo pharmacy
		2	CSCo pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
desc_othereasonnotbuy12 <i>(required)</i>	Specify the reason: Question relevant when: selected(\$(item12) , '1') and (selected(\$(purchaseditema12) , '2') or selected(\$(purchaseditemb12) , '2') or selected(\$(purchaseditemc12) , '2') or selected(\$(purchaseditemd12) , '2')) and (selected(\$(reasonnotbuyitema12) , '-97') or selected(\$(reasonnotbuyitemb12) , '-97') or selected(\$(reasonnotbuyitemc12) , '-97') or selected(\$(reasonnotbuyitemd12) , '-97'))		
costitema12 <i>(required)</i>	What was the price paid for [named12]? Enter 0 for free items. Enter -99 if don't know. Question relevant when: selected(\$(item12) , '1') and selected(\$(typeitem12) , '1') and selected(\$(purchaseditema12) , '1') and not(selected(\$(named12) , 'other')) and \$(named12) != "" Response constrained to: (.>=0 and .<=50000) or .=-99		
costitemb12 <i>(required)</i>	What was the price paid for [desc_othernamed12]? Enter 0 for free items. Enter -99 if don't know. Question relevant when: selected(\$(item12) , '1') and selected(\$(typeitem12) , '1') and selected(\$(purchaseditemb12) , '1') and selected(\$(named12) , 'other') Response constrained to: (.>=0 and .<=50000) or .=-99		
costitemc12 <i>(required)</i>	What was the price paid for [equip12]? Enter 0 for free items. Enter -99 if don't know. Question relevant when: selected(\$(item12) , '1') and selected(\$(typeitem12) , '2') and selected(\$(purchaseditemc12) , '1') and not(selected(\$(equip12) , 'other')) and \$(equip12) != "" Response constrained to: (.>=0 and .<=50000) or .=-99		
costitemd12 <i>(required)</i>	What was the price paid for [desc_otherequip12]? Enter 0 for free items. Enter -99 if don't know. Question relevant when: selected(\$(item12) , '1') and selected(\$(typeitem12) , '2') and selected(\$(purchaseditemd12) , '1') and selected(\$(equip12) , 'other') Response constrained to: (.>=0 and .<=50000) or .=-99		
wouldpaiditema12 <i>(required)</i>	What was the price you would have paid for [named12] if you had bought it? Please enter in CFA. Enter -99 if don't know. Question relevant when: selected(\$(item12) , '1') and selected(\$(typeitem12) , '1') and selected(\$(purchaseditema12) , '2') and not(selected(\$(named12) , 'other')) and \$(named12) != "" Response constrained to: (.>=0 and .<=50000) or .=-99		
wouldpaiditemb12 <i>(required)</i>	What was the price you would have paid for [desc_othernamed12] if you had bought it? Please enter in CFA. Enter -99 if don't know. Question relevant when: selected(\$(item12) , '1') and selected(\$(typeitem12) , '1') and selected(\$(purchaseditemb12) , '2') and selected(\$(named12) , 'other') Response constrained to: (.>=0 and .<=50000) or .=-99		
item13 <i>(required)</i>	[Surveyor: Is there another item on the prescription slip?] Question relevant when: selected(\$(item12) , '1')	1	Yes
		2	No
typeitem13 <i>(required)</i>	What is item 13 on the prescription slip? Question relevant when: selected(\$(item13) , '1')	1	Drug/medication with known name
		2	Equipment/materials
named13 <i>(required)</i>	Which is the name of the drug/medication? Question relevant when: selected(\$(item13) , '1') and selected(\$(typeitem13) , '1')	acefylline_piperazine	Acéfylline pipérazine
		acefylline_piperazine-diphenhydramine-hcl	Acefylline Piperazine+ Diphenhydramine Hcl

Field	Question	Answer
		acetaminophene Acétaminophène
		acetaminophene_(para)- Acétaminophène
		dextromethorphan-pseud. (Paracétamol) + Dextrométhorphan + Pseudoéphédrine
		acetylcysteine Acetylcysteine
		acetylsalicylic_acid Acetylsalicylic acid
		acid_benzoïque Acide benzoïque
		acid_valproïque Acide valproïque
		actapulgit Actapulgit
		actifed Actifed
		albendazole Albendazole
		alimemazine Alimemazine
		allergosone Allergosone
		almex Almex
		ammonium_chloride Ammonium Chloride
		amodiaquine Amodiaquine
		amodix Amodix
		amoquin Amoquin
		amoxicillin Amoxicillin
		amoxicilline-cla Amoxicilline + Cla
		amoxitem Amoxitem
		ampicilline Ampicilline
		analgin Analgin
		antipy_benzo_otc_sol Antipy Benzo Otic Sol
		antropine Antropine
		arcet Arcet
		artefan Artefan
		artemether Artemether
		artemether_injectable Artemether (injectable)
		artemether_tablet Artemether (tablet)
		artemether-lumefantrine Artemether + Lumefantrine
		artemether- lumefantrine_injectable Artemether + Lumefantrine (injectable)
		artemether- lumefantrine_tablet Artemether + Lumefantrine (tablet)
		artesunate Artesunate
		artesunate_injectable Artesunate (injectable)
		artesunate_tablet Artesunate (tablet)
		asa ASA
		aspegic Aspegic
		aspirin Aspirin
		atropine Atropine
		attapulgit Attapulgit
		augmentine Augmentine
		aureomycine Aureomycine
		azithromycin Azithromycin
		bactopoumon Bactopoumon
		bactox Bactox
		benadryl Benadryl
		benzaote Benzaote
		benzocaine Benzocaine
		benzododecinium Benzododecinium
		benzoic_acid Benzoic Acid
		betadine Betadine
		biafine Biafine
		biakof Biakof
		binozyt Binozyt
		brancoxil Broncoxil
		bronquidiazina Bronquidiazina
		brufen Brufen
		brumed Brumed
		cac_1000 CAC 1000 sandoz

Field	Question	Answer
		caflam
		Cafiam
		camoquin
		Camoquin
		carbetux
		Carbetux
		carbocisteine
		Carbocisteine
		cataflam
		Cataflam
		cedrox
		Cedrox
		cefadroxil
		Cefadroxil
		cefixime
		Cefixime
		ceftriaxone
		Ceftriaxone
		celestene
		Celestene
		chloropyramine
		Chloropyramine
		chloroquine
		Chloroquine
		chlorphenamine
		Chlorphenamine
		chlortetracycline
		Chlortetracycline
		ciprofloxacin
		Ciprofloxacin
		cipronat
		Cipronat
		clamoxyl
		Clamoxyl
		cloperastine
		Cloperastine
		clotrimazole
		Clotrimazole
		coartem
		Coartem
		codeine
		Codeine
		collu-hextril
		Collu-Hextril
		combiart
		Combiart
		combiart_adult
		Combiart adult
		cotrimoxazol_(trimoprim)
		Cotrimoxazol (Trimoprim)
		cta_adolescent
		CTA Adolescent
		cta_adulte
		CTA Adulte
		cta_enfant
		CTA Enfant
		cypheptadine
		Cypheptadine
		debridat
		Debridat
		depakine
		Depakine
		dexamethasone
		Dexamethasone
		dextromethorphan
		Dextromethorphan
		diazole
		Diazole
		diclofenac
		Diclofenac
		diclopara
		Diclopara
		diosmectite
		Diosmectite
		diphenhydramine
		Diphénhydramine
		diphenoxylate
		Diphénoxylate
		doliprane
		Doliprane
		dolotab
		Dolotab
		domperidone
		Domperidone
		dysenteral
		Dysentéral
		effergal
		Effergal
		ercefuryl
		Ercefuryl
		erycin
		Erycin
		erythromycin
		Erythromycin
		febrilex
		Febrilex
		fer_acidefolique
		Fer + acide folique
		fercefol
		Fercefol
		flagyl
		Flagyl
		flucazol
		Flucazol
		fluconazole
		Fluconazole
		fluditec
		Fluditec
		fluoxine
		Fluoxine
		gastrosedal
		Gastrosédal
		gentamycin
		Gentamycin
		grippex
		Grippex
		hepatisane
		Hépatisane
		hexachlorophene
		Hexachlorophène
		hexetidine
		Hexétidine
		huile_gomenolee_adulte
		Huile goménolée adulte (H-goménolée adulte)

Field	Question	Answer	ibugesic	Ibugesic
			ibuprofen	Ibuprofen
			ibusix	Ibusix
			iron_and_folic_acid	Iron and Folic Acid
			keneyaji	Keneyaji
			kva_sulf	Kva Sulf
			laxa_cassia	Laxa Cassia
			letaln_expectorant	Letalin Expectorant
			letap_paracetamol	Letap Paracetamol
			letaplex	Letaplex
			lidocaine	Lidocaine
			litacold	Litacold
			lymphshamei	Ly Mphshamei
			madar	Madar
			malacur	Malacur
			mebendazole	Mebendazole
			medvite	Medvite
			mequitazine	Mequitazine
			metamizole	Métamizole
			methyprednisolone	Methylprednisolone
			metopimazine	Metopimazine
			metronidazole	Metronidazole
			midazolam	Midazolam
			mixagrip	Mixagrip
			motilium	Motilium
			mucomyst	Mucomyst
			multivitamine	Multivitamin
			multivitamine_syrup	Multivitamin Syrup
			neo-codion	Neo-Codion
			neomycin	Neomycin
			nifuroxazide	Nifuroxazide
			nivaquine	Nivaquine
			novalgin	Novalgin
			nurupquin	Nurupquin
			nystatine	Nystatine
			oleandomycine	Oléandomycine
			onguent_antibiotique	Onguent antibiotique
			oracefal	Oracefal
			orasel_zinc	Orasel Zinc
			osmogel	Osmogel
			otipax	Otipax
			otrivine	Otrivine
			oxacilline	Oxacilline
			paidofebrile	Paidofebrile
			paidoterin	Paidoterin
			panadol	Panadol
			panalgic	Panalgic
			paracetamol	Paracetamol
			paracetamol_cetal	Paracetamol Cetal
			passedyl	Passedyl
			penicillin	Penicillin
			penicilline_onguent	Pénicilline onguent
			perfalgan	Perfalgan
			peridys	Peridys
			phenazone	Phénazone
			phenylpropanolamine	Phénylpropanolamine
			polydexa	Polydexa
			polymyxine	Polymyxine
			pommade_a_la_tetracycline	pommade à la tétracycline
			prednisone	Prednisone
			primalan	Primalan
			promethazine	Promethazine
			prorhinel_(benzododecinium)	Prorhinel (Benzododécinium)

Field	Question	Answer
		pseudoephedrine Pseudoephedrine
		quinimax Quinimax
		quinine Quinine
		quinine_injectable Quinine (injectable)
		quinine_tablet Quinine (tablet)
		radioselectan Radioselectan
		rhinathiol Rhinathiol
		royal_(chest-lung) Royal (Chest & Lung)
		salbutamol Salbutamol
		smecta Smecta
		smectites Smectites
		solu-medrol Solu-Medrol
		sro SRO
		sterimar Stérimar
		sudrex Sudrex
		sulfamethoxazol Sulfamethoxazol
		sulfur Sulfur
		synozole Synozole
		tao_(troleandomycin) TAO (troleandomycin)
		terpin_hydrate Terpin Hydrate
		terpine_codeine Terpene Codeine
		terpone_expectorant Terpone expectorant
		tetracycline_oointment Tetracycline Ointment
		theralene Theralene
		tres_orix Tres Orix
		trimebutine Trimébutine
		trimetabol Trimetabol
		uclaprim Uclaprim
		unasyn Unasyn
		valproate Valproate
		valproic_acid Valproic Acid
		vermin-dazol Vermin-Dazol
		verzol Verzol
		vinciseptil Vinciseptil
		vita_bebe Vita BeBe
		vitafer Vitafer
		vitamine_b Vitamine B
		vogalene Vogalene
		xylometazoline Xylométazoline
		zinc Zinc
		other Other
desc_othersnamed13 (required)	Specify other drug/medication: Question relevant when: selected(\${item13} , '1') and selected(\${typeitem13} , '1') and selected(\${named13} , 'other')	

CSCComPatientInterview

Field	Question	Answer
equip13 <i>(required)</i>	Which is the equipment/material? Question relevant when: selected(\${item13} , '1') and selected(\${typeitem13} , '2')	alcohol Alcohol
		bandage Bandage
		bande_de_pansement Dressing
		catheter_intraveineuse Intravenous catheter
		cotton Cotton
		compress Compress
		desinfectant Disinfectant
		epicranni Winged infusion set (scalp vein set, butterfly set)
		fluide_intraveineuse Intravenous fluid
		iodine Iodine
		infusion_IV_fluids Infusion
		perfuseur Perfuseur
		polyodoniodex Polyodon Iodex
		povidine-iodine Povidine iodine
		syringe Syringe
		serum_glucose Glucose serum
		serum_sale_(salin) Saline serum
desc_otherequip13 <i>(required)</i>	Specify other equipment/material: Question relevant when: selected(\${item13} , '1') and selected(\${typeitem13} , '2') and selected(\${equip13} , 'other')	
purchaseditema13 <i>(required)</i>	Was [namemed13] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item13} , '1') and selected(\${typeitem13} , '1') and not(selected(\${namemed13} , 'other')) and \${namemed13} != ""	1 Yes
		2 No
purchaseditemb13 <i>(required)</i>	Was [desc_othernamemed13] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item13} , '1') and selected(\${typeitem13} , '1') and selected(\${namemed13} , 'other')	1 Yes
		2 No
purchaseditemc13 <i>(required)</i>	Was [equip13] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item13} , '1') and selected(\${typeitem13} , '2') and not(selected(\${equip13} , 'other')) and \${equip13} != ""	1 Yes
		2 No
purchaseditemd13 <i>(required)</i>	Was [desc_otherequip13] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item13} , '1') and selected(\${typeitem13} , '2') and selected(\${equip13} , 'other')	1 Yes
		2 No
reasonnotbuyitema13 <i>(required)</i>	What is the main reason that you are not purchasing the [namemed13] at this CSCCom visit? Question relevant when: selected(\${item13} , '1') and selected(\${typeitem13} , '1') and selected(\${purchaseditema13} , '2') and not(selected(\${namemed13} , 'other')) and \${namemed13} != ""	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other
reasonnotbuyitemb13 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_othernamemed13] at this CSCCom visit? Question relevant when: selected(\${item13} , '1') and selected(\${typeitem13} , '1') and selected(\${purchaseditemb13} , '2') and selected(\${namemed13} , 'other')	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other

CSCoPatientInterview

Field	Question	Answer	
reasonnotbuyitemc13 <i>(required)</i>	What is the main reason that you are not purchasing the [equip13] at this CSCo visit? Question relevant when: selected(\$(item13) , '1') and selected(\$(typeitem13) , '2') and selected(\$(purchaseditemc13) , '2') and not(selected(\$(equip13) , 'other')) and \$(equip13) != ""	1	Out of stock at CSCo pharmacy
		2	CSCo pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
reasonnotbuyitemd13 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_otherequip13] at this CSCo visit? Question relevant when: selected(\$(item13) , '1') and selected(\$(typeitem13) , '2') and selected(\$(purchaseditemd13) , '2') and selected(\$(equip13) , 'other')	1	Out of stock at CSCo pharmacy
		2	CSCo pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
desc_othereasonnotbuy13 <i>(required)</i>	Specify the reason: Question relevant when: selected(\$(item13) , '1') and (selected(\$(purchaseditema13) , '2') or selected(\$(purchaseditemb13) , '2') or selected(\$(purchaseditemc13) , '2') or selected(\$(purchaseditemd13) , '2')) and (selected(\$(reasonnotbuyitema13) , '-97') or selected(\$(reasonnotbuyitemb13) , '-97') or selected(\$(reasonnotbuyitemc13) , '-97') or selected(\$(reasonnotbuyitemd13) , '-97'))		
costitema13 <i>(required)</i>	What was the price paid for [named13]? Enter 0 for free items. Enter -99 if don't know. Question relevant when: selected(\$(item13) , '1') and selected(\$(typeitem13) , '1') and selected(\$(purchaseditema13) , '1') and not(selected(\$(named13) , 'other')) and \$(named13) != "" Response constrained to: (.>=0 and .<=50000) or .=-99		
costitemb13 <i>(required)</i>	What was the price paid for [desc_othernamem13]? Enter 0 for free items. Enter -99 if don't know. Question relevant when: selected(\$(item13) , '1') and selected(\$(typeitem13) , '1') and selected(\$(purchaseditemb13) , '1') and selected(\$(named13) , 'other') Response constrained to: (.>=0 and .<=50000) or .=-99		
costitemc13 <i>(required)</i>	What was the price paid for [equip13]? Enter 0 for free items. Enter -99 if don't know. Question relevant when: selected(\$(item13) , '1') and selected(\$(typeitem13) , '2') and selected(\$(purchaseditemc13) , '1') and not(selected(\$(equip13) , 'other')) and \$(equip13) != "" Response constrained to: (.>=0 and .<=50000) or .=-99		
costitemd13 <i>(required)</i>	What was the price paid for [desc_otherequip13]? Enter 0 for free items. Enter -99 if don't know. Question relevant when: selected(\$(item13) , '1') and selected(\$(typeitem13) , '2') and selected(\$(purchaseditemd13) , '1') and selected(\$(equip13) , 'other') Response constrained to: (.>=0 and .<=50000) or .=-99		
wouldpaiditema13 <i>(required)</i>	What was the price you would have paid for [named13] if you had bought it? Please enter in CFA. Enter -99 if don't know. Question relevant when: selected(\$(item13) , '1') and selected(\$(typeitem13) , '1') and selected(\$(purchaseditema13) , '2') and not(selected(\$(named13) , 'other')) and \$(named13) != "" Response constrained to: (.>=0 and .<=50000) or .=-99		
wouldpaiditemb13 <i>(required)</i>	What was the price you would have paid for [desc_othernamem13] if you had bought it? Please enter in CFA. Enter -99 if don't know. Question relevant when: selected(\$(item13) , '1') and selected(\$(typeitem13) , '1') and selected(\$(purchaseditemb13) , '2') and selected(\$(named13) , 'other') Response constrained to: (.>=0 and .<=50000) or .=-99		
item14 <i>(required)</i>	[Surveyor: Is there another item on the prescription slip?] Question relevant when: selected(\$(item13) , '1')	1	Yes
		2	No
typeitem14 <i>(required)</i>	What is item 14 on the prescription slip? Question relevant when: selected(\$(item14) , '1')	1	Drug/medication with known name
		2	Equipment/materials
named14 <i>(required)</i>	Which is the name of the drug/medication? Question relevant when: selected(\$(item14) , '1') and selected(\$(typeitem14) , '1')	acefylline_piperazine	Acéfylline pipérazine
		acefylline_piperazine-diphenhydramine-hcl	Acefylline Piperazine+ Diphenhydramine Hcl

Field	Question	Answer
		acetaminophene Acétaminophène
		acetaminophene_(para)- Acétaminophène
		dextromethorphan-pseud. (Paracétamol) + Dextrométhorphan + Pseudoéphédrine
		acetylcysteine Acetylcysteine
		acetylsalicylic_acid Acetylsalicylic acid
		acid_benzoïque Acide benzoïque
		acid_valproïque Acide valproïque
		actapulgit Actapulgit
		actifed Actifed
		albendazole Albendazole
		alimemazine Alimemazine
		allergosone Allergosone
		almex Almex
		ammonium_chloride Ammonium Chloride
		amodiaquine Amodiaquine
		amodix Amodix
		amoquin Amoquin
		amoxicillin Amoxicillin
		amoxicilline-cla Amoxicilline + Cla
		amoxitem Amoxitem
		ampicilline Ampicilline
		analgin Analgin
		antipy_benzo_otc_sol Antipy Benzo Otic Sol
		antropine Antropine
		arcet Arcet
		artefan Artefan
		artemether Artemether
		artemether_injectable Artemether (injectable)
		artemether_tablet Artemether (tablet)
		artemether-lumefantrine Artemether + Lumefantrine
		artemether- lumefantrine_injectable Artemether + Lumefantrine (injectable)
		artemether- lumefantrine_tablet Artemether + Lumefantrine (tablet)
		artesunate Artesunate
		artesunate_injectable Artesunate (injectable)
		artesunate_tablet Artesunate (tablet)
		asa ASA
		aspegic Aspegic
		aspirin Aspirin
		atropine Atropine
		attapulgit Attapulgit
		augmentine Augmentine
		aureomycine Aureomycine
		azithromycin Azithromycin
		bactopoumon Bactopoumon
		bactox Bactox
		benadryl Benadryl
		benzaote Benzaote
		benzocaine Benzocaine
		benzododecinium Benzododecinium
		benzoic_acid Benzoic Acid
		betadine Betadine
		biafine Biafine
		biakof Biakof
		binozyt Binozyt
		broncoxil Broncoxil
		bronquidiazina Bronquidiazina
		brufen Brufen
		brumed Brumed
		cac_1000 CAC 1000 sandoz

Field	Question	Answer
		caflam
		Cafam
		camoquin
		Camoquin
		carbetux
		Carbetux
		carbocisteine
		Carbocisteine
		cataflam
		Cataflam
		cedrox
		Cedrox
		cefadroxil
		Cefadroxil
		cefixime
		Cefixime
		ceftriaxone
		Ceftriaxone
		celestene
		Celestene
		chloropyramine
		Chloropyramine
		chloroquine
		Chloroquine
		chlorphenamine
		Chlorphenamine
		chlortetracycline
		Chlortetracycline
		ciprofloxacin
		Ciprofloxacin
		cipronat
		Cipronat
		clamoxy
		Clamoxy
		cloperastine
		Cloperastine
		clotrimazole
		Clotrimazole
		coartem
		Coartem
		codeine
		Codeine
		collu-hextril
		Collu-Hextril
		combiart
		Combiart
		combiart_adult
		Combiart adult
		cotrimoxazol_(trimoprim)
		Cotrimoxazol (Trimoprim)
		cta_adolescent
		CTA Adolescent
		cta_adulte
		CTA Adulte
		cta_enfant
		CTA Enfant
		cypheptadine
		Cypheptadine
		debridat
		Debridat
		depakine
		Depakine
		dexamethasone
		Dexamethasone
		dextromethorphan
		Dextromethorphan
		diazole
		Diazole
		diclofenac
		Diclofenac
		diclopara
		Diclopara
		diosmectite
		Diosmectite
		diphenhydramine
		Diphénhydramine
		diphenoxylate
		Diphénoxylate
		doliprane
		Doliprane
		dolotab
		Dolotab
		domperidone
		Domperidone
		dysenteral
		Dysentéral
		effergal
		Effergal
		ercefuryl
		Ercefuryl
		erycin
		Erycin
		erythromycin
		Erythromycin
		febrilex
		Febrilex
		fer_acidefolique
		Fer + acide folique
		fercefol
		Fercefol
		flagyl
		Flagyl
		flucazol
		Flucazol
		fluconazole
		Fluconazole
		fluditec
		Fluditec
		fluoxine
		Fluoxine
		gastrosedal
		Gastrosédal
		gentamycin
		Gentamycin
		grippex
		Grippex
		hepatisane
		Hépatisane
		hexachlorophene
		Hexachlorophène
		hexetidine
		Hexétidine
		huile_gomenolee_adulte
		Huile goménolée adulte (H-goménolée adulte)

Field	Question	Answer	ibugesic	Ibugesic
			ibuprofen	Ibuprofen
			ibusix	Ibusix
			iron_and_folic_acid	Iron and Folic Acid
			keneyaji	Keneyaji
			kva_sulf	Kva Sulf
			laxa_cassia	Laxa Cassia
			letaln_expectorant	Letalin Expectorant
			letap_paracetamol	Letap Paracetamol
			letaplex	Letaplex
			lidocaine	Lidocaine
			litacold	Litacold
			lymphshamei	Ly Mphshamei
			madar	Madar
			malacur	Malacur
			mebendazole	Mebendazole
			medvite	Medvite
			mequitazine	Mequitazine
			metamizole	Métamizole
			methylprednisolone	Methylprednisolone
			metopimazine	Metopimazine
			metronidazole	Metronidazole
			midazolam	Midazolam
			mixagrip	Mixagrip
			motilium	Motilium
			mucomyst	Mucomyst
			multivitamine	Multivitamin
			multivitamine_syrup	Multivitamin Syrup
			neo-codion	Neo-Codion
			neomycin	Neomycin
			nifuroxazide	Nifuroxazide
			nivaquine	Nivaquine
			novalgin	Novalgin
			nurupquin	Nurupquin
			nystatine	Nystatine
			oleandomycine	Oléandomycine
			onguent_antibiotique	Onguent antibiotique
			oracefal	Oracefal
			oraseal_zinc	Oraseal Zinc
			osmogel	Osmogel
			otipax	Otipax
			otrivine	Otrivine
			oxacilline	Oxacilline
			paidofebrile	Paidofebrile
			paidoterin	Paidoterin
			panadol	Panadol
			panalgic	Panalgic
			paracetamol	Paracetamol
			paracetamol_cetal	Paracetamol Cetal
			passedyl	Passedyl
			penicillin	Penicillin
			penicilline_onguent	Pénicilline onguent
			perfalgan	Perfalgan
			peridys	Peridys
			phenazone	Phénazone
			phenylpropanolamine	Phénylpropanolamine
			polydexa	Polydexa
			polymyxine	Polymyxine
			pommade_a_la_tetracycline	pommade à la tétracycline
			prednisone	Prednisone
			primalan	Primalan
			promethazine	Promethazine
			prorhinel_(benzododecinium)	Prorhinel (Benzododécinium)

CSCComPatientInterview

Field	Question	Answer
		pseudoephedrine Pseudoephedrine
		quinimax Quinimax
		quinine Quinine
		quinine_injectable Quinine (injectable)
		quinine_tablet Quinine (tablet)
		radioselectan Radioselectan
		rhinathiol Rhinathiol
		royal_(chest-lung) Royal (Chest & Lung)
		salbutamol Salbutamol
		smecta Smecta
		smectites Smectites
		solu-medrol Solu-Medrol
		sro SRO
		sterimar Stérimar
		sudrex Sudrex
		sulfamethoxazol Sulfamethoxazol
		sulfur Sulfur
		synozole Synozole
		tao_(troleandomycin) TAO (troleandomycin)
		terpin_hydrate Terpin Hydrate
		terpine_codeine Terpine Codeine
		terpone_expectorant Terpone expectorant
		tetracycline_oointment Tetracycline Ointment
		theralene Theralene
		tres_orix Tres Orix
		trimebutine Trimébutine
		trimetabol Trimetabol
		uclaprim Uclaprim
		unasyn Unasyn
		valproate Valproate
		valproic_acid Valproic Acid
		vermin-dazol Vermin-Dazol
		verzol Verzol
		vinciseptil Vinciseptil
		vita_bebe Vita BeBe
		vitafer Vitafer
		vitamine_b Vitamine B
		vogalene Vogalene
		xylometazoline Xylométazoline
		zinc Zinc
		other Other
desc_othersnamed14 (required)	Specify other drug/medication: <i>Question relevant when: selected(\${item14} , '1') and selected(\${typeitem14} , '1') and selected(\${named14} , 'other')</i>	

CSCComPatientInterview

Field	Question	Answer
equip14 <i>(required)</i>	Which is the equipment/material? Question relevant when: selected(\${item14} , '1') and selected(\${typeitem14} , '2')	alcohol Alcohol
		bandage Bandage
		bande_de_pansement Dressing
		catheter_intraveineuse Intravenous catheter
		cotton Cotton
		compress Compress
		desinfectant Disinfectant
		epicranni Winged infusion set (scalp vein set, butterfly set)
		fluide_intraveineuse Intravenous fluid
		iodine Iodine
		infusion_IV_fluids Infusion
		perfuseur Perfuseur
		polyodoniodex Polyodon Iodex
		povidine-iodine Povidine iodine
		syringe Syringe
		serum_glucose Glucose serum
		serum_sale_(salin) Saline serum
desc_otherequip14 <i>(required)</i>	Specify other equipment/material: Question relevant when: selected(\${item14} , '1') and selected(\${typeitem14} , '2') and selected(\${equip14} , 'other')	
purchaseditema14 <i>(required)</i>	Was [namemed14] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item14} , '1') and selected(\${typeitem14} , '1') and not(selected(\${namemed14} , 'other')) and \${namemed14} != ""	1 Yes
		2 No
purchaseditemb14 <i>(required)</i>	Was [desc_othernamemed14] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item14} , '1') and selected(\${typeitem14} , '1') and selected(\${namemed14} , 'other')	1 Yes
		2 No
purchaseditemc14 <i>(required)</i>	Was [equip14] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item14} , '1') and selected(\${typeitem14} , '2') and not(selected(\${equip14} , 'other')) and \${equip14} != ""	1 Yes
		2 No
purchaseditemd14 <i>(required)</i>	Was [desc_otherequip14] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item14} , '1') and selected(\${typeitem14} , '2') and selected(\${equip14} , 'other')	1 Yes
		2 No
reasonnotbuyitema14 <i>(required)</i>	What is the main reason that you are not purchasing the [namemed14] at this CSCCom visit? Question relevant when: selected(\${item14} , '1') and selected(\${typeitem14} , '1') and selected(\${purchaseditema14} , '2') and not(selected(\${namemed14} , 'other')) and \${namemed14} != ""	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other
reasonnotbuyitemb14 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_othernamemed14] at this CSCCom visit? Question relevant when: selected(\${item14} , '1') and selected(\${typeitem14} , '1') and selected(\${purchaseditemb14} , '2') and selected(\${namemed14} , 'other')	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other

CSCoPatientInterview

Field	Question	Answer	
reasonnotbuyitemc14 (required)	What is the main reason that you are not purchasing the [equip14] at this CScom visit? <i>Question relevant when: selected(\$(item14) , '1') and selected(\$(typeitem14) , '2') and selected(\$(purchaseditemc14) , '2') and not(selected(\$(equip14) , 'other')) and \$(equip14) != ""</i>	1	Out of stock at CScom pharmacy
		2	CScom pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
reasonnotbuyitemd14 (required)	What is the main reason that you are not purchasing the [desc_otherequip14] at this CScom visit? <i>Question relevant when: selected(\$(item14) , '1') and selected(\$(typeitem14) , '2') and selected(\$(purchaseditemd14) , '2') and selected(\$(equip14) , 'other')</i>	1	Out of stock at CScom pharmacy
		2	CScom pharmacy closed
		3	Do not plan to buy: too expensive
		4	Do not plan to buy: do not think it is the right treatment
		5	Do not plan to buy: already have this at home
		6	Do plan to buy later: did not bring enough cash
		7	Do plan to buy later: have cheaper source
		8	Do plan to buy later: forgot to buy
		-97	Other
desc_othereasonnotbuy14 (required)	Specify the reason: <i>Question relevant when: selected(\$(item14) , '1') and (selected(\$(purchaseditema14) , '2') or selected(\$(purchaseditemb14) , '2') or selected(\$(purchaseditemc14) , '2') or selected(\$(purchaseditemd14) , '2')) and (selected(\$(reasonnotbuyitema14) , '-97') or selected(\$(reasonnotbuyitemb14) , '-97') or selected(\$(reasonnotbuyitemc14) , '-97') or selected(\$(reasonnotbuyitemd14) , '-97'))</i>		
costitema14 (required)	What was the price paid for [named14]? Enter 0 for free items. Enter -99 if don't know. <i>Question relevant when: selected(\$(item14) , '1') and selected(\$(typeitem14) , '1') and selected(\$(purchaseditema14) , '1') and not(selected(\$(named14) , 'other')) and \$(named14) != ""</i> Response constrained to: (.>=0 and .<=50000) or .=-99		
costitemb14 (required)	What was the price paid for [desc_othernamed14]? Enter 0 for free items. Enter -99 if don't know. <i>Question relevant when: selected(\$(item14) , '1') and selected(\$(typeitem14) , '1') and selected(\$(purchaseditemb14) , '1') and selected(\$(named14) , 'other')</i> Response constrained to: (.>=0 and .<=50000) or .=-99		
costitemc14 (required)	What was the price paid for [equip14]? Enter 0 for free items. Enter -99 if don't know. <i>Question relevant when: selected(\$(item14) , '1') and selected(\$(typeitem14) , '2') and selected(\$(purchaseditemc14) , '1') and not(selected(\$(equip14) , 'other')) and \$(equip14) != ""</i> Response constrained to: (.>=0 and .<=50000) or .=-99		
costitemd14 (required)	What was the price paid for [desc_otherequip14]? Enter 0 for free items. Enter -99 if don't know. <i>Question relevant when: selected(\$(item14) , '1') and selected(\$(typeitem14) , '2') and selected(\$(purchaseditemd14) , '1') and selected(\$(equip14) , 'other')</i> Response constrained to: (.>=0 and .<=50000) or .=-99		
wouldpaiditema14 (required)	What was the price you would have paid for [named14] if you had bought it? Please enter in CFA. Enter -99 if don't know. <i>Question relevant when: selected(\$(item14) , '1') and selected(\$(typeitem14) , '1') and selected(\$(purchaseditema14) , '2') and not(selected(\$(named14) , 'other')) and \$(named14) != ""</i> Response constrained to: (.>=0 and .<=50000) or .=-99		
wouldpaiditemb14 (required)	What was the price you would have paid for [desc_othernamed14] if you had bought it? Please enter in CFA. Enter -99 if don't know. <i>Question relevant when: selected(\$(item14) , '1') and selected(\$(typeitem14) , '1') and selected(\$(purchaseditemb14) , '2') and selected(\$(named14) , 'other')</i> Response constrained to: (.>=0 and .<=50000) or .=-99		
item15 (required)	[Surveyor: Is there another item on the prescription slip?] <i>Question relevant when: selected(\$(item14) , '1')</i>	1	Yes
		2	No
typeitem15 (required)	What is item 15 on the prescription slip? <i>Question relevant when: selected(\$(item15) , '1')</i>	1	Drug/medication with known name
		2	Equipment/materials
named15 (required)	Which is the name of the drug/medication? <i>Question relevant when: selected(\$(item15) , '1') and selected(\$(typeitem15) , '1')</i>	acefylline_piperazine	Acéfylline pipérazine
		acefylline_piperazine-diphenhydramine-hcl	Acefylline Piperazine+ Diphenhydramine Hcl

Field	Question	Answer
		acetaminophene Acétaminophène
		acetaminophene_(para)- Acétaminophène
		dextromethorphan-pseud. (Paracétamol) + Dextrométhorphan + Pseudoéphédrine
		acetylcysteine Acetylcysteine
		acetylsalicylic_acid Acetylsalicylic acid
		acid_benzoïque Acide benzoïque
		acid_valproïque Acide valproïque
		actapulgit Actapulgit
		actifed Actifed
		albendazole Albendazole
		alimemazine Alimemazine
		allergosone Allergosone
		almex Almex
		ammonium_chloride Ammonium Chloride
		amodiaquine Amodiaquine
		amodix Amodix
		amoquin Amoquin
		amoxicillin Amoxicillin
		amoxicilline-cla Amoxicilline + Cla
		amoxitem Amoxitem
		ampicilline Ampicilline
		analgin Analgin
		antipy_benzo_otc_sol Antipy Benzo Otic Sol
		antropine Antropine
		arcet Arcet
		artefan Artefan
		artemether Artemether
		artemether_injectable Artemether (injectable)
		artemether_tablet Artemether (tablet)
		artemether-lumefantrine Artemether + Lumefantrine
		artemether- lumefantrine_injectable Artemether + Lumefantrine (injectable)
		artemether- lumefantrine_tablet Artemether + Lumefantrine (tablet)
		artesunate Artesunate
		artesunate_injectable Artesunate (injectable)
		artesunate_tablet Artesunate (tablet)
		asa ASA
		aspegic Aspegic
		aspirin Aspirin
		atropine Atropine
		attapulgit Attapulgit
		augmentine Augmentine
		aureomycine Aureomycine
		azithromycin Azithromycin
		bactopoumon Bactopoumon
		bactox Bactox
		benadryl Benadryl
		benzaote Benzaote
		benzocaine Benzocaine
		benzododecinium Benzododecinium
		benzoic_acid Benzoic Acid
		betadine Betadine
		biafine Biafine
		biakof Biakof
		binozyt Binozyt
		broncoxil Broncoxil
		bronquidiazina Bronquidiazina
		brufen Brufen
		brumed Brumed
		cac_1000 CAC 1000 sandoz

Field	Question	Answer
		caflam
		Cafiam
		camoquin
		Camoquin
		carbetux
		Carbetux
		carbocisteine
		Carbocisteine
		cataflam
		Cataflam
		cedrox
		Cedrox
		cefadroxil
		Cefadroxil
		cefixime
		Cefixime
		ceftriaxone
		Ceftriaxone
		celestene
		Celestene
		chloropyramine
		Chloropyramine
		chloroquine
		Chloroquine
		chlorphenamine
		Chlorphenamine
		chlortetracycline
		Chlortetracycline
		ciprofloxacin
		Ciprofloxacin
		cipronat
		Cipronat
		clamoxy
		Clamoxy
		cloperastine
		Cloperastine
		clotrimazole
		Clotrimazole
		coartem
		Coartem
		codeine
		Codeine
		collu-hextril
		Collu-Hextril
		combiart
		Combiart
		combiart_adult
		Combiart adult
		cotrimoxazol_(trimoprim)
		Cotrimoxazol (Trimoprim)
		cta_adolescent
		CTA Adolescent
		cta_adulte
		CTA Adulte
		cta_enfant
		CTA Enfant
		cypheptadine
		Cypheptadine
		debridat
		Debridat
		depakine
		Depakine
		dexamethasone
		Dexamethasone
		dextromethorphan
		Dextromethorphan
		diazole
		Diazole
		diclofenac
		Diclofenac
		diclopara
		Diclopara
		diosmectite
		Diosmectite
		diphenhydramine
		Diphénhydramine
		diphenoxylate
		Diphénoxylate
		doliprane
		Doliprane
		dolotab
		Dolotab
		domperidone
		Domperidone
		dysenteral
		Dysentéral
		effergal
		Effergal
		ercefuryl
		Ercefuryl
		erycin
		Erycin
		erythromycin
		Erythromycin
		febrilex
		Febrilex
		fer_acidefolique
		Fer + acide folique
		fercefol
		Fercefol
		flagyl
		Flagyl
		flucazol
		Flucazol
		fluconazole
		Fluconazole
		fluditec
		Fluditec
		fluoxine
		Fluoxine
		gastrosedal
		Gastrosédal
		gentamycin
		Gentamycin
		grippex
		Grippex
		hepatisane
		Hépatisane
		hexachlorophene
		Hexachlorophène
		hexetidine
		Hexétidine
		huile_gomenolee_adulte
		Huile goménolée adulte (H-goménolée adulte)

Field	Question	Answer	ibugesic	Ibugesic
			ibuprofen	Ibuprofen
			ibusix	Ibusix
			iron_and_folic_acid	Iron and Folic Acid
			keneyaji	Keneyaji
			kva_sulf	Kva Sulf
			laxa_cassia	Laxa Cassia
			letaln_expectorant	Letalin Expectorant
			letap_paracetamol	Letap Paracetamol
			letaplex	Letaplex
			lidocaine	Lidocaine
			litacold	Litacold
			lymphshamei	Ly Mphshamei
			madar	Madar
			malacur	Malacur
			mebendazole	Mebendazole
			medvite	Medvite
			mequitazine	Mequitazine
			metamizole	Métamizole
			methylprednisolone	Methylprednisolone
			metopimazine	Metopimazine
			metronidazole	Metronidazole
			midazolam	Midazolam
			mixagrip	Mixagrip
			motilium	Motilium
			mucomyst	Mucomyst
			multivitamine	Multivitamin
			multivitamine_syrup	Multivitamin Syrup
			neo-codion	Neo-Codion
			neomycin	Neomycin
			nifuroxazide	Nifuroxazide
			nivaquine	Nivaquine
			novalgin	Novalgin
			nurupquin	Nurupquin
			nystatine	Nystatine
			oleandomycine	Oléandomycine
			onguent_antibiotique	Onguent antibiotique
			oracefal	Oracefal
			oraseal_zinc	Oraseal Zinc
			osmogel	Osmogel
			otipax	Otipax
			otrivine	Otrivine
			oxacilline	Oxacilline
			paidofebrile	Paidofebrile
			paidoterin	Paidoterin
			panadol	Panadol
			panalgic	Panalgic
			paracetamol	Paracetamol
			paracetamol_cetal	Paracetamol Cetal
			passedyl	Passedyl
			penicillin	Penicillin
			penicilline_onguent	Pénicilline onguent
			perfalgan	Perfalgan
			peridys	Peridys
			phenazone	Phénazone
			phenylpropanolamine	Phénylpropanolamine
			polydexa	Polydexa
			polymyxine	Polymyxine
			pommade_a_la_tetracycline	pommade à la tétracycline
			prednisone	Prednisone
			primalan	Primalan
			promethazine	Promethazine
			prorhinel_(benzododecinium)	Prorhinel (Benzododécinium)

CSCComPatientInterview

Field	Question	Answer
		pseudoephedrine Pseudoephedrine
		quinimax Quinimax
		quinine Quinine
		quinine_injectable Quinine (injectable)
		quinine_tablet Quinine (tablet)
		radioselectan Radioselectan
		rhinathiol Rhinathiol
		royal_(chest-lung) Royal (Chest & Lung)
		salbutamol Salbutamol
		smecta Smecta
		smectites Smectites
		solu-medrol Solu-Medrol
		sro SRO
		sterimar Stérimar
		sudrex Sudrex
		sulfamethoxazol Sulfamethoxazol
		sulfur Sulfur
		synozole Synozole
		tao_(troleandomycin) TAO (troleandomycin)
		terpin_hydrate Terpin Hydrate
		terpine_codeine Terpine Codeine
		terpone_expectorant Terpone expectorant
		tetracycline_oointment Tetracycline Ointment
		theralene Theralene
		tres_orix Tres Orix
		trimebutine Trimébutine
		trimetabol Trimetabol
		uclaprim Uclaprim
		unasyn Unasyn
		valproate Valproate
		valproic_acid Valproic Acid
		vermin-dazol Vermin-Dazol
		verzol Verzol
		vinciseptil Vinciseptil
		vita_bebe Vita BeBe
		vitafer Vitafer
		vitamine_b Vitamine B
		vogalene Vogalene
		xylometazoline Xylométazoline
		zinc Zinc
		other Other
desc_othersnamed15 <i>(required)</i>	Specify other drug/medication: <i>Question relevant when: selected(\${item15} , '1') and selected(\${typeitem15} , '1') and selected(\${named15} , 'other')</i>	

CSCComPatientInterview

Field	Question	Answer
equip15 <i>(required)</i>	Which is the equipment/material? Question relevant when: selected(\${item15} , '1') and selected(\${typeitem15} , '2')	alcohol Alcohol
		bandage Bandage
		bande_de_pansement Dressing
		catheter_intraveineuse Intravenous catheter
		cotton Cotton
		compress Compress
		desinfectant Disinfectant
		epicranni Winged infusion set (scalp vein set, butterfly set)
		fluide_intraveineuse Intravenous fluid
		iodine Iodine
		infusion_IV_fluids Infusion
		perfuseur Perfuseur
		polyodoniodex Polyodon Iodex
		povidine-iodine Povidine iodine
		syringe Syringe
		serum_glucose Glucose serum
		serum_sale_(salin) Saline serum
desc_otherequip15 <i>(required)</i>	Specify other equipment/material: Question relevant when: selected(\${item15} , '1') and selected(\${typeitem15} , '2') and selected(\${equip15} , 'other')	other Other
purchaseditema15 <i>(required)</i>	Was [namemed15] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item15} , '1') and selected(\${typeitem15} , '1') and not(selected(\${namemed15} , 'other')) and \${namemed15} != ""	1 Yes
		2 No
purchaseditemb15 <i>(required)</i>	Was [desc_othernamemed15] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item15} , '1') and selected(\${typeitem15} , '1') and selected(\${namemed15} , 'other')	1 Yes
		2 No
purchaseditemc15 <i>(required)</i>	Was [equip15] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item15} , '1') and selected(\${typeitem15} , '2') and not(selected(\${equip15} , 'other')) and \${equip15} != ""	1 Yes
		2 No
purchaseditemd15 <i>(required)</i>	Was [desc_otherequip15] purchased/received? Enter "no" if the patient did not buy or accept a prescribed or recommended item. Question relevant when: selected(\${item15} , '1') and selected(\${typeitem15} , '2') and selected(\${equip15} , 'other')	1 Yes
		2 No
reasonnotbuyitema15 <i>(required)</i>	What is the main reason that you are not purchasing the [namemed15] at this CSCCom visit? Question relevant when: selected(\${item15} , '1') and selected(\${typeitem15} , '1') and selected(\${purchaseditema15} , '2') and not(selected(\${namemed15} , 'other')) and \${namemed15} != ""	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other
reasonnotbuyitemb15 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_othernamemed15] at this CSCCom visit? Question relevant when: selected(\${item15} , '1') and selected(\${typeitem15} , '1') and selected(\${purchaseditemb15} , '2') and selected(\${namemed15} , 'other')	1 Out of stock at CSCCom pharmacy
		2 CSCCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other

CSCoPatientInterview

Field	Question	Answer
reasonnotbuyitemc15 <i>(required)</i>	What is the main reason that you are not purchasing the [equip15] at this CScCom visit? <i>Question relevant when: selected(\$(item15) , '1') and selected(\$(typeitem15) , '2') and selected(\$(purchaseditemc15) , '2') and not(selected(\$(equip15) , 'other')) and \$(equip15) != ""</i>	1 Out of stock at CScCom pharmacy
		2 CScCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other
reasonnotbuyitemd15 <i>(required)</i>	What is the main reason that you are not purchasing the [desc_otherequip15] at this CScCom visit? <i>Question relevant when: selected(\$(item15) , '1') and selected(\$(typeitem15) , '2') and selected(\$(purchaseditemd15) , '2') and selected(\$(equip15) , 'other')</i>	1 Out of stock at CScCom pharmacy
		2 CScCom pharmacy closed
		3 Do not plan to buy: too expensive
		4 Do not plan to buy: do not think it is the right treatment
		5 Do not plan to buy: already have this at home
		6 Do plan to buy later: did not bring enough cash
		7 Do plan to buy later: have cheaper source
		8 Do plan to buy later: forgot to buy
		-97 Other
desc_othereasonnotbuy15 <i>(required)</i>	Specify the reason: <i>Question relevant when: selected(\$(item15) , '1') and (selected(\$(purchaseditema15) , '2') or selected(\$(purchaseditemb15) , '2') or selected(\$(purchaseditemc15) , '2') or selected(\$(purchaseditemd15) , '2')) and (selected(\$(reasonnotbuyitema15) , '-97') or selected(\$(reasonnotbuyitemb15) , '-97') or selected(\$(reasonnotbuyitemc15) , '-97') or selected(\$(reasonnotbuyitemd15) , '-97'))</i>	
costitema15 <i>(required)</i>	What was the price paid for [named15]? Enter 0 for free items. Enter -99 if don't know. <i>Question relevant when: selected(\$(item15) , '1') and selected(\$(typeitem15) , '1') and selected(\$(purchaseditema15) , '1') and not(selected(\$(named15) , 'other')) and \$(named15) != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>	
costitemb15 <i>(required)</i>	What was the price paid for [desc_othernamed15]? Enter 0 for free items. Enter -99 if don't know. <i>Question relevant when: selected(\$(item15) , '1') and selected(\$(typeitem15) , '1') and selected(\$(purchaseditemb15) , '1') and selected(\$(named15) , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>	
costitemc15 <i>(required)</i>	What was the price paid for [equip15]? Enter 0 for free items. Enter -99 if don't know. <i>Question relevant when: selected(\$(item15) , '1') and selected(\$(typeitem15) , '2') and selected(\$(purchaseditemc15) , '1') and not(selected(\$(equip15) , 'other')) and \$(equip15) != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>	
costitemd15 <i>(required)</i>	What was the price paid for [desc_otherequip15]? Enter 0 for free items. Enter -99 if don't know. <i>Question relevant when: selected(\$(item15) , '1') and selected(\$(typeitem15) , '2') and selected(\$(purchaseditemd15) , '1') and selected(\$(equip15) , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>	
wouldpaiditema15 <i>(required)</i>	What was the price you would have paid for [named15] if you had bought it? Please enter in CFA. Enter -99 if don't know. <i>Question relevant when: selected(\$(item15) , '1') and selected(\$(typeitem15) , '1') and selected(\$(purchaseditema15) , '2') and not(selected(\$(named15) , 'other')) and \$(named15) != ""</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>	
wouldpaiditemb15 <i>(required)</i>	What was the price you would have paid for [desc_othernamed15] if you had bought it? Please enter in CFA. Enter -99 if don't know. <i>Question relevant when: selected(\$(item15) , '1') and selected(\$(typeitem15) , '1') and selected(\$(purchaseditemb15) , '2') and selected(\$(named15) , 'other')</i> <i>Response constrained to: (.>=0 and .<=50000) or .=-99</i>	

CSCComPatientInterview

Field	Question	Answer	
totalsum1 <i>(required)</i>	<p>What was the total price you paid for the consultation and all treatment at this CSCom visit? Please enter in CFA. INCLUDE the consultation cost and all treatment costs, even if they were reported above. Enter -99 if don't know.</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1')</p> <p>Response constrained to: .>=0 or .=-99</p>		
totalsum2 <i>(required)</i>	<p>[Surveyor: Please record if there is any total sum (of all items) on the paper] Enter -100 if total price is not shown on the paper record or illegible.</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and selected(\${records} , '1')</p> <p>Response constrained to: .>=0 or .=-100</p>		
otheritem <i>(required)</i>	<p>Did the doctor recommend any other item/drug/medication that you ended up not buying (and that is not mentioned on the prescription slip)? Probe for medications or procedures that the doctor recommended during the consultation, but the patient told the doctor they would not want to buy.</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1')</p>	1	Yes
		2	No
othertypeitem <i>(required)</i>	<p>Which type of item?</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and (selected(\${indiv} , '1') and selected(\${respondentavailable} , '1')) and selected(\${otheritem} , '1')</p>	1	Drug/medication with known name
		2	Drug/medication; type known but name unknown
		3	Drug/medication; both type and name unknown (e.g. unmarked packaging)
		4	Equipment/materials
othernamemem <i>(required)</i>	<p>Which is the name of the drug/medication?</p> <p>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and (selected(\${indiv} , '1') and selected(\${respondentavailable} , '1')) and selected(\${otheritem} , '1') and selected(\${othertypeitem} , '1')</p>	acefylline_piperazine	Acéfylline pipérazine
		acefylline_piperazine-diphenyldramine-hcl	Acéfylline Piperazine+ Diphenyldramine Hcl
		acetaminophene	Acétaminophène
		acetaminophene_(para)-dextromethorphan-pseud.	Acétaminophène (Paracétamol) + Dextrométhorphan + Pseudoéphédrine
		acetylcysteine	Acetylcysteine
		acetylsalicylic_acid	Acetylsalicylic acid
		acid_benzoique	Acide benzoïque
		acid_valproique	Acide valproïque
		actapulgit	Actapulgit
		actifed	Actifed
		albendazole	Albendazole
		alimemazine	Alimemazine
		allergosone	Allergosone
		almex	Almex
		ammonium_chloride	Ammonium Chloride
		amodiaquine	Amodiaquine
		amodix	Amodix
		amoquin	Amoquin
		amoxicillin	Amoxicillin
		amoxicilline-cla	Amoxicilline + Cla
		amoxitem	Amoxitem
		ampicilline	Ampicilline
		analgin	Analgin
		antipy_benzo_otc_sol	Antipy Benzo Otic Sol
		antropine	Antropine
		arcet	Arcet
		artefan	Artefan
		artemether	Artemether
		artemether_injectable	Artemether (injectable)
		artemether_tablet	Artemether (tablet)
		artemether-lumefantrine	Artemether + Lumefantrine
		artemether-	Artemether + Lumefantrine

Field	Question	Answer	lumefantrine_injectable (injectable)
		artemether-lumefantrine_tablet	Artemether + Lumefantrine (tablet)
		artesanate	Artesunate
		artesanate_injectable	Artesunate (injectable)
		artesanate_tablet	Artesunate (tablet)
		asa	ASA
		aspegic	Aspegic
		aspirin	Aspirin
		atropine	Atropine
		attapulgit	Attapulgit
		augmentine	Augmentine
		aureomycine	Aureomycine
		azithromycin	Azithromycin
		bactopoumon	Bactopoumon
		bactox	Bactox
		benadryl	Benadryl
		benzaote	Benzaote
		benzocaine	Benzocaine
		benzododecinium	Benzododecinium
		benzoic_acid	Benzoic Acid
		betadine	Betadine
		biafine	Biafine
		biakof	Biakof
		binozyt	Binozyt
		broncoxil	Broncoxil
		bronquidiazina	Bronquidiazina
		brufen	Brufen
		brumed	Brumed
		cac_1000	CAC 1000 sandoz
		caflam	Caflam
		camoquin	Camoquin
		carbetux	Carbetux
		carbocisteine	Carbocisteine
		cataflam	Cataflam
		cedrox	Cedrox
		cefadroxil	Cefadroxil
		cefixime	Cefixime
		ceftriaxone	Ceftriaxone
		celestene	Celestene
		chloropyramine	Chloropyramine
		chloroquine	Chloroquine
		chlorphenamine	Chlorphenamine
		chlortetracycline	Chlortetracycline
		ciprofloxacin	Ciprofloxacin
		cipronat	Cipronat
		clamoxy	Clamoxy
		cloperastine	Cloperastine
		clotrimazole	Clotrimazole
		coartem	Coartem
		codeine	Codeine
		collu-hextril	Collu-Hextril
		combiart	Combiart
		combiart_adult	Combiart adult
		cotrimoxazol_(trimoprim)	Cotrimoxazol (Trimoprim)
		cta_adolescent	CTA Adolescent
		cta_adulte	CTA Adulte
		cta_enfant	CTA Enfant
		cypheptadine	Cypheptadine
		debridat	Debridat
		depakine	Depakine
		dexamethasone	Dexamethasone
		dextromethorphan	Dextromethorphan

Field	Question	Answer	
		diazole	Diazole
		diclofenac	Diclofenac
		diclopara	Diclopara
		diosmectite	Diosmectite
		diphenhydramine	Diphénhydramine
		diphenoxylate	Diphénoxylate
		doliprane	Doliprane
		dolotab	Dolotab
		domperidone	Domperidone
		dysenteral	Dysentéral
		efferalgan	Efferalgan
		ercefuryl	Ercefuryl
		erycin	Erycin
		erythromycin	Erythromycin
		febrilex	Febrilex
		fer_acidefolique	Fer + acide folique
		fercefol	Fercefol
		flagyl	Flagyl
		flucazol	Flucazol
		fluconazole	Fluconazole
		fluditec	Fluditec
		fluoxine	Fluoxine
		gastrosedal	Gastrosédal
		gentamycin	Gentamycin
		grippex	Grippex
		hepatisane	Hépatisane
		hexachlorophene	Hexachlorophène
		hexetidine	Hexétidine
		huile_gomenolee_adulte	Huile goménolée adulte (H-goménolée adulte)
		ibugesic	Ibugesic
		ibuprofen	Ibuprofen
		ibusix	Ibusix
		iron_and_folic_acid	Iron and Folic Acid
		keneyaji	Keneyaji
		kva_sulf	Kva Sulf
		laxa_cassia	Laxa Cassia
		letal_in_expectoant	Letalin Expectorant
		letap_paracetamol	Letap Paracetamol
		letaplex	Letaplex
		lidocaine	Lidocaine
		litacold	Litacold
		lymphshamei	Ly Mphshamei
		madar	Madar
		malacur	Malacur
		mebendazole	Mebendazole
		medvite	Medvite
		mequitazine	Mequitazine
		metamizole	Métamizole
		methylprednisolone	Methylprednisolone
		metopimazine	Metopimazine
		metronidazole	Metronidazole
		midazolam	Midazolam
		mixagrip	Mixagrip
		motilium	Motilium
		mucomyst	Mucomyst
		multivitamine	Multivitamin
		multivitamine_syrup	Multivitamin Syrup
		neo-codion	Neo-Codion
		neomycin	Neomycin
		nifuroxazide	Nifuroxazide
		nivaquine	Nivaquine
		novalgin	Novalgin

Field	Question	Answer
		nurupquin
		Nurupquin
		nystatine
		Nystatine
		oleandomycine
		Oléandomycine
		onguent_antibiotique
		Onguent antibiotique
		oracefal
		Oracefal
		orasel_zinc
		Orasel Zinc
		osmogel
		Osmogel
		otipax
		Otipax
		otrivine
		Otrivine
		oxacilline
		Oxacilline
		paidofebrile
		Paidofebrile
		paidoterin
		Paidoterin
		panadol
		Panadol
		panalgic
		Panalgin
		paracetamol
		Paracetamol
		paracetamol_cetal
		Paracetamol Cetal
		passedyl
		Passedyl
		penicillin
		Penicillin
		penicilline_onguent
		Pénicilline onguent
		perfalgan
		Perfalgan
		peridys
		Peridys
		phenazone
		Phénazone
		phenylpropanolamine
		Phénylpropanolamine
		polydexa
		Polydexa
		polymyxine
		Polymyxine
		pommade_a_la_tetracycline
		pommade à la tétracycline
		prednisone
		Prednisone
		primalan
		Primalan
		promethazine
		Promethazine
		prorhinel_(benzododecinium)
		Prorhinel (Benzododécinium)
		pseudoephedrine
		Pseudoephedrine
		quinimax
		Quinimax
		quinine
		Quinine
		quinine_injectable
		Quinine (injectable)
		quinine_tablet
		Quinine (tablet)
		radioselectan
		Radioslectan
		rhinathiol
		Rhinathiol
		royal_(chest-lung)
		Royal (Chest & Lung)
		salbutamol
		Salbutamol
		smecta
		Smecta
		smectites
		Smectites
		solu-medrol
		Solu-Medrol
		sro
		SRO
		sterimar
		Stérimar
		sudrex
		Sudrex
		sulfamethoxazol
		Sulfamethoxazol
		sulfur
		Sulfur
		synozole
		Synozole
		tao_(troleandomycin)
		TAO (troleandomycin)
		terpin_hydrate
		Terpin Hydrate
		terpine_codeine
		Terpine Codeine
		terpone_expectorant
		Terpone expectorant
		tetracycline_oointment
		Tetracycline Ointment
		theralene
		Theralene
		tres_orix
		Tres Orix
		trimebutine
		Trimébutine
		trimetabol
		Trimetabol
		uclaprim
		Uclaprim
		unasyn
		Unasyn
		valproate
		Valproate
		valproic_acid
		Valproic Acid
		vermin-dazol
		Vermin-Dazol
		verzol
		Verzol

CSCComPatientInterview

Field	Question	Answer	
		vinciseptil	Vinciseptil
		vita_bebe	Vita BeBe
		vitafer	Vitafer
		vitamine_b	Vitamine B
		vogalene	Vogalene
		xylometazoline	Xylométazoline
		zinc	Zinc
		other	Other
desc_othernamed <i>(required)</i>	Specify other drug/medication: <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and (selected(\${indiv} , '1') and selected(\${respondentavailable} , '1')) and selected(\${otheritem} , '1') and selected(\${othertypeitem} , '1') and selected(\${othernamed} , 'other')</i>		
othertyped <i>(required)</i>	Which is the type of the drug/medication? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${otheritem} , '1') and selected(\${othertypeitem} , '2')</i>	anesthetic	Anesthetic
		antalgic	Antalgic
		anti_inflammatory	Anti inflammatory
		antibiotic	Antibiotic not specified
		antidepressant	Antidepressant
		antihistamine	Antihistamine
		antihypertensive	Antihypertensive
		antimalarial	Antimalarial
		antipyretic	Antipyretic
		antitussif	Cough medication
		antiviral	Antiviral
		anxiolytic	Anxiolytic
		bronchodilator	Bronchodilator
		sedative	Sedative
		vitamines	Vitamins
		other	Other
desc_othertyped <i>(required)</i>	Specify other type of drug/medication: <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${otheritem} , '1') and selected(\${othertypeitem} , '2') and selected(\${othertyped} , 'other')</i>		
otherequip <i>(required)</i>	Which is the equipment/material? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and (selected(\${indiv} , '1') and selected(\${respondentavailable} , '1')) and selected(\${otheritem} , '1') and selected(\${othertypeitem} , '4')</i>	alcohol	Alcohol
		bandage	Bandage
		bande_de_pansement	Dressing
		catheter_intraveineuse	Intravenous catheter
		cotton	Cotton
		compress	Compress
		desinfectant	Disinfectant
		epicranni	Winged infusion set (scalp vein set, butterfly set)
		fluide_intraveineuse	Intravenous fluid
		iodine	Iodine
		infusion_IV_fluids	Infusion
		perfuseur	Perfuseur
		polydونيودex	Polyodon Iodex
		povidine-iodine	Povidine iodine
		syringe	Syringe
		serum_glucose	Glucose serum
		serum_sale_(salin)	Saline serum
		sparadrap	Bandaïd
		gloves	Gloves
		other	Other
desc_otherequip <i>(required)</i>	Specify other equipment/material: <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and (selected(\${indiv} , '1') and selected(\${respondentavailable} , '1')) and selected(\${otheritem} , '1') and selected(\${othertypeitem} , '4') and selected(\${otherequip} , 'other')</i>		

CSComPatientInterview

Field	Question	Answer
pregnant1 <i>(required)</i>	Are you pregnant? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and \${age} >=12 and selected(\${gender} , 'Female') and (selected(\${indiv} , '1') and selected(\${respondentavailable} , '1')) and selected(\${patientrespondent} , '1')</i>	1 Yes
		2 No
		-98 Refused to say
		-99 Don't know
pregnant2 <i>(required)</i>	Is [namepatient] pregnant? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and \${agepatient} >=12 and selected(\${genderpatient} , 'Female') and (selected(\${indiv} , '1') and selected(\${respondentavailable} , '1')) and selected(\${patientrespondent} , '2')</i>	1 Yes
		2 No
		-98 Refused to say
		-99 Don't know
trimester1 <i>(required)</i>	Which trimester are you in? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${pregnant1} , '1') and (selected(\${indiv} , '1') and selected(\${respondentavailable} , '1')) and selected(\${patientrespondent} , '1')</i>	1 First
		2 Second
		3 Third
trimester2 <i>(required)</i>	Which trimester is [namepatient] in? <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${pregnant2} , '1') and (selected(\${indiv} , '1') and selected(\${respondentavailable} , '1')) and selected(\${patientrespondent} , '2')</i>	1 First
		2 Second
		3 Third
observation1 <i>(required)</i>	Were you placed under observation at the CSCom? <i>Ask respondent or fill out from observation.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and \${patientrespondent} =1</i>	1 Yes
		2 No
observation2 <i>(required)</i>	Was [namepatient] placed under observation at the CSCom? <i>Ask respondent or fill out from observation.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and \${patientrespondent} =2</i>	1 Yes
		2 No
ivinjection1 <i>(required)</i>	Have you received an IV injection? <i>Ask respondent or fill out from observation.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and \${patientrespondent} =1</i>	1 Yes, IV at the clinic
		2 Yes, IV to be done at home
		3 No
ivinjection2 <i>(required)</i>	Has [namepatient] received an IV injection? <i>Ask respondent or fill out from observation.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and \${patientrespondent} =2</i>	1 Yes, IV at the clinic
		2 Yes, IV to be done at home
		3 No
hospital1 <i>(required)</i>	Were you sent to a CSRef or hospital? <i>Ask respondent or fill out from observation.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and \${patientrespondent} =1</i>	1 Yes
		2 No
hospital2 <i>(required)</i>	Was [namepatient] sent to a CSRef or hospital? <i>Ask respondent or fill out from observation.</i> <i>Question relevant when: selected(\${intake} , '2') and ((selected(\${confirmconsent} , '1') and (selected(\${confirmimage} , '1') or selected(\${confirmimage} , '2'))) or (selected(\${consentrespondent} , '1') and (selected(\${confirmimage} , '3')))) and selected(\${indiv} , '1') and selected(\${respondentavailable} , '1') and \${patientrespondent} =2</i>	1 Yes
		2 No